This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

+ *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
+ *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
+ *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
+ *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at http://books.google.com/



E Libris quos
Vir Reverendus JOANNES COCK,
Vicarius S^ti OSWALDI DUNELM:
Succeſſoribus ſuis
MG. in perpetuum
22. Legavit.

1692 f.225.
C

CR O 57

25/-

Libellum hunc, cui in fronte Inſcriptus eſt hic titulus, *Medicamentorum* Ἐυπορίστων *Theſaurus*,&c. haud prorſus indignum judicamus, qui in juniorum ruriq; degentium Medicorum gratiam typis mandetur.

Datum in comitiis Cenſoriis ex ædibus Collegii noſtri, Jan. 19. 1699/1700.

Tho. Millington, Præſ.
Gualt. Charleton,
Samuel Collins,
Edvardus Browne, Cenſores.
Edvardus Hulſe,
Tho. Gill, Regiſter.

Medicamentorum Εὐποριστῶν

THESAURUS,

Succinćte Comprehendens,

d omnes ſeré totius Microcoſmi Morbos,

EXPERTA, nec non SPECIFICA,

REMEDIA,

x celeberrimis, tam Veterum quam Neotericorum, ſcriptis excerpta,

Ordineque Alphabetico digeſta.

Opera & Cura

OANNIS CRUSO Pharmacop.

---

edo Simplicia in ſua ſimplicitate eſſe ſufficientia, pro ſanatione omnium Morborum. Helmont.

LONDINI,
mpenſis Sam. Smith, & Benj. Walford, ad Inſignia Principis in Cœmeterio D. Pauli, MDCCI.

BODLEIAN
28 NOV 1930
LIBRARY

AMPLISSIMO

Humaniſſimo, optimóque Viro

GALFRIDO JEFFREYS

Equiti Aurato; & in ſummis jam Angliæ Comitiis pro Antiquo Oppido Brechiniæ in Agro Brechinienſi apud Silures, Senatori Honoratiſſimo, Annóq; nuperrime elapſo, junctim cum Laudabili illo eximiæ Charitatis

Exemplo,

CAROLO DUNCOMB,

Equite etiam Aurato, (& in dictis Comitiis Senatore Digniſſimo) Celeberrimæ Urbis Londini, & Agri Medio-Saxonum

Vicecomiti,

Exiguos hos Labores maximâ cum obſervantiâ,

D. D. D.

Johannes Cruſo.

LECTORI CANDIDO S.

SCias volo, Lector benevole, *me*, *ab ipſomet uſq; tyrocinio meo*, *Plantarum*, *earumq; præſertim Virium*, *ſedulum quidem*, *etiamſi non ſemper fælicem*, *indagatorem fuiſſe*: *idq; non ſolùm ut ingenitæ animo meo curioſitati gratificarer*, *verùm etiam ut huc illuc ex occaſione itinerans*, *egenis malè ſe habentibus*, *artiſq; Hippocraticæ auxilio deſtitutis*, *aliquid afferre poſſem juvaminis & ſubſidii*. *Jamq; decimus præteriit annus ex quo majorem hujus Libelli partem*, *in privatum memoriæ meæ præſidium*, *conſcripſi*.

Nunc verò eundem ad ultimam metam tandem perductum, *ſedulò reviſum*, *Locis nonnullis auctum*, *ordineq; Alphabetico diſpoſitum typis mandare decrevi*: *eo duntaxat conſilio*, *ut publico eatenus ſaltem inſervirem*. *De* Alcali *&* Acido (*de quibus hodie inter Chymiæ cultores ſtrenue contenditur*) *utrum nempe* hoc *an* illud *in corpore humano prædominans*, *magis officere*

ſoleat

LECTORI CANDIDO.

ſoleat ejus œconomiæ, nulla profectò hic ſe offert occaſio diſputandi. Neq; etiam aliud mihi in præſentia propoſitum eſt, quàm Euporiſta *quædam, partim à nobiſmet ipſis bono cum ſucceſſu experta, partim ab aliis fide digniſſimis communicata, fideliter proponere. Medicis igitur, Pharmacopœis, Chirurgis, cunctis artem Apollineam ritè colentibus (cum Agyrtis profiteor me ne minimum quidem habere commercii) haud ingratum fore iſtoc opuſculum ſpero: quandoquidem non pompoſe congeſtam, nec à longinquo petitam medicamentorum farraginem; ſed ſimplicia, atq; ubiq; ferè naſcentia, eximiis tamen virtutibus prædita oſtendit. Qualis qualis ſit iſthæc opella, Humaniſſime Lector, æqui eam boniq; conſulas oro atq; obteſtor: &*

—— Si quid noviſti rectius iſtis,
Candidus imperti; ſi non, his utere mecum.

Jo. Cruſo.

Autho[r]

Authorum nec non Virorum inſignium quorum in hoc opuſculo ſparſim fit mentio, Catalogus.

Æ Gineta.
Ætius.
Agricola.
Altomari.
Ammonierus.
Aquapendens.
Ardoynus.
Augenius.
Ballard.
Baricellus.
Bartoletus.
Bartholinus.
Battus.
Bauhinus.
Baynus.
Below.
Benedictus.
Borellus.
Bowles.
Boyle.
Brannerus.
Brendelius.
Burnetus.
Calceolarius.
Camerarius.
Carr.
Champegius.
Charleton.
Cheſneau.
Chriſtoph. d. Hæſ.

Chri-

Cluſius.
Codronchius.
Corbejus.
Cortilio.
Coyſb.
Crato.
Crollius.
Dale.
Daretus.
Deckerus.
Deodatus.
Digbyus.
Dioſcorides.
Donerellius.
Doringius.
Drawitz.
Etmullerus.
Fallopius.
Ferdinandus.
Fienus.
Fonſeca.
Fontanus.
Foreſtus.
Formius.
Freitagius.
Gabelchoverus.
Glauberus.
Goclenius.
Grembs.
Grevius.
Grulingius.
Guainerius.
Hæferus.
Hartmannus,
ab Heeres.
Helidæus.
Helmontius.
Hemmings.
Heurnius.
Hildanus.
Hildeſheim.
Hoechſteterus.
Hofman. Caſp.
Hofman. Fred.
Hollerius.
Horſtius.
Hulſe.
Jacoz.
Joel.
Jungken.
Keckerman.
Keilingius.
Kornchaverus.
Kunrad.

Lang-

Langham.
Lawemberg.
Lindanus.
Lobelius.
Lotichius.
Luſitanus.
Manardus,
de Manfredis.
Maroldus.
Marquardus.
Mathiolus.
Mayern.
Mercurialis.
Mindererus.
Morriſonus.
Morton.
Mouffetus.
Needham.
Paracelſus.
Paræus.
Pauli Simon.
Pharmac. Aug.
Pharmac. Bat.
Piſo.
Platerus.
Poppius.
Poterius.
Prævotius
Quercetanus.
Ranzonius.
Raius.
Rhudius.
Riolanus.
Riverius.
Rondeletius.
Rolfincius.
Roſlin.
Rulandus.
Sachſius.
Sardus.
Schmitzius.
Schmuchius.
Scholtzius.
Schroderus.
Schwencfield.
Sennertus.
Septalius.
Solenander.
Staricius.
Stockerus.
Strobelberger.
Sydenham.
Sylvaticus.
Sylvius.

Ten-

Tenzelius.
Thibaut.
Timæus.
Tragus.
Trallianus.
Turnheaſerus.
Varignana.
Villañovanus.
Wedelius.
Weikardus.
White.
Williſius.
Wiſeman.
Wittichius.
Zapata.
Zacutus.
Zimara.
Zwelfer.

ABORTUS.

BIſtorta, Lambs-tongue. Radix hujus, aliquo modo uſurpata, præſertim in pulvere, hunc morbum præcavet. *Schroderus.*

Nux Moſchata, Nutmeg. ℞ Cruſtam ſuperiorem vel inferiorem panis triticei toſtam, & leviter intingatur in Aq. Vitæ, Vino Malvat. vel Clareto, huic poſtea inſpergatur pulv. Nucis Moſchat. unius, & calide Umbilico applicetur. *Etmullerus.*

Plantago, Plantain. ℞ Sem. Hujus ʒſſ. vel ℈ij. Capiat. ſingulis Auroris ex Vino, Ovo ſorbili, vel per ſe, aut in Juſculo. *Riverius.*

Tanacetum, Tansy. ℞ Hujus Recentis, q. v. Contunde ad cataplaſmi formam, calideq; Umbilico applicetur.

Decoctum eaſdem præbet virtutes *Etmullerus.*

Tormentilla, Septfoile. ℞ Decocti Radicum q v. & edulcoretur conſervâ Roſarum, vel Sacchar. Capiat ℥4. ter in die. *Riverius.*

ABSCESSUS EXTERNUS.

NAſturt. Aq. Water-creſſes. Herba recens cum axung. porc. contuſ. & calide admota, Apoſtema rumpit. *Stockerus.*

—— INTERNUS.

Naſturtium Aquaticum. Succus ejuſdem colatus ſtatimq; potatus, nobile eſt Remedium. Uti etiam eodem modo uſurpat Naſturt. Hort. *Kornchaverus.*

Scabioſa, Scabious. Cujus decoct. cum Syr. è ſucco dulcorat. & tepide ſæpe hauſtum ſpecifice curat. *Foreſtus.*

ÆGYLOPS, *vide* Oculorum Morbos.

ALOPECIA, *vide* Capitis Affectus.

ALVUS ADSTRICTUS.

A*Sparagus*. Summitat hujus coctæ & comeſtæ alvum ſolvunt: item Decoctum idem præſtat.

Beta, Beets. *Mercurialis*, Mercury. ℞ fol. Betæ, Merc. ana m. i. Coq. in Juſculi q. ſ. & cap. Horâ primâ ante Prandium. *Riverius*.

Sequens Ptiſana, facile parabilis, hic inſerere placuit, *viz*.

℞ Glycyrrhiz. raſ. ſem. Coriand. contuſ. fol. Sennæ, a. ℈i. aq. ſ. calent. ℥vi. vel viij. Infunde per hor. 3. & exhibeatur colatura. Mirum eſt quam delicatule operabitur. *Phar. Bateana*.

Lactuca, Lettuce. Fol. cocta & comeſta Alvum ſolvunt. *Schroderus*. Vel,

Lapathum Acutum, Sharp-pointed Dock. Decoctum foliorum Lapiathi acuti tepide Potatum. Vel,

Lupuli, Hops. ℞ Turionum horum vere collectorum & coctorum q. v. Edantur. *Raius*.

Malva, Mallows. ℞ Caulium tenerrimorum, & coq ad mollitiem, cum pauxill. Butyri recent. ſint pro paſtu; & ſi placet bibatur Decoctum. Vel,

℞ fol. inciſorum m. ſſ. Coq. in q. ſ. Juſculi pro prima ſaltem vice, & exhibeatur. *Boyleus*.

Mercurialis, Mercury. Fol. & ſummitat. ſeminiferæ, Juſculis incocta. proſunt. *Raius*.

Polygala, Milkwort. ℞ fol. m. i. infund. in vini alb. hauſtu: cap. mane. *Ibidem*.

AMBUSTA.

AMbuſtionis 3. ſunt Gradus.

1. Ubi Epidermis externa alteratur, unde pedetentim emergunt veſiculæ aquâ acriuſculâ plenæ.

2. Ubi ipſa Cutis comburitur & corrugatur.

3. Ubi Caro aduritur, & cutis in Cruſtam degenerat, & quæ ſeparata, ulcerationem profundam relinquere ſolet.

In primo Gradu conducit

Allium, Garlick. Cuius ſuccus illitus multum valet. huic addantur ſimilia. *Etmullerus*.

Raisins, Prunes, Tamarinds, & ripe sweet
ples, or their expressed juice are of great
icacy against costiveness. Chambers.

Bardana, Burdock. Folia Ambuſtis admota curant. *Raius.*

Cepa, Onions. Succus crudus illitus, ut Allii, prodeſt. *Etmullerus.* Vel,

℞ Ceparum ſub cineribus coct. q. v. exprimatur ſuccus, eoq; illinatur pars affecta antequam veſiculæ appareant. *Quercitan. Rediviv.* Vel,

Cataplaſma ex Cepis coctis & contuſis, & ubi ſiccaverit renovatum, valet. *Boyleus*

Filix Commun. Common Fern. Succus è Radicibus expreſſus optime confert. In ejus vero defectu

℞ Rad. Siccat & cum aq Sp Ranarum vel Font. f. mucilago qua tepide illinatur pars. *Antonius Battus Tragus.*

Hedera, Ivy. Folia in Aq. f. decocta applicentur. *Riverius* à *Formio.*

Hedera Terreſt. Ground Ivy. Succus hujus recenter expreſſus, & cum Adipe Anſerinà non aſſatà, coctus, nobile conficiet Unguentum ſi lintea eo imbuta apponantur. *Boyleus.*

Lilium Album, White Lily. Ex hujus Radicibus cum Butyro, vel Lactis Cremore coctis fiat ung. valde proficuum. *Etmullerus.*

Malva, Mallows. In 3. Gradu facile paretur ſequens ung. viz. Butyrum recens; diu agitetur cum decocto malvæ ad Unguenti formam, & tum tepide applicetur & ſeparabitur eſchara *Etmullerus.*

Ophioglosſum, Adders-tongue. Coquantur tot folia recent. & contuſa in Ol. Lini, ut iis optime impregnetur. Ol. coq. ad ſiccitatem, & coletur ut f. Ol. eleganter viride in ambuſtis expertum. *Boyl.* Vel,

Poma, Apples. ℞ Pulp. Pomorum ſub ciner. coctorum ℥ ij. farinæ Hordei, & Fænugreci, ana ℥ ß. croci ℈ ß. m. f. Linimentum in 2. Gradu ſæpe expertum. Dolores enim tepide illitum ſiſtit, & cutem corrugatam planam & mollem reddit. *Etmullerus.*

Aq ex Pomis putridis deſtillata optimum eſt Remedium, præſertim ſi addatur Mercurii D. vel ſacch. Saturni parum *Etmullerus, Schmuckius.*

Sambucus, Elder. ℞ Cort. inter. virid. recent. m. iij. Cremor. Lactis opt. ℔ij. coq. donec in Oleum effluatur cremor; f. Expreſſio, & adde cort. aliorum recent. m. iiij. Coq. rurſus ad corticum ſiccitatem, f. colatur. & oleum habebis ad Ambuſta optatiſſ. *Pharm. Bateana.* Vel,

℞ Corticum ut ſupra, & Germinum primo erumpent. ana contuſor. m. ij. coq. in Butyri recent. ℔ij. ad ſiccit. Addantur, & coquantur iterum alia fol. & Germ. ad ſiccitatem. Coletur. Unguentum multum laudatum à *Sennerto.* Vel,

℞ Corticis ejuſdem contuſ. & ſtercoris Ovini ana m. j. Coq. in Ol. vel Butyri ℔i. ad ſiccitat. f. Colatura. Inſigne eſt Remedium. *Boyl.* Vel,

Stramonium, Thorn-apple. ℞ Fol. ſtram. Pomoſi recent. ℔i. contuſ. adde Ol. olivarum ℔iijſſ coq. ad ſiccitat. addantur fol. recent. contuſ. ℔ſſ. inſolentur dies 14. Poſtea coque ad ſiccitatem; f. Colatura. Ad miraculum Ambuſta quæcunq; curat. *Pharm. Bateana.*

Stramonium. Fiat etiam cum Butyro vel Axung. porc. recent. eodem modo Unguent.

Tilia, The Lime, or Linden Tree. Mucilago è Cortice extract. & tepide inuncta, Ambuſtis ſubvenit. *Raius,* Vel,

Ulmus, The Elm Tree. ℞ Cort. hujus m. iij. Coq. in aq. f. ad Syrupi Conſiſtentiam, Hocq; Decocto tepide illinantur partes. *Etmullerus.*

ANASARCA.

Abſinthium, Wormwood. ℞ Cinerum hujus ad albedinem calcin. & cribrat. ℥4. Vini Albi ℔ij Diger. clauſe per hor. 3. f. colat. Doſ. ℥vi. vel viij. bis in die. *Williſius.* Vel,

Chærefolium, Chervil. ℞ Succi recent. expreſſi ℥ij. Vini Albi q. ſ. per hauſtum exhibeatur mane per plures dies. *Riverius.* Vel,

Geniſta, Broom. ℞ Ciner. Geniſt. ℔i. infund. frigid. in Vini Rhenan. ℔iiij. capiat Æger liquoris filtrati ℥3.

℥ 3. mane, 5. pomeridiana, & ſero ſingulis diebus, donec Humour evanuerit. *Sydenhamus.*

In Cinerum prædictorum defectu eodem modo uſurpari poterint, Cineres Ericæ, Heath, Stipularum & Siliquarum, Fabarum, Beans, & totius plantæ Filicis communis Magno etiam cum fructu, Juniperi totius, nec non ſarmenta vitium, Vines. *Mayernus.* Vel,

Herba Petri, Oxlip. ℞ foliorum m. i. incide & infunde in Vini Alb. vel Rhenan. ℔ ſſ. per noctem; detur mane Colatura. Expertum à *Stockero.*

Raphanus Hort. Radiſh. Catapl. ex his contuſis, umbilico & lumbis admotum commendatur à *Riverio.*

In Corporibus quæ facillime purgativis cedunt ſequens laudat *Sydenhamus.*

Sambucus, Elder. ℞ Cort. inter. è ligno deraſi m 3. coq. in lact. & aq. ana à ℔ ij. ad 1. Cap. dimid. mane & alterum ſero, donec curetur. *Sydenhamus.*

ANEURISMA.

P*Lantago*, Plantane. Folia in Vino cocta, & contuſ. & pultis formâ admota multum conferunt. Vel,

Ulmus, Elm-tree. Cataplaſ. ex Corticib. Vino incoctis & optime contuſ. calide applicatum, & ad ſiccitatem relictum uſus eſt Mirabilis. *Johan. Poppius.*

ANGINA.

A*Bſinthium*, Wormwood. ℞ Fol. virid. & Axungiæ Porcin. a. q. ſ. ad Cataplaſ. conficiend. quod parti calide admovendum. *Rulandus & Hulſe.*

Avellana, Hazel-nut. Decoctum cort. interioris hujus, multum commend. Uti etiam Decoct. Cort interioris, (*viz Berberis*, Berberry-tree) eodem modo præparatum & uſurpatum à *Joh. Whitichio.* Vel,

Hedera, Ivy. ℞ Succi Hederæ Arbor. q. v. exhibeatur à ʒ iij. ad ℥ ſſ. Digerit, repellit, &c. *Platerus.* Vel,

Imperatoria, Maſterwort. ℞ Rad. hujus recent. q. v. ſecetur in Taleolas & cum filo circumdentur collo. *Fredericus Hoffman.* Vel,

Plantago. Quercus, The Oak. ℞ Fol. ana, & in aq. ſont. f. Decoctum melle optimo edulcorand. Vel,

Veronica, Speedwell. Decoct. Veronicæ melle edulcoratum uſurpetur. *Etmullerus.*

ANI CONDYLOMATA.

ANagallis Aquatica, Brooklime. Cum Decocto forti f. Fotus quo foveatur calide partes,hocq; peracto applicetur magma ad Cataplaſmat. formam contuſ. *Fr. Hofman.*

—— FICUS.

Chelidonium minus, Pilewort. Herba cum toto in Unguent.form. redacta ſpecifice curat. *Raius.*

—— INFLAMMATIO.

Melilotus, Mellilot. Hujus Decoct. nobilis eſt Fomentatio,præſertim ſi addantur Agrimonia & Chamæmel. Si forte fortunâ chartâ piperatâ, vel chartâ (quâ involutum fuerit Vitriolum,Petum aut ſimile)Anus inflammatus fuerit, tunc fotus ex Lacte rec. cum paucâ aq. Roſarum inſigne eſt Remed. *Etmullerus.*

—— PROCIDENTIA.

Agrimonia, Agrimony. Herba contuſa calide adhibeatur. *Etmullerus.*

Plantago, Plantane. Fotus ex Decocto foliorum laudatur à *Schwenckfeldio.*

Gingiber, Ginger. Fiat fumigatio ex Radicib. in Taleolas inciſ. *Boyl.*

—— PRURITUS.

Plantago, Plantane. Decoctum fol. cum alumin. fruſtulo fotus forma applicetur vel Aq. deſtillata. *Etmul.*

—— RHAGADIA.

Dipſacus Sylv. Wild Teazel. ℞ fol. m.iſſ. coq. in Vini q. ſ. f. fotus. *Raius.*

ANOREXIA, *vide* Vintriculi Affectus.

APOPLEXIA.

ASarum, Aſſarabacca. ℞ Fol pulv. q. v. hujus exigua Quantitas ſternutator. forma aſſumpta nobile eſt Remed. *Etmullerus.*

Im

Imperatoria, Maſterwort. Rad. recent. contuſas & Linguæ, & circa dent. molar impoſitas expertus commendat *Deckerus.*

Salvia, Sage. ℞ Fol. ſiccat. m.5. largas, Cerevif. fort. Cong. 4. quibus ſuſpendatur ſalvia in ſacculorum fruſtul. Chalyb. poſt fermentat. pro potu ordinario. Vel, Thee & folii ſcir. & aq. f. præpar. Cerevifiæ loco exhibeatur. Vel,

Sinapi, Muſtard. ℞ Sinapi mordicant. gr. X vel plura. Leviter maſticentur mane, jejune ad præcautionem *Etmullerus.*

APHTHÆ.

F*œniculum*, Fennel. Cineres Rad. vel per ſe vel cum melle miſti eximii ſunt uſus. *Ætius.*

Pentaphyllum, Cinquefoil. ℞ Decocti Rad. q. ſ. eo lavetur Os. *J. Cæſ. Baricellus.*

Rapæ, Turneps. Succus ex Rapis coct. expreſs. nobile eſt Remedium *Etmullerus.* Vel,

Satureia, Savory. Decoct. Satureiæ eadem præsta *Wolf. Gabelchoverus.* Vel,

Veronica, Speedwel. ℞ Decoct. hujus cum mel permiſtum; utere ut ſupra. *Etmullerus.*

ARTHRITIS.

A*llium*, Garlick. *Sedum majus.* Houſleek. ℞ Horum ana. Contundantur ad Pultis conſiſtent. parti dolenti applicetur. Vel,

Artemiſia, Mugwort. ℞ Fol. m i. contund. & co in Ol. Oliv. ℔ſſ. ad ſiccitat. Coletur,eoq; tepido inunga tur pars. Vel,

Artemiſia. ℞ Radicum teneriorum q. v. coq. Juſculo quo utatur æger frequenter. *Weikardus Th.*

Bardana, Burdock. ℞ Fol. q. v. mundentur, & cie verſâ parti imponantur per dimidium diem & diutius, tum renoventur. *Mindererus.*

Betonia, Betony. *Chamæpytis*, Ground-pine. *Scordonia*, Wild Sage. Pſeudo-Thee, ex partib. æq. he foli

foliorum ſiccatorum præparat. & jejuno ſtomacho calide exhibita, mirifice prodeſt. *D. Georg. Bowles* Vel,

Bryonia alba, Wild-vine. ℞ Rad. recent. q. ſ. contund. & f. Cataplaſma ter, quatérve applicandum. *Raius.*

Cepæ, Onions. ℞ harum ad mollitiem coct. q. ſ. f. Cataplaſma. *Boyl.*

Cichoreum Sylveſtre, Wild Succory. ℞ pulv. fol. (menſe maij collect. & ſiccat.) ℈ij. detur ex Juſculo pulli inſalit. man. 4. Hor. ante prandium, & horâ ſomni poſt levem (vel potius) nullam Cœnam. Remedium eſt nulli ſecundum. *Spigelius de Arthritide.*

Conſolida major, Comfrey. Ex Radicibus recent. contuſ. f. Cataplaſ. tepide parti admovend. *Parkinſonus.* Vel,

Conſolida. Pulv. rad. cum aq. f. in pulticulam coctus & digiti minimi craſſitie dolenti loco applicatus, optimum præbet mitigativum. Renovetur poſt 3. vel 4. Hor. *Jo. Hel. Jungken.*

Ebulus, Dwarf Elder. ℞ Fol. Recent. ℔ij. contund. & miſc. cum Butyr. majalis ℔i. coq. ad Herb. ſiccitatem, f. Colatura, & unguent habebis efficaciſſimum. Vel,

Hyoſcyamus, Henbane. Fotus ex foliis lact. recent. incoctis extollitur à *Dareto & Riverio.*

Salix, The Willow. Fotus ex fol. & cort. cum Vino fact. probatus eſt.

Sambucus, The Elder-tree. Immittantur folia recentia in ollam vitreatam; adeo ut ſine plicaturis ollam impleant ſæpe optime premendo, Tege operculo, & per Annum ſub terram reconde, in ſuperiori parte cruſta deprehendetur, in inferiori oleum; quo nihil efficacius. *D. Hulſe.*

ASCITES.

Aquilegia, Columbine. Rad. per ſe in vino infuſ. vel additis Becabung. Cochlear. & Naſturtio aq. nobile præbet remedium quo curatus eſt Aſciticus ſcorbuticus. *Etmullerus.*

Argentina, Silver-weed. Herbæ Decoctum multum celebratur ab eodem.

Geniſta,

Geniſta, Broom. Decoct. Radicum in Vino curat, ſi biberit Æger Cyathum per 4. Auroras jejunus. *Stockerus*.

ARTICULORUM DEBILITAS.

C*Aryophyllata*, Avens. Rad. in Cereviſia infuſa & pota per plures dies, præſertim mane jejuno ſtomacho Articulos certe roborat. *D. Hulſe ex Raij Catalog.*

ASTHMA.

A*Llium*, Garlick. ℞ Hujus quantum placet, & denudatis pelliculis coque in aq. f. in vaſe bene clauſo ad teneritudinem. Exempti linteo ſiccentur, & ollæ vitreatæ indentur. Tum,

℞ Decoct. & Aceti acerrimi tantundem & cum quant. ſ. Sacchari albiſſ. f. Syrup. qui ſuper affundatur, & probe obturata ſerventur uſui. Doſis, 1. 2. vel 3. mane cum Cochl. 1 vel alter. Syrupi.

Medicinam hanc ita paratam, ſemper in promptu habere voluit in officina Domini Thomæ Lee (Domini mihi Honoratiſſimi) eâq; multos relevavit aſthmaticos Celeberrimus Dr. Bowles cui per plures annos, donec Fatis ſuccubuit, præcipuus & fidus erat Pharmacopœius.

Bellis major, Great wild Daiſie, or Ox-eye. Caules, folia & flores in Sythogalo decocta & pota, Inſigne Remedium cenſetur. *Raius*.

Caulis rubra, Red Colewort. Decoctum cum pauco Sacchar. ſumptum celebratur à *Riverio*. Vel,

Crocus, Saffron. ℞ Hujus pulv. ℈i. ex Vino exhibeatur. *Riverius*. Vel,

℞ Ejuſd. gr. 8. vel 10. & cum quavis miſturâ idoneâ f. pil. hor. ſomni ſumend. vel detur ex ſyrupo violarum in pulv. *Boyl.*

Eryſimum, Hedge-muſtard. Herba quocunq; modo uſurpata magnopere laudatur à *Lobelio*. Vel,

Helenium, Elecampane. Rad. pulv. & cum ſaccharo, vel melle miſta, multum valet. *Raius*. Vel,

℞ *Rad. ejuſd.* ℥ *i. fol.* Hed. Ter. m. i. Coq. in aq. f. ℔iii

ad ij. Col. add. mel. opt. q. ſ. cap. hauſtulum quater in die. *Boyl.* Vel,

Marrbubium, Horehound. Succus in Syrupum Confectus nobile eſt Remedium. *Raius.*

Raphanus, Radiſh. ℞ Rad. in taleolas ſect. & ſacch. f. ſ. ſ. ſ. in vaſe idoneo, ſtent in B. M. donec ſint teneræ. Exprimatur liquor ſive ſyrupus. *Etmullerus.*

Rapa, Turnep. Harum Decoctum valde commendatur à *Cratone.*

Roſmarinus, Roſemary. Flores vel Folia in Vino parum cocta, & decoctum melle edulcoratum, & lectum ituro exhibitum mire conferunt. *Pet. Borellus.*

Synapi, Muſtard. Bellarium ex ſeminib. & melle parat. valde proficuum. *Riverius.*

ATROPHIA.

T*Anacetum*, Tanſy. Laventur & foveantur per dies aliquot Membra forti hujus decocto, mirabiliter curat Homines & Beſtias. *Stockerus.* Vel,

Urtica, Nettle. Hujus ſucco illinantur calide Membra. *Ibidem.*

AURIUM ABSCESSUS.

C*Epa*, Onions. ℞ Ceparum coct. q.v. cum Butyro contrit. applicentur calide. *Stockerus.*

Sambucus, Elder. Succus Turionum, fol. vel corticis virid. tepide in Aurem inſtillatus, & quinquies vel ſexties uſurpatus, digerit & rumpit.

DOLORES.

Betonica, Betony. Succus depuratus tepide inſtillat. dolores aufert.

Cepa, Onions. His Excavatis indentur Ol. Amydg. d. Succi Abſynth. Lact. mulieb. a. part. æq. claude Cepas, & in Clibano aſſentur, donec nigreſcant, poſtea contunde & de Expreſſo ſucco tepide auribus inſtillentur quædam Guttulæ; & obturetur Auris Bombace Moſchato, tum vero patiens cubet in Aurem oppoſitam, quo profundius illabatur medicina. *Jungken.* Vel,

Satureia,

Satureia, Savory. Hujus Decoct. ex Vino Suffitus in Aures calide receptus dolores ſubducit. *Etmullerus.*

——— SURDITAS.

Betonica, Betony. Ut ſupra uſurpata, probatum eſt Remedium.

Cepæ, Onions. Guttæ 3. vel 4.ſucci,in Aurem tepide inſtillentur. *Boyl.* Vel,

Excavata impleatur vino opt. tum ſub Cinerib. aſſetur, ſuccus expreſſ. inſtilletur. *Stockerus.*

Fabæ, Beans. Vapor. ex Decoct. per infundibul. Recept. curat. *Grulingius.*

——— TINNITUS

Abſinth. Verbena. Vapor Decocti, ut ſupra, receptus multum celebratur ab *Hartmanno.*

Cepa, Onion. Excavetur & uti in ſurditate præparetur. *Stockerus.*

Elleborus niger, Black Hellebore. Succus rad. recent. mane & ſero, callide inſtilletur & tinnitum tollit. *Ibidem.*

Satureia, Savory. Ut in Aurium Doloribus uſa laudatur ab *Etmullero.*

——— VERMES.

Qui dolores acutiſſimos ſæpe excitant & pungitivos in tali cauſâ magni eſt uſus.

Hyoſcyamus, Henbane; Ex cujus ſemin. & cerâ f. Candela cujus incenſæ fumo fumigetur Auris & ſtatim excidet vermis. *Etmullerus.*

B.

BRACHIORUM DOLORES.

Avena, Oats. Vapor calidus ex harum Decocto, caute per horæ quadrantem, ad partem deferatur, & hac finità operatione, Avenæ ipſæ tam calidæ quam ferri poſſint applicentur quinquies vel ſexties,repetantur mane & ſero & abſcedent Dolores. Expertum.

Conſolida major, Comfrey. Cataplaſma ex Rad. rec. contuſ. ſuper alutam extenſ. calide parti admot. expertus commendat *De Hulſe*, *Raij Catalog.*

Suc-

Succiſa, Devils-bit. Hujus ſucco calide illinatur pars. *Pet. Foreſtus. lib.* 29.

BUBONES PESTILENT.

HErba *Paris*, True-love, or One-berry, Cum Baccis contuſ. & his applicata, non ſolum maturat ſed venenum attrahit. *Schroderus. Etmullerus.*

C.

CALCULUS.

AGrimonia, Agrimony. Hujus Decoctum intus ſumptum, calculum expellit. *Stockerus.*

Alkekengi, Winter-cherry. ℞ Baccarum recentium vel ſemiſiccarum ʒiij. vel ℥i. contunde cum Vini alb. q. ſ. Colatura exhibeatur. *Arnold. Willanovan.*

Allium. Juniperus. Raphanus. Sylveſt. ℞ Ceparum (Anglice Cloves) & Allii n. x. Bacc. Junip. ℥i. Raph. Sylv. ℥ij. contuſ. affund. vin. (malv. ℔iiij. ſtent per dies aliquot, & capiat ſæpius cochleatim. *Jungken.* Vel,

Allium. ℞ Allii Nucleos (Cloves) n. 6. contundantur cum vin. Rhenan. q. ſ. pro hauſtu; ſi primus vel ſecundus non curaverit, exhibeat tertius. Detur mane Jejuno vel in Paroxyſmi inſultu. Expertum. Vel,

Allium. Heder. Terreſt. ℞ Allii caput j. fol. Hed. Terr. ſiccat. m. j. ſp. Vini ℥xij. ſtent bene clauſa, & pro ſcopo præſervativo, ſingulis Noviluniis, cochlear. j. exhibeatur. *Etmullerus. Jungken.*

Allium Sylveſtre, Crow-Garlick. ℞ Radicum q. v. Contunde & exprimatur ſuccus, quo bene impregnetur hauſtus Vini alb. bis in die ſumend. *Boyl.*

Althæa, Marſhmallows. Rad. inciſ. & Juſculis Carnium incoct. vel Decoctum aliquo modo paratum & exhibitum, inſigne eſt Remedium & laudatum ab *Etmullero.* Vel,

℞ Radic. recent. ℥iv. coq lento igne in aq. f. ℔iij. *ad j. Colat.* claræ adde ſacch. opt. ℔ſſ. f. Syrupus quo *frequenter* utatur æger. *Riverius.*

Ano-

Potus Theae et Coffee inter-re
qua remedia calculosis et podag
cis excellunt. Baglivus.

Anonis, Reſtharrow. Radicis Cortici vix ſuppar invenitur Remedium. *Raius in Synopſ.*

Aparine, Cleavers, or Gooſe-graſs. Herba inciſa, vel contuſ. & vino alb. incocta inſigne præbet Remedium. *Needham*. *Raius*.

Aquilegia, Columbine. Rad. in Vino Rhenan. infuſ. multum commendat *Etmullerus*.

Argentina, Silver-weed, or wild Tanſie. Hujus Decoctum in Vino, calculum inſigniter atterit. *Raius*. Vel,

℞ Argentinæ m.iiij. ſecalis viridis mj. Contund. & exprimatur ſuccus, & adde Vini Rub. partes æquales. Filtretur mixtura, & f. potio primo die Maij ſumenda; etſi tribus primis diebus Maij propinetur quolibet anno hæc potio, per totam vitam patiens (Deo Adjuvante) immunis erit à calculo; colligantur Herbæ primo die Maij ante ſolis ortum ut irrorentur. *Poterius in Pharma.Spagyrica.*

Avellana Rubra, Filberds. Pulv. Corticum ex aliquo vehiculo idoneò exhibit. calculum pellit. *Stockerus*.

Bardana, Burdock. Semina pulver. & in Zythogalo pota, inſigne eſt Lithontripticum. *Raius*. Vel,

℞ Sem. ejuſdem pulv. ℨi. exhibeatur ex Vino albo: Expertum.

Betonica, Betony. *Herniaria*, Rupturewort. Inciſa & Juſculo Carnium folia cocta & quotidie uſurpata plurimum laudantur à *Poterio*.

Betula, The Birch-tree. Succus ex Cortice, vel Ramis, in Martio vel Aprili vulneratis, ſponte defluens, & unius vel alterius Cyathi proportione pauculo Cereviſiæ bene Lupulatæ aſſociatus, & in hauſtu mane ſumptus certò ſpondet effectus ad calculi præſervationem optabiles, adeoq; generoſos, ut vix ulli Antinephriticorum palmam cedat. Hæc *Fred. Hofmannus*.

Ejuſdem ſuccus fermentatus jucundum præbet potum, vulgo Dictum Birch-wine, quem pluribus Laudibus extollunt, nec immerito, *Helmont*. *Raius*, & alii.

Carduus Mariæ, Our Ladies Thiſtle. Decoctum foliorum, vel pulv. Seminum ad ℨi. in Vino exhibit eximij ſunt uſus. *Tragus*.

Carduus Stellatus, Star-thiſtle. ℞ pulv. Sem exhibeatur mane jejuno. Vel,

℞ Aq. florum ℥ ij. detur eodem tempore ſi Sem adſint. *Mercatus de Calculo.*

Ceraſus, The Cherry-tree. ℞ Corticis interior incidatur, & contundatur cum Vin. alb. ℥ vi. ve fiat colatura pro hauſtu. Calculum pellit: Expertu

Chamæmelum, Chamomil. ℞ Decocti hujus cujus cap. Æger hauſtulum calide bis in die. *Se tus. Simon Pauli.*

Daucus Sylveſt. Wild Carrots. Semen leviter c & in Cereviſ. menſali ſacculo infuſum, gratiſſimum bet ſaporem, nec non ſpecificum magnum, ſi l Æger pro potu ordinario. *Dioſcorides*, *Helmo Gualterus Charlton*, *Hoffman.* Vel,

℞ Sem. contuſ. ℔ j. f. ſaccul. in 6. Cong. Cerevi dioc. ſuſpendendus, pro potu ordinario *Etmullerus.*

℞ Sem. Dauci Sylv. Bardanæ, ana ℥ ſſ. Contunc parum, & ſacculo infunde in Cereviſ. Cong. j. pro communi. *Boyle.*

Erica, Heath. Decoctum ex Herba & floribus mendat *Matthiolus.*

Fabæ, Beans. ℞ Cinerum ſtipitum ʒ i. detu ne, vel paroxyſmo invadente, in vehiculo idoneo. A tonic. vult *Stockerus.* Vel,

℞ Lixivij ex iiſdem Cinerib & Vino alb. fact cap hauſtulum eodem modo. Vini alb. defect. R num ſubſtitui poſſit. *Ibidem.*

Filix Commun. Common Fern. ℞ Rad. Munda Coq. in Cereviſiâ & bibetur decoctum. Certum e medium. *Simon Pauli.*

Fœniculum, Fenil. Fiat Decoctum ex foliis v minib. Plurimum valet. *Raius.*

Fraxinus, Aſh-tree. Semen miris præconiis e *Glauberus.* Item,

In Calculo comminuendo omne ferre punctum mat *Raius.*

Geranium Robertianum, Herb Robert. Ex huj

culoſus quidam, præ omnibus quibus expertus amentis, maximum levamen percepit. *Raius.*
icon, St. John's-wort. R. Sem. pulv. ʒi. cap. ılbo, vel Rhenano mane per ſeptimanam. *Za-cutus Luſitan. Etmuller.*
ies, Limons. ℞ Succi Limonum recenter ex- j. Vini Hiſpan. ℥vi. m. f. hauſt. pro prima doſi. *Etmuller.*
;, Mallows. Hujus Decoctum cum Butyro x melle miſtum, expertus eſt eum ſucceſſu
n ſolis, Gromwell. ℞ Sem. pulv. ʒi. exhibe vel alio vehicul. idon. mane vel urgent Paroxyſ- batum ab *Etmullero.*
ubium, Horehound. Decoct. in Vino, aut Re- veſicæ lapidem ejicit. *Stockerus.*
s Clavatus, Club moſs. In Julio, pulv. farina- ıteus (quem nonnulli pro ſemine habent) in hoc :peritur cujus ℈ſſ vel ʒſſ. in vehicul. idon. ex- ııle eſt Remedium. *Fr. Hoffmannus & Chri- ilingius.*
tria, Arſeſmart. Aq. ex foliis deſtillata magni *Boyl.*
elinum, Parſly. ℞ Herb. recent. m. j. Con- n Vin. alb. vel Rhen. ℔ſſ. Coletur pro hauſtu : ı.
nus Sylveſtris, Horſe-Radiſh. ℞ Rad. Raph. eraſi ℥ij. Vini alb. ℥4. vel plures; macerentur horas aliquot in vaſe probe clauſo, deinde expri- ortiter ſuccus, quem cap. Æger bis vel ter horis- ıtibus. *Riverius.*
, Haws. ℞ pulv. Horum ſiccatorum ʒi. de- ıſtu Vini: Expertum.
Chirurgorum, Fitzweed. ℞ Pulv. ſem. ʒſſ. Bibat æger ex hauſt. Vini vel Cereviſiæ. *Boyl.*
ia, Clewain. Rad. pulv. & in Hydromel- nire prodeſt. *Johannes Marquardus.*
ica, Speedwell. ℞ Decoct. ℥xij. ſeri ovini vel

Buty. recent. ℥ i. ſacchari ℥ ij. vel ʒ. m. ſ Enema.
to ex Simon. Pauli. Vel,

℞ Succi hujus ℔ſſ. Hederæ terr. ℥ iij. Portu
℥ iſſ. cum ſaccharo f. ſyrup. cujus cap. cochl. ij
ne ter in ſeptimana. *Balthaz. Brannerus.*

Veronica, Speedwell. Decoctum hujus hau
multum valet. *Raius.*

Viola, Violets. Semen inſigne eſt Lithontriptic
Domino Butlero Cantabrigienſi olim inter arcana
matum. *Needham.* Vel,

Emulſio ex his mire convenire perhibetur, quia ſ
purgat, ſimulq; Calculum expellit, Deckerus ex Sc
commendatur etiam ab *Hartmanno & Cratone.*

Virga Aurea, Golden R·d. ℞ Pulv. fol. ʒ i. (
in vehiculo idoneo. *Carol. Piſo.*

Urtica, Nettles. Conſerv. ex Racemulis ſemin
præſtantiſſimum eſt Remedium. *Bowles.*

CANCER.

L*Aureola*, Spurge-laurel. Pulvis in aceto ma
tæ, exſiccatæ & comminutæ Cancris inſp
prodeſt. *Raius.*

Lunaria, Moonwort. Rad. fol. aut ſuccus mu
valent. *Stockerus.* Vel,

Pimpinella, Burnet. Pulv. hujus cancris inſperſu
ſubigit. *Bowles.*

CAPITIS AFFECTUS EXTERN
——ACHORES.

℞ MAlvæ totius q. v. contunde cum Butyri majal
inſolentur, coquant. colaturæ adde parun
phiræ, f. Ungent. nobile. *Etmullerus.*

——ALOPECIA

Abrotanum, Southernwood. Caput Herbæ Dec
lotum, vel ol. ejuſdem cum melle miſtum, & ill
Capillos generabit. Vel,

Cineres Herbæ calcinat. cum ol. olivarum miſti
tiq; illiti, eadem præſtant. Etmullerus.

Abſynt

Abſynthium. Verbena. Lavetur Caput Decocto forti ex his præparato. *Stockerus.*

Lilium Album, White Lilies. Unguent. ex Rad. & Butyro recent. Compoſ. mire conducit. *Etmullerus.*

—— CAPILLI *ut non* CRESCANT.

Hedera, Ivy. ℞ Decoct. hujus q. ſ. eoq; diſſolve Gummi ejuſdem & hoc linatur caput, vel ſucco utere ut ſupra. *Stockerus.*

Urtica, Nettles. Fiat Litus ex pulv. ſem. & aceto optimo, eoq; illinatur caput. *Ibidem.*

—— CAPILLI *ut* RENASCENTUR.

Braſſica, Cabbage. Lixivio ex hujus Stipitib. incinerat. præparato abluatur caput. *Stockerus.*

Cæpa, An Onion. ℞ Cæpam Diſſectam, cujus parte dimid. melle intinctâ, inungatur & infricetur caput, novaculo priùs raſum. *P. Hoffmanus.*

Malva, Mallows. Fiat lixivium ex Radicibus hujus calcinatis, eoq; lavetur caput, illinaturq; poſtea foliorum ſucco. *Baricellus.*

Nymphaea; Water-lily. ℞ fol q. v. Contund. & coq. cum Butyr. recent. f. expreſſio, eaq; illinatur caput. Mirabere effectum. *Stockerus.*

Raphanus, Radiſh. ℞ ſucci Radicis majoris; eoq; fricetur caput. *Ibidem.*

Verbena, Vervain. ℞ Verbenæ q. ſ. Coq. in ol. ſ. a. Colaturâ inungatur caput. *Ibidem.*

Ulmus, Elm-tree. ℞ Corticis interior. q. ſ. Contunde & coq. liquorem ſupernatantem collige, & poſt vehementem partis raſæ fricationem inungatur. *Arnold Villan.*

—— FURFUR.

Evonymus, Spindle-tree. Pulvis Baccarum ad Furfures capitis abſtergendos in uſu eſt. *Raius.*

—— TINEA.

Bryonia alba, White Briony. ℞ Pulv. Rad. q. ſ. m. cum melle, & f. linimentum pro parte aff. cta. *Stockerus.*

Imperatoria, Maſterwort. Decocto hujus bene impregnato, lavetur caput. *Schrodirus.*

Malva, Mallows. ℞ Plantæ totius, q. v. Contr
& coq. in urinæ propriæ q. ſ. Colaturâ foveatur ca
Vel ſi Urina non arriſerit, ecque in lixivio minus acri.

—— ULCERA.

Quercus, Oak. ℞ fol. & cort interior. ana. Co
aq. ſ. Decocto ſoveatur caput.

——VULNERA.

Betonica, Betony. Tinctura Florum cum S. V.
p. . & cereviſ. miſta exhibita laudatur ab *Etmuller*

CAPITIS AFFECTUS INTERNI

——APOPLEXIA, *vide* A.

——CARUS.

N*Aſturtium Aquaticum*, Water-Creſſes. Infuſi
Acetarium, ſæpe uſurpata, maxime pre
Foreſtus.

Saturcia, Savory. Hujus Decoctum cum Vir
ctum ſi calide Occipiti admoveatur, non ſolum in ho
in omnibus capitis ſoporoſis affectibus, expertu
Remedium. *Lotichius*.

——CEPHALALGIA *ſive* DOLOR

Betonica, Betony. Pſeudo-Thea (uti in Arth
ex hac Confecta, plurimum valet. *Bowles*.

Cicuta, Hemlock. ℞ Hujus plantæ tenerrima
Geratur ſub plantis pedum, & ſemel in die reno
Boyl.

Primula Veris, Primroſes. Succus ex fol. & fl
expreſſ. cum pari quant. Lactis vaccæ Rubr. miſtu
vit, ubi alia Medicamenta nequicquam tentata fu
D Hulſe, & Langham in Hort. S.

Sambucus, Elder. Folia inter 2. tegulas ca
& fronti & temporibus applicata, dolorem auferunt
pertum.

Verbena, Vervain. Herba recens, contuſ. &
incluſa, Colloq; appenſa, mirum in modum. D
laudat. *Foreſtus, Riverius*.

—DOLOR *ex* ABSCESSU.

Betonica, Betony. ℞ Hujus q. ſ. Coq in Vino, & ponatur Capiti nocte, ſub lecti ingreſſum. *Etmullerus.*

—DOLOR *à cauſa Calida.*

Hyoſcyamus, Henbane. ℞ Sem. contuſ. ℥i. Aceti ſacei, ℥5. m & in Phiolâ bene obturatâ ponantur MB per 5. vel 6. hor. ita tamen ut non bulliant. ſtea ligetur caput infirmi Faſcia, cum Spongiâ hoc acemadefacta, & Dolorem abiget.

Etmullerus.

—DOLOR *ab* EBRIETATE.

Lactuca, Lettice. Folia majora aq. f. macerata, Capi- ; applicata curant. *Sennertus.*

—DOLOR *à* FLATU.

Rapum, A Turnep. Sub Cinere coquatur, à quo cto auferatur ea pars, (ſecundum rotunditatem) cui rba ipſa implantata erat, & calidiſſime pro tolerantia; gri poſt Aures applicetur, qua tepeſcente, altera ut pricalens, ſubſtituatur, reiteretur q; hæc actio, donec fla- diſcuſſus eſt, & ablatus Dolor; ſolet enim brevi tem- re id fieri. Dolenti lateri applicari debet vel utriq; ſi um afficiatur Caput. *Fienus de Flat.*

—DOLOR *ex Uteri conſenſu.*

Millium, Millet. ℞ Millii toſti vel non toſt. part. Salis Com. toſt. p. j. ex his f. ſacculus interpaſſatus, i per ſe aut irrorat. aq. Roſ. Rub. Beton. aut ſimil. ca- e applicetur bregmati & bregmatis oſſi & vertici. *ckermannus.*

—DEBILITAS DIUTURNA.

Betonica, Betony. Abluatur caput Decocto hujus ido. *Stockerus.*

—LETHARGUS.

Satureja, Savory. In Aceto infuſa & calide capiti nota præſens eſt remedium. Decoctum in Vino in- ſumptum, uſus eſt eximii. *A tomari.*

Sinapi, Mustard. Sem. cum aceto contuſ. & Cox- dicibus applicata, ſomnum fugant. *Willianus.*

—VER-

—— VERTIGO.

Abrotanum, Southernwood. Herba ſiccata, pulver. ex Vino exhibita præſtantiſſimum eſt Remed. *Donati ab Altomari.*

Aquilegia, Columbine. ℞ Sem. pulv. ʒ i. detur vehiculo idoneo. *Fr. Hoffmann.*

Mentha, Mint. In vertigine Stomachali Adoleſcentium, (quod frequens eſt malum ob læſam dietam) melius non datur Remedium, quam Menth. aliquo modo uſurpata. *Etmullerus.*

Primula Veris, Prim-roſes. Decoctum cum Zyth gal. vel ſero lactis facto ſingulare & præſtantiſſimum eſt Remedium. *D. Hulſe & Moriſonus.*

Salvia, Sage. Pſeudo-Thea ex hac cum aq. f. vel Vino fact. optime confert, ſi intus ſumatur hauſtus calidus mane & ſero; & extus foveatur caput. *Deckerus.*

Sinapi, Muſtard. ℞ Seminum crudorum ʒ ſſ. vel ℈ ij. Comedantur jejuno ſtomacho. Vel,

℞ Sem. prædict. q. v. caricarum ping. q. ſ. ut ex mul contuſis f. Electuarium, cujus cap. q. nucis moſc grandior. omni mane. *Etmullerus.*

Viſcus Pomorum, Miſletoe, of the Apple-tree. ℞ Fo pulv. ʒ i. Cap. bis in die ex cereviſ. vel poſca in qua ſal Beton. vel Roſmarin. incocta fuerint. Vel,

℞ Cereviſ. tenuioris (in qua hujus folia Lupulorum vice incoct. fuerint) Cong. iiij. in quibus ſuſpendatur ſaculus, continens. ſtercoris pavonis ℔ ſſ. caryoph. contuſ. ʒ iij. ſit pro potu ordinario. *Williſius.*

CARBUNCULUS.

BEllis minor, Daiſy. *Conſolida major*, Comfry. ℞ Fo ana; Contund. & applicentur tepide Cataplaſmatis forma. A nonnullis quaſi magnum arcanum habetu *Sebaſt. Cortilio.*

Cydonium, Quince. ℞ Pulp. hujus q. ſ. & catap modo uſurpata carbunculum peſtilentiale curat, tepide vero applicand. *Prævitius.*

Raphan

[illegible]

Sterc. Pavon. albi ℥iv. Millep. con. ʒj. Aq. Ceras. nig. Vini albi ana ℔ iſs. Inde 24 horas frigidè; col. per manica clarificata adde Aq. Langii ℥iij. Lavend. comp. ʒiſs. Ol. nuc. mosc. gtt. ij. Paeon. comp. ℥vj. Utimur auspicatò ad Vertiginem, Scotomiam, et Idiopathicum capitis dolorem. Dos. ℥iv. manè et serò. Fulleri Pharm. Extemp.

Cardialgia

Heart Burning.

Langhams Garden of health.

Eat seven or 8 almonds ~~[illegible]~~.

Chew Liquorish & swallow down ye juice & spit out the rest. the Root quencheth thirst, [illegible] ease & comfort ye hot & dry stomach

Chew ~~[illegible]~~ dropps of ffennel and suck down ye juice & spit out ye rest. Seeth wormwood in fair water & strain it & drink it daily ~~[illegible]~~.

Eat 6 or 7 peason or more. Let a man hold red corall in his mouth, & a woman white Corall in hers

Pomgranates. seven are good for ye heart burning & ye swooning that cometh by choler, ye inflammation of ye liver & to cause appetite

all the foregoing are out of Langhams

Raphanus, Radiſh. Rad. inciſ. & applicata venenum potenter attrahit. *Paræus*.

CARDIALGIA.

ANethum, Dill. ℞ Succi depurat. ℥ iij. exhibeantur Ægro. *Varignana*.

Calamus Aromaticus, Sweet Flag. ℞ Hujus Rad. pulv. ʒ i. detur ex ℥ ij. ſucci Abſynthii depurat. *Solenander*.

Chamæmelum, Chamomil. Decoctum ex vulgar. vel potius Roman. præparatum nobilis eſt uſus. Cap Æger hauſtum mane jejunus, vel in Paroxyſmo. *Etmullerus*.

CASUS *ab* ALTO.

Hedera Terreſtris, Ground Ivy. Hæc ſunt verba Clariſſim. *Etmulleri*. Confugiamus (inquit) ad Hederam hanc, tanquam ad Sacram Anchoram, quæ nunquam nos deſeret.

CATARRHUS.

CAryophyllata, Avens. ℞ Radic. hujus & Saſſafras ana inciſam ℥ ij. Roriſmarin. ℥ ſſ. bis affund. in vaſe magno, Vini Generoſ. menſuræ 2. coq in MB. vaſe probe obturat. per hor. 8. ubi refrixerit, colatura ſervetur in Ampullis. Cap. Æger hauſt. mane Horâ 1. ante paſtum, 5. pomerid. & Horâ ſomni. Vinum eſt ſpecificum. *Lindanus*.

Cydonia, Quinces. Decoctum Cydon immaturorum Sacch. edulcorat. in Catarrhis noctu perturbantib facile eſt Remed. cap Æger cochl. ij qualibet nocte ſub Lecti ingreſſum. *Simon. Pauli*.

Serpyllum, Mother of Thyme or wild Thyme. ℞ Summitat hujus recent. ſtatim in primo ejus flore q v. affunde Vini Malvat q. ſ ut 3. emineat digitos. Inſolentur in cucurb. capaci firmiter clauſ. per 14 dies. tunc deſtillata, deſtillatum affundatur recentib. ſummit. iterumq; ut ante inſolentur & deſtillentur, tandem in qualibet hujus aq. ℔. infunde Rad. Saſſafr. opt. ℥ ſſ. & uſus tempore per inclinationem ſepara q ſ. Valet in quovis Catarrho,

præ-

præſervat ab Apoplex. Epilep. Paralyſ. &c. Doſ. Cochl j. quando Catarrhi moventur. *Fr. Hoffman in Theſ. Pharmaceutico.*

CHOLERA MORBUS.

M*Entha*, Mint. Quocunq; modo uſurpata ſpec eſt. *Etmullerus.*

Cicuta. Folia, *ſive* Radices Comeſta.

Acetum, Vinegar. Quia hæc aliquando pro foliis trofelini & etiam pro Paſtinacæ Rad. comeditur, ir Caſu acetum potum præſens eſt Remedium quod hi ſerere æquum duxi, ex *Moriſono & Trago.*

COLICA.

A*Grifolium*, Holly. Decoctum ex Aculeis fc Zythogalo fact. mire conducit. Idem proci bio folia efficient. *Raius.*

Avenæ, Oats. Frixæ & ſacculo incluſæ calide A mini applicentur. *Etmullerus.*

Aurantia, Oranges. ℞ Flaved. pulv. ℥ſſ ℈ij ℥i. detur cum Sacchar. vel in alio vehiculo idoneo.

Calam. Aromat. Sweet Flag. ℞ Pulver. ℈i. in vehiculo aliquo proprio. *Raius.*

Caruus, Caraways. Fiat hauſtus unus vel plur ſeminib. contuſ. & macerat. in Vino Hiſpan. urgent roxyſm. exhibend. *Stockerus.*

Chamæmelum, Chamomil. Decoctum hujus (ſe tius Infuſio) uſus eſt inſignis. *Raius.*

Chærefolium, Chervil. Cataplaſm. ex Herba co contuſ. vel in Butyro frixa: Expertum *Schroderus*,

Cyminum, Cummin. Pulv. ſem. à ℥ſſ. ad ℥i. hic. idoneo ſumatur *Etmullerus*

Cynoſbatus, Common Briar, or Dog-roſe. ℞ Spongiarum, huic adnaſcent. ℥ſſ. detur ex Vino. *à Fonſeca.*

Erica, Heath. Decoctum, ſuccus, vel aq. è fl floribus. deſtillat. multum valet. *Tragus.*

Gentiana, Gentian. Pulv. Rad. à ℥ſſ. ad ℥i. beatur. *Etmullerus.*

elenium, Elecampane. Decoctum radicis in Vino egregium eſt Anticolicum & expertum. *Etmuller.*
landes, Acorns. ℞ Pulv. ʒ iſſ. detur in Vino vel llo. *Jacob. Fontanus.*
uglandes, Walnuts. Cortex nucleum ambiens, ſeu la illa membranula, vel tunica, proxime nucleum tiens ſubamara, inſigne eſt Arcanum contra Colicam, od verum eſſe ſancte atteſtor, doſis hujus exſiccat. ulv. quantum pugillo apprehendi poteſt (viz. ʒ ſſ. vel ʒ i.) in Vino, vel aqua aliqua Carminativâ. Hæc Verba Doctiſſ. *Fr. Hoffmann.*
ntaphyllum, Cinquefoil. ℞ Herb. pulv. ʒ i. vel ij. ntur ex Vino Generoſo. Remed. eſt efficax. *Zimara.*
iticum, Wheat. ℞ Furfur. Triticei q. ſ. Sacculo ſ. & calefactus, & modico aceto irroratus, parti do- applicetur. *Stockerus.*
ſſilago, Colts-foot. Decoctum in Vino, Remedium ciſſimum eſſe affirmat *Vangnana.*
ronica, Speedwell. Decoctum ſive potum, ſive teris forma exhibitum, Specificum eſt laudatum à *one.*
rtica, Nettles. ℞ Sem. Urtic. urentis contuſ. ℥ i. Rub. ℔ ij. Coq. in vaſe bene obturat. ad ℔ iſſ. cola- exhibe ℥ iij. Bis térve in die, vel quater ſi opus t. *Boyl.*

— COLICA CONVULSIVA *uti etiam* — COLICA NEPHRITICA.

hamæmelum, Chamomil. In aq. vel Cereviſia in- i Flores, vel potius infuſio ſpecifice commendatur, tur Hauſtus Ægro, ſæpiuſque repetatur. *Etmuller.*

RDIS COARCTATIO Infantibus fre- quenter accidit.

EPæ, Onions. ℞ Ceparum ſub Cinerib coctarum q ſ. & exprimatur ſuccus, qui cum caponis adipe eatur, ut f. liniment. nobile, quo inungantur præ- ia & Hypochond. *Jungken.*

CORDIS PALPITATIO.

Borrago, Borrage. *Meliſſa*, Baum. ℞ Fol. horum ana q. ſ. contun. & adde momentum aq. Roſ. & aceti, & cordis Region. applica. *Foreſtus*. Vel,

Meliſſa viridis per ſe contuſa, aceto irrorata, & calefacta, eadem præſtat. *Heliдæus Paduanus*.

Bugloſſ., Bugloſs. ℞ Succi hujus ℥ ij. depuretur, & adde ſacchari ʒ ij. Cap. qualibet nocte donec convaluerit.

Cardiaca, Motherwort. Decoctum aut pulv. cum ſacch. admirandæ ſunt virtutis. *Bowles*.

Phyllitis, Harts-tongue. Pulv. fol. ad ʒ i. Cereviſ. exhibitus mire prodeſt. *Raius*.

D.

DENTIUM DOLOR.

ALlium, Garlick. ℞ Decoct. allii q. ſ. & cum moment. olibani, calide teneatur in ore. *Stockerus*. Vel,

Succus ejuſdem cum pauxillo Theriac. miſt. & in aurem tepide inſtillatus, mirum in modum dolorem compeſcit. Vel,

Idem præſtat Allii Bulbus (detracto cortice) in formam ſuppoſitorii ſciſſus, & in aurem ejuſdem lateris intruſus. *Riverius*.

Argentina, Wild Tanſy. Fiat ex hac, Decoctum cum Aceto, quo tepide ſæpe colluatur Os. *Raius*. *Moriſonus*.

Betonica, Betony. Fol. recent. leviter contuſ. indentur Naſo. *Pet. Borellus*.

Burſa Paſtoris, Shepherd's Purſe. ℞ Fol. contuſ. q. nucis moſch. divide & indentur tepide auribus. *Ibidem*.

Cepæ, Onions. *Salvia*, Sage. ℞ Succi Cepar. q. v. eoq; colluantur dentes. & poſt expuitionem rurſus colluantur decoct. ſalviæ in Vino auſtero fact. *Stockerus*.

Conſolida major, Comfry. Rad. recens contuſa, & tempori in Emplaſt. form. admota, fluxionem efficaciter intercipit. *Riverius*.

Corylus.

us, Haſle-tree. Cura magnetica per Tranſplan-
, ſequenti modo perficitur. Adeat Æger Co-
x ſeparato nonnihil cortice, exſcindatur ſub hoc
qua ipſæ Gingivæ & loca dentis affecti pungan-
dum Sanguinem fundant, tum lignum cruen-
prio immittatur Loco, unde exſciſſum erat,
enuo applicetur, & luto probe circundetur, ne
ambiens Aer. *N. B. Quod in Coryli defectu*
Willow, Vel, *Sambucus*, Elder, ſubſtitui
& Quo citius fit hæc operatio, eo efficacius.

ra videantur vero in { *Etmullero*, *Smucbkio*, & *Tentzelio*.

rus niger, Black Hellebore. Ex Decocto Rad.
f. lotio efficax. *Stockerus*.
raſter. Hujus folio contrito confricetur dens,
paucas horas decidet. Caveto tamen ne alii tan-
entes, eorum enim caſum promovebit. *Riverius*.
com. Fern. Decoct. Rad. in aceto forti, tenea-
: tepide & ſtatim ceſſabit Dolor. *Simon Pauli*.
a, Ivy. Decoct. ex Baccis contuſ. cum aceto
factum teneatur in ore. Expertum.
ea, Ragwort. Coquatur Rad in Vino, quod in
idum. *Stockerus*.
atoria, Waterwort. F. Decoct. forte ex Radi-
gargarizetur Os. *Schroderus*.
hum Acutum, Sharp-pointed Dock. Rad vere
minationem collecta, & ſiccata, denti dolenti
proprietate ſpecificâ dolorem tollit. Vel,
licta recens in taleolas ſecta, eodem modo ap-
idem præſtat. *Riverius ex Foreſto*.
s, Hops. Fiat ex his in aceto Decoctum vali-
quo laventur Os & Gingivæ, & ſanus erit.
icrellius.
s, The Mulberry-tree. ℞ Fruſtulum Corticis
Immitatur Denti Cavo, vel fiat Gargariſmus ex
vel foliis ejuſdem arboris, quo ſæpe gargarizetur
verius. Schroderus.

Nigella, Fennel-flower. Fiat Decoctum ex ſe contuſ. in aceto, quo colluatur os. *Stockerus.*

Pentaphyllum. Cinquefoil. Decoctum Rad. va proficuum, ſi eo eluatur os. *Hoffmannus.*

Perſicaria, Arſeſmart. ℞ Fol. recent. q. v. ma tur in aq. f. & applicentur parti dolenti donec incal Tunc ſepeliantur in fimo, & uti hæ putreſcunt, dol rabitur. *Paracelſus, Helmont, Hoffman. Etmullerus.*

℞ Fol. hujus q. ſ. coq paulum in aceto, ac cc Herbam denti dolenti vel maxill. per hor. aliquot im tunc Herbam ex ore deſumptam, in terram defode putreſcat, & ceſſabit dolor. *Jungken.*

Piloſella, Mouſe-ear. ℞ Fol. contuſ. m i. Coq. i reviſ. tenuior. ℥ xij. ad ℔ſſ. f. collutio ſæpe exper *Fr. Hoffmanno.*

Primula veris, Prim-roſes. Acetum hujus Radi inciſis bene impregnatum, & Errhini loco in Nare tractum, mirabiliter dolores ſedat. *Schroderus.*

Prunus Sylveſt. The Sloe-tree. Decoct. Cort. n aſtin. Rad. hujus in Cereviſ. vel Vino fact. maxime la tur à *Kornchavero.*

Pyrethrum, Pellitory of Spain. Rad. in Aceto plurimum commendatur à *Moriſono.*

Quercus, Oak. ℞ Foliorum recenter ſicc. q. Decoctum forte, quo utatur æger. *Stockerus.*

Ranunculus, Crow-foot, or Butter-flower. fruſtulum denti applicatum, dolorem aufert. *Rive*

Rapa, a Turnep. (Ut in Capitis Dolore, quem de) præparata & applicata, valde eſt efficax, & lorem ſedat. Cujus rei experientiam & feci, & ab ali ctam obſervavi. Hæc ſunt Verba *Fieni.*

Gabelchoverus idem confirmat.

Ruta, Rue. Inſtilletur Gutta una vel altera hujus ci tepefact. in Aurem denti dolenti proximam & obt tur lano nigro vel goſſypio. *Boyl.*

Sabina, Savin. In Cereviſ. decocta, & ore det ſterat. *Jungken.*

Verbena, Vervein. Decoctum ex Vino ore detentum ultum laudant *Stockerus* & *Riverius*.
Urtica, Nettles. Fol. contuſa & maxillæ dolenti adota, dolorem citò ſolvunt. *Riverius*.

—EROSIO.

Petum, Tabaco. Hujus Cineres, mirum in modum ntes dealbant, & abſtergunt. *Riverius*.
Fabæ, Beans. Cineres Faborum mire ſunt efficaces. *idem*.

—EXTRACTIO.

Cataputia, Garden Spurge. ℞ Lactis Cataput. & inæ ſiliginis ana q. ſ. ut f. paſta, cujus fruſtulum indedenti cavo.
Chelidonium majus, Great Celandine. Succus hujus itibus cavis inditus, eos frangit & ejicit. Hæc *Etllerus*.
Elleboraſter. Supra memoratur & uſus eſt eximii le *dent. dolor*.
Ficus, Fig-tree. Ex lacte hujus & farinâ (ut cataputia) f. paſta eodem modo uſurpanda. *Etmul-rs*.
Hedera, Ivy. Hujus Gummi fruſtulo impleatur dens us & excidet. *Job. Step Strobelbergerus*.
Lapathum Acutum, Sharp-pointed Dock. Rad. cineribus aſſat. dentique applicata eum ejiciet. *ius*.
Mentha, Mint. Colluatur os Decocto rad. menth. ores ſedabit & dentem perforatam tollet. *Stockerus*.
Morus, Mulberry-tree. Cortex radicis hujus commndatur, nec non
Ranunculi, Crow-foot. Radix & etiam Radix Pyrei in aceto infuſ. *Riverius*.

—LAXITAS.

Anagallis, Pimpernel. ℞ Rad. Anagal. flore Phœco q. v. maſticetur fruſtulum, & ad miraculum denfiget. *Arnold. Villanovanus*.

Argentina, Wild Tanſy. Coquatur Herba contuſ. in aceto eoq. decocto ſæpe colluatur os. *Moriſonus.*

——STUPOR. *Anglice*, Teeth on edge.

Portulaca, Purſlain. Uti etiam ad ſanguinem ex Palato, Gingivis, & Faucibus effluentem (quod ſæpius in Scorbuticis contingit) non datur præſtantius Remedium quam Portulaca maſticata ſenſim ſenſimq; comeſta. *Etmullerus.*

——VERMES.

Alkekengi, Winter-cherries. Qui ſæpe dolores dentium acutiſſimos excitant; in hoc Caſu. ℞ fructus hujus q. v. contundantur & miſceantur cum cerâ ad paſtæ conſiſtentiam, cujus fruſtum in laminam ferream ignitam injectum fumum ſuggeret, quo ore excepto catervatim Vermes cum ſputo copioſe ejicientur, & dolores ſopientur. *Etmullerus.*

Hyoſcyamus, Henbane. Fumus ſeminum per infundibulum ore exceptus, ſpecificus eſt. *Etmullerus.*

Vel ℞ Seminum ʒ ij. Ceræ ʒ i. m. f. paſta cujus fumus (ut ſupra) ore excipiendus. *Jungken.*

Sabina, Savin. Fiat decoctum foliorum in Vino, quod ore retentum Copioſe vermes ejiciet. *Jungken.*

DIABETES.

AGrimonia, Agrimony. Pulvis hujus vino rubro exhibitus multum commendatur à *Riverio*. Vel Decoctum foliorum Vino factum & potum ſpecifice prodeſt. Uti etiam, eodem modo præpar. decoctum *Alchimillæ*, Ladies Mantle, & *Calamenthæ*, Calamint. *Etmullerus.*

DIARRHOEA.

AGrifolium, Holly. ℞ Pulv. fol. Agrifolii ℈ij. vel ʒ i. detur in vehiculo idoneo. *Raius.*

Amaranthus, Flower-gentle. Pulv. florum in Vino ſumptus, ſpecificus eſt. *Prax. Mayern.*

Argentina, Silver-weed. Cocta cum radice, quoſvis alvi fluxus compeſcit. *Hoffmannus.*

Caſſamen

Caſtanea, Cheſt-nuts. Pulvis vel decoctum mem-anæ interioris rubentis quæ corticem & fructum diſcer-t, ſpecifice proſunt. *Raius. Alex. Benedictus.*

Chamæciſtus, Dwarf Sun-flower. Herba quocunq; odo uſurpata, nobile eſt Remedium *Joh. Bauhin.*

Conyza, Flea bane. Folia ſuper prunas injecta, ut mus in Cathedrâ perforata recipiatur, ſpecificâ vi Di-rhœæ medetur. Vel ſi eadem Herba cum aceto trita, omachi Regioni admoveatur eadem præſtat. *Riverius.*

Cydonium, A Quince. Cerâ vel Gummi Arabico re-letum & clibano coctum exhibeatur. *Mayerne.*

Glandes, Acorns. In juſculo coquantur & exhibea-r Jus. *Foreſtus.*

Juniperus, Juniper. ℞ Granorum Juniperi m j. ini rub. ℔iſſ. coq. ad ℔i. Collaturam cap. mane & (ſi ous fuerit) ter repetatur. *Riverius.*

Meſpili, Medlars. ℞ Horum q v. comedantur ſæ-us & curabunt. *Foreſtus.*

Morus, The Mulberry-tree. Pulv. fructus immatur. ſole ſiccat. valde proſunt. *Ætius.*

Perſicaria, Arſſmart. *Sedum majus*, Houſleek. ℞ occi horum ana ℥ iij. coq. ad tertiæ partis conſumpt. De-r mane, & certo curabit quemlibet Alvi fluxum quam-r inveteratum *Riverius.*

Plantago, Plantain. Pulv. ſeminum ad ʒ i. in ovo rbili vel Vino Rubr. exhibitus nobile eſt Remedium & mmendatum. *Foreſtus*, *Mayerne*, *Etmullerus.*

Plantaginis Folia in Juſculo capitis vervecini cocta, elici ſucceſſu uſurpavit *Poterius.*

Polygonum, Knot-graſs. ℞ Hujus q. v. Coq. in ſuc-Pomorum Sylveſtr. in colatura madefiant panni lanei plicati, qui calide ventriculo, umbilico, & dorſo ap-icandi ſunt. *Wittichius.*

Prunus Sylveſtris, A Sloe. ℞ Succi horum immatu-r. q. v. evaporetur ad ſiccitat. & quo uſq; in pulv. fla-im reducatur ſuccus. Tunc ℞ pulv. hujus ʒ ſſ. in aq. antag. vel aliquo alio vehiculo idoneo. *Jo. Poppius.*

Salix, Willow. ℞ Spong. hujus exſiccat. & pulv. ʒ ſſ. detur in vehiculo idoneo. *Etmullerus.*

Sophia Chyrurgorum, Fix-weed. ℞ Seminum Soph. Chyrurgorum pulv. ʒ i. detur in Vino Rubro vel alio vehiculo. *Ibidem.*

Vinca Pervinca, Periwinkle. Pulvis fol. cum momento Rhabarb. & conſ. Roſarum miſtus, multum valet. *Theodorus de Mayern.*

DIURETICA.

Abrotanum, Southernwood. Sem. pulv. & Vino ſumpta urinas cient. *Etmullerus.*

Agrifolium, Holly. Aq. ex ſummitatibus tenerrimis deſtillata, commendatur à *D. Needham.*

Aquilegia, Columbine. Pul. ſem. in Vino Rhenano aut Alb. exhibitum valet. *Raius.*

Bardana, Burdock. ℞ Pulv. ſem. ʒ i. Vini alb. ℥ 4. ſi hauſtus. Expertus.

Cyanus major, The Great Blewbottle. Decoct. vel infuſ. florum in Vino alb. maxime valent. ſi cap. æger hauſtum mane & quartâ pomeridianâ tepide *Etmullerus.*

Plantago, Plantain. Succus hujus per ſe vel ſucco limonum miſtus, inſigne eſt Diureticum. *D. Needham.*

DOLORES EXTERNI.

Abſynthium. Parietaria. ℞ Foliorum ana coq. in aq. f. q. ſ. ad mollitiem, colentur & contundantur Herbæ pro catapl. & utatur colatur. pro fotu; poſt cujus uſum applic. catapl. calide: His ſimpl. medicamentis, curantur dolores externi, (ut Contuſion. &c.) uti etiam interni, ab ani humore. *Etmullerus.*

DOLORES SPINÆ.

Abſynthium, Wormwood. *Parietaria*, Pellitory of the Wall. ℞ Herbarum prædictarum recentium ana, contund. & coq. in oleo ad ſiccitat. coletur, & oleum habebis præſtantiſſimum. *Amatus Luſitanus.*

DO-

DOLORES INTERNI.
—POST PARTUM.

amentha, Calamint. Hujus decoctum intus ſumtum, dolores abiget, præſertim ſi à flatibus orian-
:tmullerus.

efolium, Chervil. Hujus decoctum multum va-
:cipue ſi ex retentione ſang. Grumoſi cauſetur do-
:tmullerus.

næmelum, Chamemil. Decoctum fol. vel florum
, ad dolores à frigore cauſatos, mirifice prodeſt.
is & Roſencruzerus.

)ecoctum fol. vel florum Chamæmel comm. vel
ı. vel per ſe, vel cum Elix proprietat. gutt. aliquot,
ıs commendat *Etmullerus*.

era Terreſtris. Fol. contuſa, calefacta & ventri
ta dolores ſiſtunt. *Joannes Bauhinus*.

: moſchata, Nutmeg. ℞ Nucis majoris partem
ntem, injiciatur ſuper prunas lentas, ut recipiatur
per infundibulum in vulvam & ſtatim ceſſabit do-
:tmullerus.

oaria, Zedoary. ℞ Zed. pulv. ʒ ſſ. detur in hau-
ıi calidi. Vel,
'anis butyro illiti q. ſ. qui pulv. Zedoariæ largius in-
, comedatur. *Etmullerus*.

—SCORBUT. *vide* Scorb.

—VAGI.

e, Onions. ℞ Harum ad mollitiem coct. q. ſ.
ur & f. cataplaſm. ſuper lintea parti dolenti appli-
n. *Boyl.*

—UNIVERSALES.

ıbucus, Elder. ℞ Hujus cortic ſecundi deraſi m.
in ol. ℔ ſſ. & aq. f. ℥ 4 ad aq. conſumpt. Coletur
ıturæ adde Ceræ q. ſ. ut f. ungt. nobile. *Obſ. Ri-
:cm.* Vel,

us, Alder. Si æger locatus ſit inter duos ſaccos
hujus foliis impletos & ad tolerantiam calefactos,
m. ſudabit, & ſi primâ vice, non ceſſant dolores,

bis repetita curabitur à *Formio pro experto comme datum.*

DYSENTERIA.

A *Grifolium*, Holly. *Argentina*, Wild Tanſy. H: ut in Diarrhoea uſurpata, in hoc morbo etiam uſ ſunt eximii, ut teſtantur Authores ibi citati.

Biſtorta, Snake-weed. Rad. in Vino decoct. & exl bit. multum valet. *Raius.* Vel,

Pulverizat. & cum conſer. Roſarum miſt. eadem præſt: *Ibidem.*

Burſa Paſtoris, Shepherds Purſe. Commendatur : eodem Authore, nec non Schrodero & Dale in Pharmacolo;

Caſtanea, Cheſtnut. Hæc ut in Diarrhoea uſurpanda quam vide.

Cydonium, Quince. ℞ Cydonium parum excavatun impleatur cochinellâ pulv. deinde aſſetur & comeda tur. *Mayern.*

Filipendula, Dropwort. ℞ Fol. vel Radic. pulve ʒij. exhibeantur ex Vino vel ovo ſorbili prima vic *Lud. Mercatus.*

Gnaphalium, Cudweed. In Vino decoctum, Reme dium eſt efficax. *Diaſcorides*, *Raius.*

Hedera Terreſtris, Ground Ivy. ℞ Succi ℥iij, vi iiij. cap. per ſe aut cum aliis appropiatis. *Hollerius.*

Juglans, The Wall-nut Tree. ℞ Hujus Iulos prol ſiccatos, & pulv. ʒi. detur in aq plantag. vel alio v hiculo idoneo, quaſi arcanum ſpecificum commendati ab *Etmullero*, quamvis *Hoffmannus* his vim emeticam a tribuit & cautelam citat ex *Simone Pauli.*

Lamium Rubrum, Red Arch-Angel. Decoctum hi jus valere creditur. *Raius.*

Lapathum Acutum, Sharp-pointed Dock. ℞ ſei ſiccat. & pulv. cochleare 1. detur in ovis ſorbilibı *Ætius.* Vel ſemin. pulv. in eadem quantitate dentur in br dio calido. *Hoffmannus.*

Malva Arborea, Holly-hocks. ℞ Rad. q. ſ. fol. pla tag. mſſ. coq. in aq. f. colat. tepidam bibat *Æger* dua vicibus. Expertum.

M

lefolium, Parrow. *Plantago*, Plantain. ℞ Fol. ncifa coq. in Vino Rubro, colaturam bibat Ægro. Expert.

ſcus Clavatus, Club-moſs. Ut in Calculo hic magni eſt uſus. *Chr. Keilingius Sen.*

urtium, Creſſes. Semina quocunq; modo uſur- maxime proſunt. *Arnold Weikardus.*

pinella, Burnet. Dyſentericus quidam ſolo uſu decocti cum aq. & butyro confecti, perfecte curatus a triduum ſumebat; autem ſcutellam mane & ſero. *ii obſervat.*

pinella etiam valde laudatur à *Moriſono.*

tago, Plantain. Succus hujus ad ℥ iij. vel 4. aſ- us curat. *Horſtius.* Vel,

a in Juſculo capitis vervecini coct. & Brodium um, magni eſt uſus. *Poterius.*

um, An Apple. Ut in Diarrhœa præp. cum cera, uic etiam prodeſt. *Etmullerus.*

rcus, Oak. Fol. in aceto cocta, & ſacculis ij. , calide abdomini & podici applicentur. *Rulan-* Vel,

Pulv. Gland. cum cupulis ʒ i. detur in vehiculo pro- *Sennertus.*

mbucus, Elder. Pulvis vel (ut dici ſolet) Tragæa rum Actes, celebre eſt Remedium & à quam pluri- agnis encomiis laudatur. Modus conficiendi hic eſt: c. Bacc. matur. q. v. Farinæ ſecalin. q. ſ. ut f. paſta, e panes exigui, quos coq. in clibano ad duritiem Biſcocti. Hos pulverizat. iterum cum ſucco re- mpaſta & coque, idq; tertio repete, tandem f. pulv. ſing. unciis adde Nuc. Moſ. ʒ i doſ. ad ʒ i. in ovo lo, vel pane toſto, & Vino intincto inſpergatur. *acop. Bateana.*

bia Chyrurgorum. Planta quocunq. modo uſurpata, um eſt Remedium. *Etmullerus.* Vel,

Sem. pulv. ℈ ij. vel ʒ i. detur in vehiculo idoneo.

er, Cork. Decoctum laudatur à *Riverio.*

Tilia,

Tilia, The Lime-tree. Baccæ ſiccat. & pulv. in omnibus alvi profluviis laudantur. *Raius.*

Tormentilla, Tormentil, or Septfoil. Rad. Hujus in decocto, vel aliquo modo uſurpat. nobile eſt Remedium. *Hoffman. Raius. Etmullerus.*

Vinca Pervinca, Periwinkle. Decoctum hujus laudata & tuta eſt Medicina. *Raius. Hoffmann.*

Uvæ, Grapes. ℞ Succi uvarum immatur. (vulgo agreſtium) cohl. decem. deparetur lenta ebullitione, & liquoris clari ſumatur 3. pars pro vice. Expertum à *Claud. Deodato.*

DYSURIA.

ALthæa, Marſhmallows. ℞ Rad. ſiccat. & pulv. ℈ij. ſacchar. alb. ℈i. m. capiat in vehiculo idoneo, bis térve in die. *Etmullerus.*

Hedera Terreſtris, Ground Ivy. ℞ Succi recenter expreſſi ℥ ſſ. detur in vehiculo idoneo. *Boyl.*

Malva, Mallows. ℞ Decocti (vel aq. deſtillat.) ℥ 4 Syrupi violarum ℥ iſſ. m. propinetur. Præſens & præſtantiſſimum eſt Remedium. *Grulingius & Hulſe.* Vel,

℞ Fol. malv. M jſſ. aq. f. ℔ 5. mellis opt. ℔ ſſ. coq. continuo deſpumand. ad 3. in colat. diſſolv. Butyri recent. ℨ ij. cap hauſtulum ter in die. *Joann. Fontan. & Jo. Bapt. Theodoſ.*

Malva. ℞ Florum malvæ partem primam, ſacchari p. 3. m. f conſerva ſ. a. de quo cap. Æger ſæpius in die. *Amatus Luſitanus.* Vel,

℞ ſ. malv. q v. contund & exprimatur ſuccus, ex hujus & ſacchari ana ℔i. albumine ovi clarificat. f. ſyrupus, ut ſupra ſumend. *Horſtius.*

Decoctum etiam & conſerv. multum laudantur, ab *Hoechſtetero.*

Rapa, Turnep. Horum decoctum ſpecificum eſſe affirmat. *Gabelchoverus*

Rubus vulgaris, Blackberries. Succus in Syrupi forma exhibitus, maximæ eſt efficaciæ. *Needham.*

Salix, Willow. ℞ Cinerum ſeu carbonum hujus pulv. à ℈ſſ ad ʒſſ facilius, ſecurius, & efficacius non datur medicamen. *Jungken.*

Tilia, Lime-tree. Hujus Carbones eaſdem præbent vires. *Ibidem.*

E.

ECHYMOSIS *ſive* SUGILLATIO.

B*Ardana*, Burdock. Pulpa vel raſura Rad. recent. ſuper linteum extenſa, calide parti applicentur. *Boyl.*

Polygonatum, Solomon's Seal. Radix recens per ſe contuſa & admota, valet. Vel, coq. Rad. ad teneritudinem, fiatq; ex Arte cataplaſm. calid. parti applicand. Vel, ℞ Pulv. Rad. ſiccati, maceretur in Vino, ad pultis conſiſtentiam & applicetur. Sequens inſigne eſt.

℞ Rad. polygonat. p. ij. ſymphiti p. i. coq. & contund. & per ſetaceum trajiciantur, deinde cum decoct. præfict. in pultis formam coquantur. *Sennertus*, *Etmullerus.*

EMPYEMA.

B*Raſſica Capitata Rubra*. Red Cabbage. ℞ Decoct. hujus, ſacchari tantillo temperat. q. v. cap. Æger hauſtum calide horis medicinalib. egregium eſt ad promovendum materiæ purulentæ per urinas effluxum. *Etmullerus.*

Hedera Terreſtris, Ground Ivy. Hujus decoctum (vel Syrupus ex ſucco paratus) vel quocumq; modo uſurpetur Herba, nobiliſſimum præbet Remedium. *Ibidem.*

EPILEPSIA.

A*Brotanum*, Southernwood. Aq. odorifer. è planta deſtillata, & ſæpe exhibita curat. *Stockerus.*

Artemiſia, Mugwort. Die Sancti Joh. Baptiſt. ſub radice hujus Herbæ, effodiatur carbo; & quantum cuſpis cultelli capere poteſt hujus carbonis exhibeatur epileptico, & ſanabitur. Si collo appendatur eadem præſtat. *Etmullerus.*

Corylus, Hazle. Præmiſſo vomitorio, ℞ Viſci coryllin. à ℈i. ad ʒſſ. vel ʒi. in pulvere. Vel,

℞ Julorum (*Catkins*) Coryli, pulv. eandem quantitatem, & curabitur. Poſt curationem vero purgetur Æger pro duabus, vel tribus vicibus, cathartico appropriato. *Ibidem*.

Galega, Goats-rue. Succus ad ℥ſſ. epotus Epilepticis (præſertim Pueris) admodum conducit. *Baptiſta Sardus*. *Bayrus*.

Herba Paris, One Berry, or True Loves. ℞ Pulv. Baccarum Num. quinq; ad 9. vel à ℈ſſ. ad ʒſſ. exhibetur in aq. Tiliæ. Vel ejus defectu, in aliquo alio vehiculo idoneo. *Etmullerus*, *Blochwizius*, *Hoffman*.

Hyoſcyamus, Henbane Remedium Nobiliſſim. fit ex hujus ſeminibus ultrà 4, dies uſurpatis. Incipiendo à gr. vi. vel viij. & Gradatim aſcendendo ad ℈i. vel gr. XXiiij. ex cochl. i. ſucci ſempervivi, recenter expreſſ. *Prax. Mayern.* Vide infra de *Ruta*.

Juniperus, Juniper. In perâ gerat Æger Bacc. Juniperi & comedat. man. jejunus.

Ex uſu Baccarum ſequent. modo præp. celeberrimus Mayern. deploratos curavit, irritis omnibus aliis Remediis, viz. ℞ Baccarum Junip. recent. ℔i. irrorentur ſucceſſive Vino de Malaga, Generoſiſſimo veteri, & poſt exemptum è furno panem, ſine uſtione ſiccentur ultima vice, baccis utcunq; adhuc madentibus, inſpergatur ℥i. ſacch. Chryſtallini pulv. & ambergriſæ ʒſſ. omniaque verſentur diu, ut pulvis per omnia diffundatur, & ſerventur in vaſe vitreo ad uſum ſingulis Auroris ſumantur hæ Baccæ à X vel Xij ad XX. vel LX per totum menſem ſuperhauriendo alam maciatam & ſuperambuland. *Mayern.*

Lilium Convallium, Lilies of the Valley. Hujus floribus impleatur cucurbita vitrea, & ſepeliatur in cella, ut orificium bene occluſum ſaltem emineat. Stet per aliquot menſes, & in ſuccum reſolventur flores per B. V. Deſtilletur hic ſuccus, & Spiritum habebis admirandæ Virtutis. Doſ. cochl. i. vel ij. in hauſtu Vini generoſ. *Hoffmannus.*

Muſcus,

Muſcus Clavatus, Club-moſs. Hujus pulv. ad ℥ſſ. :hibit. multum valet. *Etmullerus.*

Vide plura in (Calculo) ubi pulv. invenies maxime lau- .tum ab *Hoffmanno & Keslingio.*

Pæonia mas, Male Peony. ℞ Radic. intra 12. & :. diem Julii & intra 11 & 12. horam effoſſ. q ſ. Ap- ndatur collo Amuleti formâ, Epilepſiam non modo æcavet ſed curat. *Foreſtus*, *River. Bartholin. Et- ullerus.*

Non dubito quin Radix aliquo alio tempore effoſſa (ſi cco ſit turgida) eaſdem præbebit virtutes.

Tinctura ex floribus paretur cum ſp.v. ad hunc mor- ım laudata & experta.

Ruta, Rue. Sambucus. Vide ſupra de Hyoſcyamo.Ex- :tis (ut ſupra) 40 dieb. deveniat ad uſum ſequent. me- :inæ; viz. ℞ Succi fol. Rutæ & ſucci cortic. interioris nbuci ana ℔ſſ. Vini albi ℔iij. coq. in vaſe bene clauſ. medias; cap. cochl. ij vel iij. quotidie mane Jejuno ntriculo, donec totum ſumatur. *Mayern.* Vel,

Succus Rutæ magni eſt uſus, in quibuſdam alvum ſub- :cit, in aliis vomitum, ut plurimum vero inſenſibiliter it. *Ibidem.* Vel,

℞ Pulv. Rutæ ad ℥ij cap. in Cereviſia veteri per lon- m tempus; mira præſtat. *Ibidem.*

℈ij. Succi Rutæ & partim Auri infantibus meis ex-)ui, & Deo benedicente, à paroxyſmis tutæ ſunt. *Ju- ıs Cæſar Baricellus.*

Saponaria, Soapwort. Exhibeatur pulv. ſeminum in biculo idoneo. *P.Borellus.*

Triticum, Wheat. Comburantur ſpicæ fere maturæ; ℞ Cinerum pulver. ℥ſſ. vel ℈ij. in aq. Pœoniæ, & ıtim curabitur Æger. *Fran. Hildeſheim.*

Valeriana Sylveſtris, Wild Valerian. Rad. pulv. ad ıchl.ſemiſſ. in Vino aut quovis liquore exhibita, certum t Remedium. Pueris tamen minor. doſi exhibitur in la- :e. *Fab. Columna.*

ERRHINA.

Calendula, Marigold. Folium hujus digitis c tum,& naribus inditum humores copioſe educ

Caules, Coleworts. Succus Caulium tepide attr eadem præſtat. Experta.

EXCORIATIONES, *vide* INTERTRIGINE

F.

FACIEI HERPES.

Erica, Heath. Oleo ex floribus facto, magno ſucceſſu utebatur *Rondeletius teſte Cluſio.*

——LENTIGINES.

Argentina, Silverweed. Aq. è planta deſtillat lentigines, panos,maculas, fuſcumq; colorem à ſole tractum multum laudat *Lobelius.*

——RUBEDO.

Erica, Heath, Lavetur pars affecta decocto ſu tatum in aq f. facto.

Lilium Album, White Lily. Decoctum ex Rad. tuſ. in aq. fontan. mira præſtat: vel decoctum Rad. aceto factum, nobile eſt Remedium, præſertim in puſtulis.

FEBRES ARDENTES.

Acetoſa, Sorrel. ℞ Foliorum m. iiij. vel Rad. tuſ. ℥ 4. vel ſemin. contuſ. ℥ ij. coq. in aq. f. ad ℔ ij. colat. edulcoretur & addatur (ſi placet) ub. idæi & ribium ana q. ſ. ad Gratiam, bibat ad libi *ttmullerus.*

Acetoſella, Wood-ſorrel. Ex hujus fol. & radici dem modo præparatis fiat decoctum præſtantiſſi *Ibidem.*

Berberis, The Berberry-tree. Syrupus ex ſucco conſerv. fruct. uſus eſt eximii. *Ibid.*

Juglans, The Wall nut-tree. ℞ Cortic. interic

idatur in 4. partes æqual. quæ aceto per ho. pulſibus utriuſq. carpi, & plantis pedum ap. irifice proderint. *Etmullerus.*

eus, Raſberry. Horum ſconſerv. gelatina, :fficaciter uſurpantur. *Raius.*

—CONTINUÆ.

a, Burnet. In aq. f. calidâ macerata, & co- :bitum tempus exhibita, febres continuas fu- *sius.*

INTERMITTENTES.

·lum, Chamemill. Flores ſubtiliſſimè pulv. Joneo exhibit. & poſt debita intervall repetit. int. *Morton ex communicatione D. D.*

,

hamæm. ex ſucco vel totâ plant. deſtillat. ;ger ℥ vi. quolibet mane. *Fonſeca & Za-*

nis, Dandelion. Infuſio, vel decoctum ex b. in aq. f. paratum, & ante paroxyſmum febres quaſcunq; intermittentes certo pellet. im ad libitum propinatum æſtum febrilem k ventriculum debilitatum roborat. *Etmul- mannus.*

—QUARTANÆ.

Betony. ℞ pulv. fol. ʒ ij. exhibea'ur ex uatuor hor. ante paroxyſmum, ter quaterq; quartanis inveteratis: nobile eſt Remedium. *:ca.* Vel,

n, St. John's-wort. ℞ Pulv. ſeminum à detur in Vino ante paroxyſmum. *Varignana.*

·ia, Maſterwort. ℞ Rad. pulv. ʒ ſſ. detur 1. ante paroxyſmum. *Hoffman.*

ia, Feverfew. ℞ Succi matricariæ ℥ ſſ. de- vel cereviſ. abſynthiat. paul. ante paroxyſ.

·bus, Hawthorn. Pulv. viſci hujus, in vel Hiſpanic. infuſus & duabus ante pa- horis exhibitus, doſi ſubinde repetitâ (ſi

opus fuerit) Febrem quartan. fugat, *D. Hulſe*.

——QUOTIDIANÆ.

Lupuli, Hops. ℞ Horum recentium ſalis m.ij. uvarum corinth. cærulearum ℥ 4. Contund be, & carpis applicentur, quotidianam fugant.

——TERTIANÆ.

Allium, Garlick. ℞ Allii caput 1. larg (denudatis pelliculis) in vin Hiſpan. ℥ 4. co cum ferment. acrioris q. ſ. f. cataplaſ. extenda ſuper chart. Emporeticam & plantis pedum appl te, & ad paroxyſmi finem continuetur & ter curat. Sæpe probatum. Vel,

℞ allii contuſ. ℥ i. fuliginis ſplendent. ʒ i. p gi vel nigri ℈ i. croci, camph. a. ℈ ſſ. m. f. epic paroxyſmum applicand. *Jungken.*

Angelica. ℞ Rad. pulv. à ʒ ſſ. ad ʒ i. de hicul. idoneo duob. hor. ante paroxyſmum. *B*

Burſa Paſtoris, Shepherds-purſe. Herba cu aceto contuſa, & ante paroxyſmum carpis adm nam fugat. *Riverius.*

Centaurium, Centory. Pulv. ſummitat. & ℈ i. ad ʒ i. in vehiculo proprio ante paroxyſmu tus curat. *Lindanus.*

Corylus, Nut-tree. Cortice interior. ramoru to macerato & carpis applicat. fœliciter utebat *terus.*

Chamæmelum, Chamomil. ℞ Decoct. Ch q ſ. cap. ℥ 4. hor. 1. ante paroxyſmum: repetat fuerit. *Menardus.*

Erigerum, Groundſel. ℞ Fol. minutim inci cludatur ſaccul. papyraceo prius, & perforetur a foraminibus moderate largis, deinde ſacculo a vel linteo raro includatur, & pars perforat. vent pendatur horis 2. ante paroxyſ. renovando ſi plac

Fraxinus, The Aſh-tree. ℞ Cort. interiori ſim. pulv. à ʒ ſſ. ad ʒ i. ſalis abſynth. ʒ ſſ. aq ℥ iij. Sp. Sulphuris ℈ ſſ. m. f. hauſt. hora 1. vel alter roxyſmum ſumend. Vel,

Gentian. If two or three drams of the
powder of Gentian be given in Wine
about an hour before ye Fit it equals
ye efficacy of ye Jesuits powder in
Tertian & Quartan Agues. Chambers.

℞ Aq. portulacæ,cichorei ana ℥ ij. pulv. corticis fraxi- ℈ ij. ſalis abſynth. ʒ ſſ. ſp.Sulphur. gt. 12. m.f.hauſtus eo- m modo uſurpandus.

Hoc ultimum antipyreticum fœlici cum ſucceſſu ſæpe ibuit doctiſſ. & inſignis medicus,D. Henricus Vaughan. ſemel ornatiſſimo viro, Edvardo Jones de Buckland migero, quem tertianâ contumaci laborantem (irritis nibus aliis medicinis, imo cortice Peruviano) reſti- it. Jam vero ambo ſunt defuncti, ab omnibus, præſer- n à me multum deplorati, cui clementiſſ. fuerunt pa- oni, & idcirco grate ſemperq. memorandi.

Millefolium, Millfoil. ℞ Hujus m. i. vel alterum, q. in lacte ad mollitiem, f. cataplaſm. carpis immi- nte paroxyſmo applicand. & renovandum ſi opus fuerit. *yl.*

Naſturtium Aquaticum, Water-creſſes. ℞ Succi hu- aceti opt. ana q. v. ſalis commun. parum m. & bibat per cochl. 2. vel 3. hor. 1. ante paroxyſmum. *Korn- werus.*

Pentaphyllum, Cinquefoil. ℞ Rad. pulver. ʒ i. ex- a paulo ante paroxyſmum: inſigne eſt febrifugium. *Needham & D. Ballard.* Vel,

℞ Plantæ totius m. ij. ſalis com. ʒ vi. contund. & f. aplaſ. in duas partes æquales dividendum & horâ unâ e paroxyſmum carpis applicandum. *P. Borellus.*

Piloſella, Mouſe-ear. Cum ſale & aceto contuſa & pis admota ante acceſſionem efficax eſt. *Riverius.*

Plantago tenuifolia, Ribwort. Rad. mundat. & ſac- o incluſæ nuchæ appendantur, & 2°. vel 3°. quoq; die oventus. Vel,

℞ Fol. prope rad. collect. & bene ſiccat. & pulv. ʒ i. ur in conſ. roſ. rub. vel potius in ovis ſorbil. horâ unâ alterâ ante paroxyſ. *Boyl.*

Polygonum, Knotgraſs. Herba contuſa & ut ſupra. is applicata tertianas curat. *Hoffman. Schroderus.*

Sempervivum minimum, Stone-crop. Herba (ut Pi- lla) præparata & admota, multum valet. *Riverius.*

FISTULÆ.

AGrimonia, Agrimony. In fiſtulis quibuſcunq; aliquo modo uſurpata, expertum eſt remedium. Vel,

Filipendula. Dropwort. Rad. in Vino cocta, & adhibita multum valet. *Fallopius.*

Geranium, Columbinum, Doves-foot, Cranes-bill. Fiſtulis externis applicetur ſuccus & herba contuſa, interne propinetur herbæ decoctum in Vino vel aq. f. fact. Expertum Remedium.

FLATUS HYPOCHOND. *Vide* Hypochond. Affect.

FLUOR ALBUS.

ALchimilla, Ladies Mantle. F. Decoctum in aq. f. cujus cap. Ægra ℥ vi. quolibet mane jejuna, & ſi cauſa fuerit, f. ex eodem tepefacto injectio uterina. *Boyl.*

Carduus Mariæ, Ladies Thiſtle. Emulſio ex ſeminibus præparat. vel in pulv. formâ uſurpat. ſpecifice curant. *Etmullerus.*

Ebulus, Dwarf-Elder. Ex hujus decocto f. inſeſſus: laudatur à *Stockero.*

Filipendula, Dropwort. Pulv. rad. à ʒ i. in Vino auſtero exhibitus, vel in decocto dauci ſylveſtris, per aliquot dies morbum curat. *Hartman. Corbejus. Hoffman.*

Horminum, Clary. Hujus flores, vel folia quocunq; modo uſurpata, valde proſunt. *Etmullerus*: Vel,

Aq. ex foliis cum Vino diſtillata magnæ efficaciæ commendatur ab *Hoffmano.* Vel,

℞ Herbæ recentis q. v. contunde eaq. inforciatur butyri inſulſi q. ſ. macerentur ad putrefactionem, deinde coquantur ad fol. ſiccitatem & ſervetur colatura pro uſu. Unguento hoc tepefacto inungatur patiens ab umbilico ad pubes, & imponatur quicquid de eodem in vulvam, & comedat quandoq; de foliis viridibus, vitellis ovorum agitatis, intinctis, & ſartagine cum butyro frixis. *Corbejus de Morb. M.*

Lamium flore Albo, White Arch-angel. Hujus flores in

infuſionib. quaſi thea ſpecifice curant & multum celebrantur à *Rajo, Hoffmanno, Etmullero.*

Millefolium, Millfoil. Hoc ſequens medicamentum ſæpe expertum à chyrurgo, & mihi communicatum, ſerere placet, cujus efficacia experientia confirmatur, viz. ℞ Succi millefol. ℔i. ſacch. opt. ℔iſſ. clarific. ovi albumine & levi ebullitione, f. ſyrupus, cujus cap. Ægra ab ℥i. ad ℥ij. mane jejuna per aliquot dies, & ℥i. ad lecti ingreſſum longe à Cibo.

Quercus, Oak. ℞ Decocti fol. q. ſ. bibat ægra ℥4. vel ſex quolibet mane jejuna, per dies 8. vel 10. addendo cuilibet hauſtui (ſi placet) coaguli leporis ʒi. *Mercurial.*

Roſmarinus, Roſemary. Pſeudo-thea ex foliis præp. & calide ſæpius in die uſurpata, laudatur à *Lindano.*

Salvia, Sage. Suffitus ex foliis ſalviæ ſiccatis in matricem exceptus laudatum eſt Remedium. *Ibidem.*

FOETUS MORTUUS.

ANagallis Aquatica, Water-creſſes. Infuſio ſeu decoctum commendatur à *Schrodero.*

Calendula, Marygold. Decoctum, ſuccus, ſyrupus, ſive conſerv. florum hujus ſpecifice curant.

FRACTURÆ.

COnſolida, Comfrey. Radix contuſa & tepide fracturæ applicata nobile eſt remedium, præſertim ſi pulvis oſteocollæ addatur. *Raius. Etmullerus.*

Sophia Chirurgorum, Flix-weed. ℞ Fol. hujus & rad. conſolidæ ana q. v. coq. & contundantur & f. ex arte cataplaſma parti applicandum tepido, quaſcunq; fracturas agglutinat. *Paracelſus.*

hor. q. ſ. dividatur in 4. partes æqual. quæ aceto per horam infuſæ, pulſibus utriuſq. carpi, & plantis pedum applicentur, mirifice proderint. *Etmullerus.*

Rubus Idæus, Raſberry. Horum ſconſerv. gelatina, vel ſyrupus efficaciter uſurpantur. *Raius.*

——CONTINUÆ.

Pimpinella, Burnet. In aq. f. calidâ macerata, & colatura per debitum tempus exhibita, febres continuas fugat. *Heurnius.*

——INTERMITTENTES.

Chamæmelum, Chamemil. Flores ſubtiliſſimè pulv. & vehiculo idoneo exhibit. & poſt debita intervall repetit. experte curant. *Morton ex communicatione D. D. Coysh.* Vel,

℞ Aq. Chamæm. ex ſucco vel totâ plant. deſtillat. q. v. cap. Æger ℥ vi. quolibet mane. *Fonſeca & Zacutus Luſit.*

Dens Leonis, Dandelion. Infuſio, vel decoctum ex fol. & radicib. in aq. f. paratum, & ante paroxyſmum exhibitum, febres quaſcunq; intermittentes certo pellet. Imo decoctum ad libitum propinatum æſtum febrilem compeſcit, & ventriculum debilitatum roborat. *Etmullerus. Hoffmannus.*

——QUARTANÆ.

Betonica, Betony. ℞ pulv. fol. ʒ ij. exhibeatur ex ovo ſorbili, quatuor hor. ante paroxyſmum, ter quaterq; repetatur in quartanis inveteratis: nobile eſt Remedium. *Rod. à Fonſeca.* Vel,

Hypericum, St. John's-wort. ℞ Pulv. ſeminum à ℈ ij ad ʒ i. detur in Vino ante paroxyſmum. *Varignana.*

Imperatoria, Maſterwort. ℞ Rad. pulv. ʒ ſſ. detur ex Vino hor. 1. ante paroxyſmum. *Hoffman.*

Matricaria, Feverfew. ℞ Succi matricariæ ℥ ſſ. detur in vino vel cereviſ. abſynthiat. paul. ante paroxyſ. *Deckerus.*

Oxyacanthus, Hawthorn. Pulv. viſci hujus, in Vino alb. vel Hiſpanic. infuſus & duabus ante paroxyſmum horis exhibitus, doſi ſubinde repetitâ (ſi

Sedum minimum acre, Wall-pepper, or Small Biting-ne-crop. Interne in decoct. & externe etiam in lotio-forma applicatum, remedium expertum eſt à *D-low. Raius.*

Sedum minus, ſeu Vermiculoſus, Stone-crop. F. ex c decoctum & cum alum.& mellis parum,dentilavium lli ſecundum,nobile enim eſt experimentum. *Etmuller.*

GONORRHÆA.

Ruſcus, Knee-holly, or Butchers-broom. Conſerva fructus bruſci à ʒ ij. ad ℥ ſſ. per aliquot dies exhibita ultas Gonorrhæas curavit. *Formius ex River. Com.*

Limonia, Limons. ℞ Aq. roſ. ℥ iij. ſucci Limon. i. album ovi unius, m. f. hauſtus quarta qualibet die. iane repetendus Gonorrhæas compeſcit. *Sylvaticus.*

GLOBULORUM è CORPORE EXTRACTIO.

Impinella, Burnett. Radix in butyro inſulſo frixa. & vulneri applicat. gobulos extrahet. *Staricius. mullerus.*

GUSTUS DEPRAVATUS.

Cetoſa, Sorrel. Succus hujus per ſe, vel cum ſacch. in ſyrupum confectus mire prodeſt. *Zacutus Iſitanus:*

Cichoreum, Succory. Radix condita & comeſta, plurum laudatur ab *Etmullero.*

Raphanus, Radiſh. Hujus radix ante paſtum maſticus, guſtum acuit. *Haferus in Hercule.*

GUTTURIS INFLAMMATIO.

Malva, Mallows. ℞ Fol. malv. inciſ. mſſ. coq, in lact. recent. ℔ j. ad ℔ ſſ. colatura utatur ter quare in die patiens ſenſim deglutiendo. *Boyl.*

Pentaphyllum, Cinquefoil. Hujus decocto ſæpe garizetur os & guttur.

Prunella, Self-heal. Hujus decoctum cum ſale Prunellæ

nellæ acuatum, ſpecifice commendatur, gargariſmi forma uſurpatum. *Etmullerus*..

H.

HÆMOPTYSIS, *ſeu* SANGUINIS SPUTUM.

ARgentina, Silver-weed. In ſanguinis expuitione commendatur à *Raio*.

Bellis minor, Daiſies. Succus Herbæ totius ad ℥i. vel ij. exhibitus immediate poſt paroxyſmum multos curavit. Vel,

℞ Bellidis minoris, urticæ urentis, plantag ana m.iij.contuſis affunde aq. portulacæ ℥ vi. Colatura expreſſa exhibeatur ter in die ut ſupra. *Williſius*.

Biſtorta, Snakeweed. Pulvis radicum eum conſervà roſarum miſtus, egregie confert. *Raius*.

Chamæciſtus, Dwarf-ciſtus, or little Sun-flower. Herba quocunq; modo uſurpata, in omnibus ſanguinis hæmorrhagiis (præſertim in ſputo) magnopere valet. *Raius ex Jo. Bauhino*.

Chamædrys, Germander. ℞ Hujus q. ſ. contunde & infund. in æq. part. aq. ſcabioſ. & vini rub. exhibeatur colatura tepide. *Goclenius ex Hectore de Manfredis*.

Cydoniæ, Quinces. ℞ Mala cruda, matura ſive immatura (quocunq; modo haberi queant) ſcinde in tenues lamellas, coq. diu in aq. f. in vaſe optime clauſo, ad mollitiem: ſeparetur decoctum ſeorſim, & exprimatur ſuccus ex lamellis forti expreſſion. qui reſervetur uſui.

℞ Succi hujus q. v. & cap. Æger à cochl. i. ad iij. ter quaterve in die. Medicina hæc (præmiſſa venæſectione) omnem pulmonum Hæmorrhagiam ſiſtit, etiamſi à corroſione fuerint. *Etmullerus*.

Cynoſbatus, Dog-roſe, or Briar. Piloſæ hujus excreſcentiæ egregiæ ſunt ſpecificæ, ſi pulv. ad ʒ ſſ. exhibeatur, bis in die. *Williſius*. *Etmullerus*.

Equiſetum, Horſe-tail. Hujus decoctum in Hæmoptiſi

ſi ex apertione, vel inciſione ramuli in pulmonibus, nobi-
: eſt Remed. *Etmullerus.*

Hedera Terreſtris, Ground Ivy. In hoc morbo plane
iirabilis eſt, idq; imprimis poſt paroxyſmum, partim, ſi
ui adſunt Grumi reſolvendo, partim læſionem indu-
tam conſolidando, partim alterationem contentorum
ecidivam præcavendo. Hinc ejus ſyrupus, decoctum ac
onſerva ſunt polychreſta. *Etmullerus.* Vel,

℞ Succorum heder. terr. plantag. agrimon. ſedi ma-
or. portulacæ, ana depuratorum ℔ſſ. ſacchari roſat. du-
lum, f. ſyr. Ubi ſacchar. roſ. in promptu non ſit ſaccha-
i albiſſim. pulv. & pulv. roſ. rub. exungulat. inſtitui poſ-
unt, viz. ℔i. ſacchar. & ℥ i. roſ. ſed pro hoc præſcripto
℔v. parari debent. Doſ. ℥ ij. cum aq. lactis ℥ vi. ſingul.
urores & eadem quantitas horâ ſomni cum aq. Rhæad.
℥ 4. *Pharmacop. Bateana.*

Hyoſcyamus, Henbane. ℞ Pulver. ſeminum ℥ ſſ. conſ.
iolarum q. ſ. m. f. elect. cujus cap. patiens quantitatem nu-
is caſtaneæ, aliud etiam electuarium in Williſio & Et-
nullero deſcriptum videatur, cujus Author *Helida-
us Pad.*

Millefolium, Parrow. Herba æſtivo tempore con-
tuſ. & ſiccat. redigatur in pulv. cujus cap. ʒ ſſ. ad ʒ i.
bis in die *Willis.*

Papaver Albus, White Poppy. ℞ Sem. papav. alb.
pulv. ʒ i. ſacchari roſ. ℥ ſſ. m. cap. quolibet mane in ve-
hiculo idoneo. *Mercurialis.*

Plantago, Plantain. ℞ Succi hujus ℥ xij. ſacch.
℥ viij. coq. in ſyrupum quo utatur frequenter. *Rive-
rius.* Vel,

℞ Succi plantag. q. ſ. detur per ſe aut in vehiculo ido-
neo ab ℥ ſſ. ad ℥ i. *Etmullerus.*

Plantago Tenuifolia, Ribwort. ℞ Plantag. hujus m.
12. exprimatur ſuccus; tum ℞ Rad. conſolid. recent. &
mundat. ℥ vi. quæ contundantur in mortar. lapideo, &
cum ſucco prædict. & ſacch. q. ſ. elect. quo nullum cer-
tius & præſentius extat remedium. *Boyl.*

Portulaca, Purſlain. Decoctum Herbæ contuſ. in Vino, multum valet. *Etmullerus.* Vel,

Syrupus ex ſucco portulacæ (ut plantaginis) præparatus mire confert. *Riverius.* Vel,

Decoctum ſupra ſcriptum cum ſyrup. ejuſdem dulcoratum inſigne eſt remedium. *Etmullerus.*

Symphytum, Comfrey. ℞ Pulp. Radicum ſacchari albiſſimi ana ℔i. coq. leni igne ad mivæ conſiſtentiam addend. (ſi in promptu ſit) ſingulis libris nucis moſchat. ʒ vi. In hoc morbo mire confert. *Pharmac. Batean.*

Tormentilla, Tormentil. ℞ Rad. Tormentil. Millefol. totius ana ℥ iij. pimp nell. ſanguiſ. mij aut iij coq. in aq. f. ad medias. Colatur. adde conſ. roſ. rub. antiq. ℥ i. pro qualibet libr. Doſis ℥ vi. vel viij. bis in die. Pro Arcano quondam habebatur hoc decoctum, teſte *Mayern.*

Vinca Pervinca, Perwinkle. ℞ Hujus q. v. contund. & exprimatur ſuccus, cujus capiat Æger ℥ ij. in Vino rubro. *Prax. Mayernian.*

Virga Paſtoris, Teazell. Pulv. hujus ad ʒ i. in decoct. ejuſdem, vel brodio ſumptus commendatur. *Prax. Mayern.*

Urtica Urens, Stinging Nettles. Conſerva ex racemulis ſeminiferis fact. præſtantiſſimum eſt remedium à Domino Raio ex communicatione D. Bowles commendatum, & quod ipſe teſtari poſſum, hanc enim medicinam pro celeberrimo illo Viro ſæpe confeci & patientibus Hæmoptoicis miro cum ſucceſſu exhibui. Vel,

Succus Herbæ crudus vel ſyrupus valde ſunt efficaces. *Raius excommunicat.. D. White & D. Needham.* Vel,

℞ Succi fol. tenerrim. urticæ q. ſ. depuretur & cap. æger ℥ v. bis in die. *Mayern. in conſ. de phthiſi in tract. de Arthritid. uti etiam in prax. Mayern. ubi magnopere laudatur. Et ab Etmullero.* Vel,

Decoctum Herbæ totius mire confert. *Jungken.*

HÆMORRHAGIA.

ALchimilla, Ladies Mantle. Herba quocunq; modo uſurpata ſanguinem ſiſtit. *Etmullerus.*

'is mas flore Phœniceo, Male-Pimpernel. ℞
ı j appendatur ſcrobiculo cordis, vel in manu
neatur, donec incaleſcat; ſic enim ſanguinis flux-
nâ ſectâ compeſcere perhibetur. *Schmuckius*
n. magic. magnetic
emum, Tutſan, or Park-leaves. Folia tam
n extus exhibita valde ſunt proficua. *Raius*.
i, Lambs-tongue, or Snake-weed. Pulv. radi-
ribus aſperſus ſanguinem manantem cohibet.
Catal.
Paſtoris, Shepherds Purſe. Errhinum ex pan-
ctum, hujuſq. ſucco intinctum, & naribus in-
guinem ſiſtit. *Raius*, *Morriſonus*. Vel,
æ paſtor. q. ſ. contunde cum pauxillo aceti ſive
orum aggreſtium, & ovi albumine, & fronti
& temporibus. *Baricellus*. *Riverius*.
la major, Comfry. ℞ Radic. ſiccat. & pulv.
m aq. f. q. ſ. donec continuâ agitatione aquæ
n acquiſiverit, hæc medicina ad Hæmorrh. qua-
ı à Chirurgis habetur. *Simon. Pauli*.
s Lupi, Puff-Balls. Ex his fractis colligatur
uod caute tamen agendum ne offendantur o-
s valde inimica ſunt) quo inſpergatur bene pars
faſciâ alligetur, & ſi opus fuerit renovetur.
erum.
, Quinces. Horum lanugo externe applicat.
ıinis profluvio medetur. *Hoffmannus*.
um, Horſe-tail. Si in decocto, vel ut burſa
ırpetur, multum laudatur à *Riverio*.
ia, Strawberry-Plant. Hujus radix teneatur
omnem ex naribus fluxum ſiſtet. *Stockerus*.
m Sanguineum, Bloody Cranes-bill, Herba
modo fere exhibita, ſanguinem undecunq; ma-
rum in modum compeſcit *Trajus*.
m Batrachoides, Crow-foot, Cranes-bill. Pulv.
at vulneri impoſitus, non modo ſanguinis flux
ſiſtit, ſed mirè & ſubito conſolidat. *Stockerus*.
on, St. Johns-w.r. Pulv. ſeminum à ʒ ſſ ad

℥ i. in vehiculo idoneo exhibitus, vel decoctum Herbæ multum valent.

Iris Lutea, Common water-flag. Rad. contuſ. & cataplaſ. formâ applicat. ſanguinem ubiq; manantem ſiſtit. *Raius*.

Laurus, Bay-tree. ℞ Baccam unam lauri & teneatur in Maxillâ nari fluenti oppoſitâ: expertum à *Stockero*.

Lolium, Darnel. ℞ Rad. hujus q. ſ. contund. & irroretur pauxillo aceti fortis & ſuturæ coronali vel fronti applicetur. *Bartholinus*.

Millefolium, Yarrow. Intus in decocto, vel infuſione aſſumptum omnes ſanguinis Hæmorrhagias certò compeſcit, & extus naribus inditus ſanguinem ſiſtit. *Raius*. *Hoffmannus*.

Pentaphyllum, Cinquefoil. Radix recens in manu detenta donec incaleſcat Hæmorrhagiam illico ſiſtit. *Hoffmannus*.

Pimpinella ſanguiſorba, Burnet. In Hæmorrhagiis quibuſcunq; ſiſtendis uſus eſt eximii. *Raius*.

Plantago, Plantain. Fotus ex decocto vel cataplaſ. ex planta cum momento aceti, vel ſucci pomorum agreſtium contuſâ fronti & temporibus applicatum narium Hæmorrhagiam ſiſtunt. *Riverius*.

Succus mane & ſero ab ℥ 2. ad 4 vel 5. aſſumptus omnes ſanguinis fluxus compeſcit. *Riverius*. *Etmullerus*.

Polygonatum, Solomon's Seal. *Polygonum*, Knotgraſs. ℞ Horum ana, & teneantur in manu affecti, donec incaleſcant, vel diutius ſi opus fuerit, in narium Hæmorrhagiâ valent. *Boyl*. Vel,

Polygonum in fotus vel cataplaſmat. formâ extus applicatum, vel in decocto intus aſſumptum, eximii eſt uſus. *Etmullerus*. *Riverius*.

Populus, The Poplar-tree. Colligantur germina in majo, & in umbra jaceant donec ſubſtantiam lanuginoſam acquiſiverint quæ mirifice ſanguinem ſiſtit. *Euſtach*. *Rhudius*.

Portulaca, Purſlain. Ad ſanguinem è palato dentibuſq; gingivis vel faucibus effluentem (quod ſæpe ſcorbuticis accidit)

cidit) non datur præſtantius remedium quam hæc Herba maſticata ſenſim ſenſimque commeſta. *Etmullerus.*

Primula veris, Primroſe. Folia contuſa partiq; affectæ admota, ſanguinem potenter cohibent.

Rubus Vulgaris, Blackberry-buſh. Decoctum ex ſummitatibus mane & ſero epotum ad Hæmorrhagias internas multum valet. *Riverius.*

Sanguiſorba ſive Pimpinella, Burnet. Quamvis ſupra breviter memorata fuerit, ſequentem tamen Etmulleri obſervationem inſerere æquum duxi; *viz* Hujus folia in manibus contenta donec incaleſcant, Hæmorrhagias quaſcunq; compeſcunt, præſertim narium.

Siligo, Wheat. ℞ Excreſcentiam nigram è ſiligine in ſpicæ ſummitate creſcentem, de qua comedantur gr. 2 vel 3 omnem ſanguinis fluxum reſtringet. *Stockerus.*

Spica nardi, Spicknard. ℞ Hujus ſubtiliſſime pulv. ʒi. ſumatur ex juſculo, vel aq plantag. Inſigne eſt ſpecificum. *Riverius.*

Tilia, The Lime-tree. Baccæ pulverizat. & naribus inditæ ſanguinem ſiſtunt. *Raius. Hoffmann.*

Tormentilla, Tormentill. Decoctum plantæ totius ad omnes Hæmorrhagias nobile eſt ſpecificum, ſi ter in die propinetur. *Etmullerus.*

Urtica Urens, Stinging Nettle. Succus vel Herba contuſa naribus indita multum proſunt. *Raius.* Vel,

Folia contuſa & palmis & plantis pedum admota mira præſtant. *Borellus.* Vel,

Radix urticæ in ore retenta, ad narium Hæmorrhag. expertum eſt remedium. *Stockerus.* Vel,

Pulvis ſeminum vulneribus immiſſus, ſanguinem manantem cohibent. *Ibidem.* Vel,

Succus intus aſſumptus (uti antea innotuimus) ad omnes Hæmorrhagias apprime conducit. *Etmullerus. Riverius.*

Fragraria, Strawberry. Teneatur radix in ore & ſiſtet omnem ſanguinis fluxum è naribus profluentem. *Stockerus.*

Uſnea Quercus, Moſs of Oak. Pulv. Uſneæ Quer-

cus antiqui naribus inditus. Expertum eſt *ab eodem.*

Uſnea cran. human. palmis retenta vel collo appenſa infantum Hæmorrhag. ſiſtit. *Jungken.*

HÆMORRHOIDUM DOLOR.

ANagallis *Aquatica*, Brooklime. Fotus vel cataplaſma ex planta hac præparat. ad Hæmorrhoid. cœcarum dolores ſedandos mire conferunt. *Hoffman.*

Cæpa, An Onion. Cæpa alba ſub cineribus aſſata & cum butyro inſulſo in cataplaſmatis formam ſubacta dolorem ſedat & tumorem diſcutit. *Riverius.*

Chelidonium minus, Pilewort. Tota planta in unguenti formam redacta multum valet. *Raius.* Vel,

℞ Plantæ totius ſiccat. q v. ſuſpendatur ſacculo incluſa in cereviſ. q. ſ. capiat Æger pro potu ordinario. Vel,

Succus ex Herba tota expreſſus & extrinſecus admotus eadem præſtat. *Solenander. Hoffman.*

Cyclamen, Sow bread. ℞ Succi Cyclaminis q. v. coq; tepido illinantur partes affectæ: Expertum ab *Henrico ab Heeres.*

Cynogloſſa, Hounds-tongue. Succus recenter expreſſus & tepide illitus plurimum valet. *Stockerus.*

Ficus. The Fig tree. Folia contuſa, & externe applicata, Hæmorrhoides aperiunt. *Etmullerus.*

Herba Paris, True-love, or One-berry. Ex hujus baccis, & oleo olivarum fiat balſamum elegans quod multum commendat *Geſnerus.*

Hyoſcyamus, Henbane. Coquantur folia in lacte chalybiato eoq; calido cum ſpungiis vel linteis foveantur partes affectæ. *Etmullerus.*

Lilium Album, White Lily. *Linum*, Flax. ℞ Radicum mundatarum q. v. coq. ad mollitiem & cum butyro inſulſo & adipe Gallinæ f. unguentum, cui addatur parum pulveris ſeminum lini, quaſi nobile anodinum commendat *Crato.*

Linaria, Toad-flax. ℞ Florum q. v. contundantur cum butyro majal. vel adipis porrinæ q. ſ. inſolentur & coquantur

coquantur, & addantur colaturæ flores recentes ut ſupra, & poſt debitam inſolationem coquantur & colatura ſervetur uſui. Hoc unguentum multum laudatur à *Rolfincio*, *Horſtio*, *Riverio*, &c.

Herba ipſa recens contuſa & tepide parti impoſita ſpecifica eſt. *Hofferus*.

Millefolium, Yarrow. Decoctum Herbæ per triduum intus aſſumptum dolores ſedat. *Riverius*. Vel,

Fotus ex Herba contuſ. &aq. font. cocta multum confert. *Etmullerus*. Vel,

Pulvis Herbæ ſiccat. ex lacte vel alio vehiculo ad ℥i. pondus exhibitus eadem præſtat. *Riverius*.

Momordica, Balm-Apple-tree. Ex hujus fructu oleo olivarum per longum tempus inſolat. f. Balſamum ad dolores prædictos ſedandos valde efficax. *Pharmacop. Bateana*.

Nummularia, Herb Twopence. Herba contuſa & cum butyro majal. in unguenti formam ſubact. multum valet.

Portulaca, Purslain. Folia contuſa & tepide parti applicata dolorem ſedant, tumorem minuunt & ulcera conſolidant. *Riverius*.

Porri, Leeks. Ex horum radicibus cum ol. vel butyro inſulſo coctis f. cataplaſma eximii efficaciæ. *Riverius*.

Quercus, Oak. ℞ Foliorum & glandium hujus ana q. ſ. f. ex his ſacculi qui in aceto cocti parti affectæ ſucceſſive ſunt calide applicand. *Rulandus*. *Lotichius*.

Sambucus, Elder. ℞ Foliorum virid. q. v. coq. ad putrilaginem, decocto foveatur pars quæ poſtea oleo communi illinatur. Folia deniq; cataplaſm. formà ſuper pannum magnitudine volæ manus calide applicentur. *Riverius*. Vel,

℞ Butyri majal. ℔iij florum ſambuci & geniſtæ recent. ana quant. infarciri poteſt. Contundantur flores, & inſolentur per menſem, dein agitentur, & ſub terra defoſſa ſimul putreſcant per menſem, poſtea coq. ſ. a. & f. expreſſio, ad dolores ſedandos prævalens. *Pharmac. Bateana*.

Scrophularia, Figwort. ℞ Rad. recentium p tyri inſulſi p. ij. contundantur & imponantur oll: co opertæ in loco humido per dies xv. tandem len litione facta colentur & f linimentum. *Sennerti mullerus.*

Rad. in aq. f. ad mollitiem coctæ, & pultis for motæ multum valent. *Aquapendens.* Vel,

℞ Hujus radicis ſucco turgidæ, vere ſcilicet c q. ſ. lumbis (ut cutim attingat) alligetur: optin ſpecificum. *Etmullerus.*

Scrophularia, Figwort. Si folia vel radices h viridi vel ſicca ſubſtantia uſurpentur, vel ſi in deco potu vel in Cibo ſumantur dolores ſedant. *H Heeres.* Vel,

Hujus vero plantæ uſus & mirandæ efficaciæ Hi refert Scultetus in armament. de Ægro quodam, annum integrum dolore Hæmorrhoid. cœcarum verat, & quem ſequent. method. curavit.

Largam ſchrophulariæ plantam patienti tranſm nuendo, ut quaſdam ejus radices femoribus alligar radices cum ſummitat. & foliis inciſas & ſacculo in cereviſia infunderet pro potu ordinario, & ut quædam folia minutim conciſa, omni mane cum tyrato aſſumeret, & horum uſu per unam alter ptimanam continuato egregie convaluit. *Scult ſupra.*

Sedum majus, Houſleek. ℞ Fol. m. ij. coq. in bo & fum um excipiat Æger in ſellâ perforata. *Ri*

Suber, Cork. ℞ Cinerum ſuberis uſti q. v. & lini & vitel ovi ana, f. unguentum nulli ſecundur *mullerus.*

Tapſus Barbatus, Mullein. Pulvis Herbæ in alio vehiculo idoneo ſumptus, vel ſuccus aut pe cum ſaccharo in ſyrupum redactus, ſpecifice *Sennertus*, *Riverius*, *Etmuller.* Vel,

℞ Florum contuſ. q. v. cum his in oleo fiat ſ fuſio (bis terve repetendo) & inſolatio, & poſt ebullitionem colatura quæ balſamum præbebit Vel,

℞

: Plantæ totius q. ſ. contunde & coque in aq. ferram pro fotu, poſt cujus uſum applicetur magma ca- *Foreſtus.*

·*lephium*, Orpine. ℞ Hujus radices tot quot pro·ant in ano tubercula, & cum filo de collo ſuſpenur, & circa lumbos ut cutim attingant, marceſcente radice tubercula tabeſcunt & evaneſcunt. *Wede- Etmullerus.*

ifolium Hemorrhoidale. ℞ Sem. hujus pulverizat. exhibeatur cum vitello ovi per plures dies. *Riverius.*

——FLUXUS NIMIUS.

etula, Birch-tree. Hujus fungus vi pollet aſtrictoinde ejus ramenta Hæmorrhoidibus inſperſa, ad milum fluxum cohibent. *Raius.*

·*epitus Lupi*, Puff-balls. Pulv. hujus ſpongiæ teris, ſi venis fluentibus admoveatur ſanguinem non o ſiſtit, ſed & partes jam ulceratas optime ſanabit. *ullerus.*

nguiſorba, Burnet, Capiat æger ter in die horis icinalibus hauſtum tepide hujus Herbæ decocti: egrea eſt experimentum *Bartholini.*

rbaſcum, Mullein. ℞ Florum q. v. coq. in aq. ferrum vel Vino auſtero, f. decoctum quo foveatur a- k partes affectæ: ſpecifice compeſcet fluxum nimium. *ertus.*

inca Pervinca, Periwinkle. Fotus ex decocto in ábrorum facto uſus eſt eximii.

rtica, Nettles. Succus ad ℥ij. intus aſſumptus·m in modum fluxum cohibet. *Riverius, Etmullerus.*

HEPATIS ABSCESSUS.

abioſa, Scabious. Syrupus ex ſucco fact. & jejuno ſtomacho ſumptus curat. *Stockerus.*

——IMBECILITAS.

apathum Acutum, Common-Dock. ℞ Seminum liter pulv. ʒi. exhibeantur quolibet mane, ex vehi idoneo. *D. Bowles.*

—OBSTRUCTIO.

Fragraria, Straw-berry Plant. ℞ Plantæ totius inciſ. mij. paſſularum ℥ 4. coq. in aq. f. ℔iij. ad ij. pro potu ordinario. *Etmullerus.*

Lupuli, Hops. Eſu turionum verno tempore collectorum, hepar & lien obſtructionibus liberantur. *Raius*

—SCHIRRUS.

Cruciata, Croſswort. Fotus ex decoct. Herbæ præparatus & ſæpe adhibitus curat. *Jungken.*

HERNIA CARNOSA.

Anonis, Reſtharrow. Cort & radix uſurpat. ramicem carnoſam abſumunt. *Raius.*

℞ Radicis pulveriſat. ʒ i. ſumatur mane per plures dies expertum eſt remedium, à pluribus laudatum, viz. *Matthiolo, Sennerto, Morriſono, & Etmullero.*

—INTESTINALIS.

Arum, Wake-Robin. ℞ Pulv. rad. ℈ ij. vel ʒ i. cap mane per aliquod tempus in vehiculo idoneo; utatur interim patiens ſplenio, vel cumbat ſupinus. *Laurenbergius*

Carlina, Carline-Thiſtle. *Geranium Columbinum* Doves-foot, or Cranes bill. ℞ Rad. carlinæ & foliorum geran. columb. ana coq. in Vino ſtiptico & exhibeatur hauſtus quolibet mane: ſpecifice curat. *Brendelius.* Vel

℞. Rad. & fol. geran. columb. ſiccator. q. v. pulverizentur: detur hujus pulv. cochlear. ſemiſs in hauſtu Vini rubri mane jejuno & nocte ſub lecti ingreſſum per 21 dies mirifice curat. *Gerrhardus.*

Herniaria, Rupture-wort. Hujus Herbæ decoctum vel pulvis, vel ſuccus mira præſtant.

Decocti ſumatur hauſtus quotidie mane, ſuccus ab ℥ i ad ℥ iſſ. & ℥ ij. Vino rubro affuſus, exhibeatur eodem modo uti etiam pulvis ad ʒ i. in hauſtu Vini rubri. *Hoffmannus. Hollerius*, à

Quo hæc planta ita commendatur ut Herba Holleri appellatur.

Naſturtium, Creſſes. ℞ Pulv. ſeminum q. v. redigatur cum ovi album. in empl. conſiſtentiam, quod ſupe

illutan

extenſum parti affectæ tepide applicetur, nec mo- donec ex ſe decidat.

n ℞ ſem. prædict. pulv. ʒi. cap. patiens ex Vino nane & ſero. *Foreſtus.*

gonatum, Solomon's Seal. ℞ Rad hujus roſ. q. in juſcul. q. ſ. ad ℔ij. col. capiat. ℔ſſ. vel ℥xij. jejunus. Vel,

Rad. pulv. q. ſ. cap. ℈ij. vel ʒi. quolibet mane ires dies in hauſtu Vini rubri. *Boyl.*

gonum, Knot-graſs. Hujus uſu frequent. hernio- im plurimos fœlici cum ſucceſſu reſtituit. *Fallo-*

phytum, Great Comfry. Ex hujus radicib. recent. atur mucilago quæ tepide cataplaſm. formâ admo- ſæpius renovata hernias conſolidat. *Etmullerus.*

——PUERORUM.

ianthum Album, Wall-rue. Hujus pulverem per 40 opinat. *Mathiolus.*

himilla, Ladies-mantle. Hujus decoctum ruptu- tinat. & (quod dictu mirum eſt) tota ejus plantæ inando vis eſt, ut ramices inteſtinorum, præſertim ris, ſanare poſſit. *D. Raius & Morriſonus.*

ciata, Croſswort. Pulvis Herbæ vel decoctum in exhibita multum valent. *Raius.*

itaria, Toothwort. Pulvis ad ʒij. ex juſculo us per 40 dies ramices curat; in pollinem vero redi- Herba probe ſiccata. *Camerarius.*

ioglaſſum, Adders-tongue. ℞ Ophiogl. optime & ſubtiliſſime pulv. ʒi. exhibeatur mane ex Vino per aliquot dies & curabit. *Baptiſta Sardus.*

gonatum, Solomon's Seal. Radix pulveriſat. & o ſumpt. vel in Vino cocta, & decoctum per ali- ies mane uſurpatum mira præſtat. *Raius.*

——UMBILICALIS.

foliata, Thorow-wax. Herba ſive intus ſive extus u- a, ſpecificum eſt & medicamentem egregium à us commendatum, præſertim à *Schrodero, Hoff-* , *& Etmullero.*

HER-

HERPES.

CHelidonium, Celandine. Herba contuſa, & die parti admota herpetem ſanat. Experti

Erica, Heath. Oleum ex floribus per inſolatio coction. compoſitum, herpetibus fœdis apprime co *Cluſius ex Rondelet.*

Poma, Apples. ℞ Poma putria N° vi. per ſe mittatur pulpa, cui adde ol. Roſ. ℥ ij. lactis mul rum fiat. cataplaſm. parti affect. applicand. in herp lenti multum valet. *Pachequus in Comm. River*

Prunus Sylveſtris, The Sloe-buſh. Gummi ſponte ex arbore exudat) aceto ſolutum & parti herpetem ſanat. *D. Beale Tranſ. Philoſ.*

——MILIARIS.

Piloſella, Mouſear. Succus parti affectæ illi bito & efficaciter morbum ſanat. *Raius.*

HYDROPHOBIA, *vide* Morſum Canis

HYDROPS.

ABſynthium, Wormwood. Hujus nobiliſſim tæ folius uſu plures hydropiſi curati fuerun ſu crebriori ſunt. 1. lixivium ex hujus cineribus ratum (cujus lixivii tam ex his quam ex aliarum rum cineribus præparationem in anaſarca præſ invenies.) 2. infuſio Herbæ ſiccat. in Vino vel pro potu ordinario *Etmullerus.*

Allium, Garlick. Fiat decoctum ex allio cujus capiat. æger hauſtulum ter in die. *Bart* Vel,

Deglutiat æger mane jejunus unum vel alter nucleum à pelliculâ externâ denudatum, quoru nuatâ commeſtione multum aquoſitatis per urina & ſanabitur. Vel,

Succus allii in juſculo vel alio vehiculo ſumptu præſtat. *Foreſtus.*

Betula, Birch-tree. Folia intus vel extus ad hydrope uſus non ſunt minimi. Raius.

For the Dropsy from a Gentleman cured therewith after ye use of many other Medicines in vain.

Rx Briony Roots cut thin & short ℥ss. & steep it twelve hours in a quarter of white wine to bee taken fasting one morning in three, & the other mornings drink three ounces of ye juice of Celandine

Another only of the Rich Storehouse
or Treasury for the diseased
by G. W. Lib. 2. p. 110.

Rx of Briony a good Quantity, & seeth it in fair water & let ye Patient use to drink ye same often & it will cure imediately. This hath been truly proved.

For the Dropsy. Mrs Lilly.

Take two or three cloves of Garlick wch being shred small are to bee swallowed every morning fasting in a spoonfull of syrup of Elder.

[illegible]

[illegible]

Bryonia Alba, White Briony, or Wild-Vine. Deco-um radicum in aq. f. vel Vino factum, & potum Hy-opem curat. Vel,

Syrupus ex ſucco radicis nobile eſt ſpecificum quem fœ-i cum ſucceſſu ſæpe uſurpavit *Etmullerus*.

Ebulus, Dwarf-Elder. Decoctum radicum per 30 s hauſtum, uſus eſt eximii, præſertim ſi in Vino co-iantur, & mane exhibeatur jejuno colatura. *Gabel-ioverus*. Vel,

Cortex interior. radicis Vino infuſus, aquas Hydropico-im educit. *Hoffmannus*.

Fraxinus, Aſh-tree. Pulvis ſeminum ex Vino albo el Rhenano exhibitus quaſi remedium præſtantiſſ. com-endatur à *D. Bowles*. *Raius*.

Hedera Terreſtris, Ground-Ivy. Vir quidam Hydro-i valde proclivis, & cujus crura tumefacta copioſum ſe-im per ulcuſcula emiſere ſequent. method. convaluit & ancratice vixit.

℞ Hederæ terreſt. & abſynth. vulg. ana q. ſ. coq. pa-im in cereviſia ſecundar. & bibatur calide aliquoties i die.

Mulier Hydrope laborans & à medicis relicta, hoc mo-o convaluit, *viz*. interne Hederâ hac utebatur in deco-to in aq. f. vel cereviſiâ facto, cujus colaturam calide c copioſe hauſit quotidie externe Herba calide locis tu-ent. applicavit, & aliquoties purgabat ſucco iridis nb-bratis. *Etmullerus*.

Iris noſtras, Flower-de-luce. Hujus uſus etiam mul-um commendatur ſi à ℨ vi. ad ℥ i. ℥ iſſ. ℥ ij ſuccus aut ecens aut depuratus, per ſe aut in Vino vel cereviſia tepi-la exhibeatur. *Williſius*. *Hoffmannus*.

Marrbubium, Hore-hound. Quocunq; modo uſur-atum ſpecificum eſt eximium. *Etmullerus*.

Parietaria, Pellitory of the Wall. Syrupus ex hujus ucco compoſit. & crebro uſurpatus Hydropes (urinas novendo) quoſcunq; curabit, & quaſi Arcanum cum oſtratibus habetur. *Etmullerus*.

Sambucus, Elder. Vinum ex ſucco mero baccarum, vel

vel Vinum cum baccis & Vino albo vel Rhenano factum mira præſtat. *D. Needham.* Vel,

In iis qui facile purgantur ſequens medicamentum multum juvat.

℞ Corticis interioris ſambuci è ligno deraſi miij. coq. in aq & lact. partibus æqual. miſtorum ℔ij ad ℔i Colaturæ cap. dimidiam partem mane, & alteram ſero quotidie donec convaleſcat. *Sydenham.*

Vincetoxicum, Swallow-wort. Fiat decoctum Herbæ in cereviſia vel Vino, quo ſæpe utatur æger in anaſarca & præſertim in aſcite: ſpecificum eſt egregium. *Etmullerus.*

HYPOCHONDRIACA, *ſive* HYSTERICA AFFECT.

A*Bſinthium*, Wormwood. ℞ Infuſion. Abſinth. in aq. f. fact. q. ſ. capiat. ℥ ii. vel iii mane, uti etiam à prandio & cœna. *D. Bowles.*

Atriplex Olida ſativa, Garden Orach. Herba in conſerv. formam ſubacta hyſtericis optimum eſt remedium. *Needham.*

Cichoreum, Succory. Brodium cum cichoreo præparatum Hypochond. Præſens eſt Remedium. *Rhodius.*

Daucus Sylveſtris, Wild Parſnips. ℞ Sem. pulveriſat. ʒ ij. Vini albi ℔ſſ. infund. per 2. vel 3. horas, & demum agitato vaſe, exhibeantur ſimul: paroxyſmos hyſtericos aufert. *Raius.*

Hedera Terreſtris, Ground Ivy. Cum foliis ſiccis & ſp. vin. tenuior. repetitis infuſion. f. tinctura quæ per chartam filtrata cochleatim ſumatur ubi opus ſit. *Hoffmann.*

Juglandis Iuli, Wallnut-tree Catkins. ℞ Horum q. v. probe ſiccentur & pulverizentur; hujus pulv. cap. ℈ij. in vehiculo idoneo & ſi in promptu ſit addatur ol. ſuccini gt. i. vel ij. *Mouſetus*, *Laurent. Scholtzius.*

Lilium Album, White Lily. ℞ florum hujus q. v. infund. in Vino Hiſpanico ut bis bene impregnetur, ex hac infuſione in MB. deſtilletur aqua efficax; cujus doſis cochl.

ochl. i. vel ij. mane ad præcautionem,& in paroxyſmo ex-
ibeatur eadem quantitas. *Hoffmannus.*

Phyllitis, Harts-tongue. Conſerv. fol. viridium, vel ulvis fol. ſiccatorum ad ʒi. in cereviſia, vel zithogalo hibita, experta ſunt Remedia. *Raius.*

Rapum, Turnep. Horum decoctum ſæpe uſurpatum ultum commendat *Etmullerus.*

Xyris, Stinking Gladwin. Pulvis radicum in his af-ct. utiliſſimus eſt. *D. Bowles.*

I.

ICTERUS.

Aquilegia, Columbine. ℞ Sem. Contuſorum ʒij. infund. per noctem in Vini alb. ℔ſſ. mane capiat laturam pro hauſtu. Vel,

℞ Pulv. ſubtiliſſim. ſem. ʒi. ſumatur mane in hauſtu n. albi.

In morbillis, ℞ Florum cæruleorum q. v. bis affun-aq. calent. q. ſ. & ol. vitrioli q ſ ad Gratiam; ſtent ſi-ul bene co-operta donec refrixerint, tum fiat colatura, elegantiſſimam habebis morbillis curandis valde effica-m tinct. Edulcoretur ſi placet. Doſ. hauſtus mane & 4. meridiana. *Etmullerus.*

Argentina, Silver-weed, Wild Tanſy. Decoctum erbæ in aq. vel potius Vin. alb. fact. & ſæpe hauſtum rimum valet. *Ibidem.*

Bardana, Burdock. Ex radic. mundat. & raſa f in-ſio fortis frigide in cereviſia, cujus capiat Æger hau-m largum mane jejunus, & tantundem hora 4. po-eridiana donec convaluerit Expertum.

Carduus Maria, Ladies Thiſtle. Decoctum fol in no vel aq & (ut Argentina) ſumptum ictericis mul-m conducit. *Mathiolus.*

Chelidonium, Celandine. Decoctum radicum per di-aliquot exhibitum curat. *Foreſtus.* Vel,

BIBLIOTHECA

Chelidonium cum toto quocunq; modo uſurpatum, ſive in decocto, ſucco, infuſion vel aliquo alio modo, expertiſſimum eſt Remedium. *Etmullerus cum ſucco ſolo Ancillam Ictericam curavit hac methodo.*

℞ Succi Chelidon. ℥ iſſ. vel ℥ ij. cap. per ſe mane jejuna ſuperbibendo hauſtum cereviſiæ, vel ſi placet miſceatur ſuccus cum hauſtu cereviſiæ & propinetur. *Tinctura elegans & admodum proficua ſequenti modo conficitur.*

℞ Rad. chelidon. minutim inciſ. q. v. Vini alb. vel Rhenani ad ſupereminentiam 3. vel 4. digitorum, infundantur frigide in vaſe bene clauſ. per dies aliquot, ſæpe agitando vas donec tinctura extrahatur, quæ per Chartam bibulam vel manicam Hippocratis filtrata, ſervetur uſui. Doſis ℥ 4. vel 6 mane, & 4. promeridiana

N. B. Si addantur paſſulæ majores efficacior erit, & pro egenis Pomaceum Vini loco ſubſtitui poteſt. Vel,

Chelidonium. Juniperus. ℞ Rad. chelidon. m ij. bacc. Juniperi m. i contundantur cum Vini Rhenan. ℔ i. deinde exprimatur ſuccus, cujus cap. Æger ℥ 4. bis in die. *Fr. Joel.*

Cichoreum, Succory. Succus cichorei condenſatus multum laudatur à *Bartholino.*

Fragraria, Strawberry. Decoctum Herbæ totius in Vino mane exhibitum, & 4. pomeridian. valet. *Raius.* Vel,

Herba in juſculo cocta eadem præſtat; vel ℞ Plantæ totius m. iij. paſſulorum minor. ℥ 4. coq. in aq. f. ℔ iij. ad duas pro potu ordinario. *Rulandus.*

Fraxinus, Ash-tree. Sem. pulv. exhibit. mane in Vino alb. multum valet. *D. Bowles.* Vel,

℞ Cinerum cribrat. q. imbib. urina recentem ægri una vice excretam, f. ex maſſa ℈. pillulæ æqual. quæ in loco clauſ. prope focum collocentur ut exſiccant. *Willis.*

Fumaria, Fumitory. Laborabat quidam ictero & vomitu frequent. cui pharmacopœus exhibuit ſucci fumar. ℥ iij. prima exhibitione cohibitus eſt vomitus, &

Remed.

ıed. per aliquot dies continuato omnino ſublatus eſt bus. *Riverius obj.*

.ens Paluſtris, Duck-meat. Fiat hujus infuſio in Vi- lb. cujus exhibeantur ℥ vi. quolibet mane per 9 dies ſecreto habetur. *Raius ex M. S. D. Bates.*

Iarrbubium, Horehound. Ex ſucco fiat ſyrupus qui ɔer ſe aut cum Vino miſtus certo curat. *Freitagius* *oreſtus.* Vel,

℞ Marrhubii virid. ℔i. contund. & coq in Vini alb. ij. ad 5. colaturæ cap. Æger ℥ iiij. jejunus & ℥ iij Cœnam, & curabitur. *Stockerus.*

i vero Marrhubium viride non ſit in promptu, in tali

,

℞ Marrhubii bene ſiccat. & groſſe contuſi q v. huic ıde Vini alb ad ſuper-eminentiam 4. vel 5. digi- m, frigide macerentur in vaſe probe obturato, quo- agitando donec extrahatur tinctura, ad Icterum ex- a. Doſis ℥ 4. bis in die. N B. ſi ſal. tartari ʒ iij vel in mortario calido Herbæ addatur, multo facilius cturam exhibet.

impinella Saxifraga, Burnet Saxifrage. Hæc ɔa quocunq; modo uſurpata contra icterum eximi- eſt præſidium. *Morriſonus.*

xyacantha, The Berberry-tree. Cortex medianus fla- in Vino alb per 3. horas infuſus, & propinatus mire leſt. *Raius*

olypodium, Oak-fern. Pulv. Radicum ad ʒ i. exhi- s mane per aliquot dies præſtantiſſimum eſt Reme- ı. *D. Bowles.*

IMPETIGO.

Rica, Heath. Ol. ex floribus (ut in herpete deſcript.) hic multum prodeſt.

umaria, Fumitory. Decoctum fumariæ in ſero la- & ſyrupus è ſucco, eximii ſunt uſus.

edum majus, Houſleek. ℞ Hujus contuſ. m.ij coq. ct. ℔ijſſ. & fiet ſerum; cap. hujus ſeri ℔i. bis in die. *s.*

IMPOTENTIA.

AQuilegia, Columbine. Si à faſcino o[r] Sem. & Herb. ana q. ſ. coq. aq. & f. fot[u] lido foveantur pudenda utriuſq; ſexus. *Etmull[erus]*

Betula, Birch tree. Mictus per recentem nat, vel cerevilia betulina: experimentum eſt *tu*. Vel,

Vinum betulinum ex ſucco ex ramis vere vul[nerat]. praeparatum. *Etmullerus.*

Nuces Avellanæ, Hazel-nuts. In alia vero longum tempus in melle conditæ membrum [...] rant. *Rondeletius*. Vel,

Urtica, Nettles. Sem. recent. ad molliti[em] & cum butyro comeſta per 3 dies optim[e]. *Jo. Marquardus.*

INCUBUS.

ANiſum, Aniſe. Semina vel ol. Chym. ſub lecti introitum exhib. multum com[mendantur]. Vel,

. *Pæonia mas*, Male Peony. ℞ Rad. hujus [tem]pore collect. q. ſ. caute exſiccentur & pulveri[zentur] ʒi. vel ʒiſſ. in vehiculo idoneo mane, per ali[quod tem]pus. Vel,

℞ Granorum Pæoniæ nigrorum n°. 15. cap[iantur]. Emulſio ex ſeminibus eadem præſtat. *Etm[ullerus]*

INFANTUM TORMINA

ESTINORUM EROSIONES.

r, Marſh-Mallows. Decoctum Radicum, & lago ex ſeminibus extracta mire conducunt.

——FLATUS.

atoria, Maſter-wort. Radix ſive in infuſione, ocꝛto uſurpetur; eximii eſt uſus, & laudatur à o.

——TORMINA.

lium, Holly. Foliorum aculei in Zythogalo nire conducunt, teſte matronâ quâdam, quæ icinam in ſemet ipsâ, & in aliis, poſt alia in ntata medicamenta: Experta eſt. Folia prodem efficient. *Raius.*

Vervain Mallows. Decoctum foliorum in e eſt Remedium. *Bauhinus.*

atoria, Maſterwort. Radix ut ſupra uſurpata, habet, valde enim commendatur à *Morriſono.*

ISCHIAS.

iſia, Mugwort. ℞ Fol. pulv. ʒij. vel iij. exntur ex Vino Generoſo. *Raius ex Parkinſono.*

a Alba, White Bryony. ℞ Radicis recent. q ſ. & f. ex arte cataplaſm. ter quaterve applican*rius.*

Campana, Decoctum radicum (vel potius infulem) ad dolorem iſchiadicum multum valet. *ius.*

cum, St. John'swort. Decoctum florum & dies exhibitum, præſtantiſſimum eſt Reme'el,

inum pulv. ʒij. ſumantur ex Vino, & dolount. *Marquardus.*

ſive Naſturtium Pratenſe, Ladies ſmock, or lowers. Hujus infuſio, decoctum, ſyrupus, vel oreſſus mira præſtant, & quocunq; modo exhinorbum ſanant. *Æginета.*

rum, Comfrey. Cataplaſma ex radicibus con-

tuſis, ſuper alutam extenſum, & parti dolent. applicatum, multis laudibus commendatur. *D. Hulſe. Raius.*

Ulmus, Elm. ℞ Corticis Ulmi q. v. coq. in aq. fontan. ſenſim ebulliendo, ad ſyrupi fere conſiſtentiam; coletur forti expreſſione, colaturæ adde Aquæ Vitæ partem tertiam, & hac mixturâ foveatur pars ad ignem. *A me ſæpe expertum, & laudatum à Celeberrimo Raio.*

Urtica Urens, Stinging Nettles. Coquantur fol. in cereviſ. forti ad mollitiem, & ut bene impregnetur decoctum, deinde coletur, & contundantur fol. in cataplaſmatis formam. Hoc facto, foveatur imprimis pars affecta decocto prædicto calido, deinde applicetur cataplaſma etiam calefactum & morbum ſolvent. *Fontanus.* Vel,

Verberetur pars cum foliis urticæ ad rubedinem, & tum foveatur ſp. Vini. *Hoſferus.*

ISCHURIA *in Genere.*

ALlium, Garlick. ℞ Allii nucleos no. vi. denudatis pelliculis contundantur in mortario, ſenſim affundendo Vini Rhenan. ℔ſſ coletur, & f. hauſtus mane jejuno, vel in paroxyſmo exhibendus; repetatur ſi opus fuerit ad tertiam vicem. Expertum.

Avellana, The Hazel. ℞ Corticis interioris ſurculorum avellanæ m.i. coq. in cereviſ. ℔i. ad ℔ſſ. cap. mane, & ſero donec convaluerit. Expertum.

Aurantia malus, The Orange. ℞ Pulver. corticum exteriorum aurantiarum à ʒſſ. ad ʒi. detur in Vino albo, vel Rhenano. *Etmullerus.*

Cepæ, Onions. Placenta ex cepis minutim conciſis & cum ovis agitatis, in axungiâ porrinâ frixis, calide applicetur parti dolenti, ſi urinæ ſuppreſſio ſit renalis, renibus, ſi veſicalis regioni pubis, multum laudatur in obſerv. commun. à *Marſino.*

Sunt qui ex allii & ceporum ana, Placentam formant eodem cum ſucceſſu. Vel,

℞ Ceparum albarum crudarum q. ſ. contundantur & cum oleo f. cataplaſma eodem modo applicandum, & multo erit efficacius. *Riverius.* Vel,

℞ Cepa-

N.B. Iſchiade correpti, eadem horâ
l paucis elapsis á prima doloris in-
ſione, ſi purgans medicamentum
deris (ipſe ubi ſoleo syr. de ſpina
rvina cum vino) vix absolutâ hâc,
ut ad summum alterâ, quam propi-
averis purgatione, æger certo ſana-
itur. Non item vero ſi morbus ad plu-
es dies fuerit protractus. Baglivus.

Pro Iſchiade

℞ Decoctum Sennæ Gereon. ℥iiij
Syrup de ſpina cervin
Cichoreo cum Rhabarb. ā. ℥j.
Miſce. f. potio. capiat in aurora
um regimine.
hora ſomni capiat gr. IX[m] pil. Mathei.
die sequente capiat gr. x. eodem tempore
Mr Moore, Apothecary at Bath.

℞ Cepas ſub cineribus coctas, contundantur cum adipe anſerin. q. ſ. ut f. cataplaſma, calide umbilico & pubi admovendum; ſi urinæ ſuppreſſio à nimio coitu oriatur perinæo imponatur. *Hollerius.*

Cæpa, The Onion. ℞ Succi harum cochl. ij. Vini lbi ℔ſſ. m. f. hauſtus, optimum eſt Remedium, dolores enim ſedat, & ſubito urinam provocat. *Boyl.*

Chærophyllum, Chervil. ℞ Hujus à ſtipitibus liberat. q. v. ex hoc contuſ. & cum adipe ſuillâ, vel ol. jugland. frixo, f. cataplaſma pubi & umbilico calidè applicandum. *Ibid.*

Chrithmum, Sampire. Folia muria condita & commeſta eximii ſunt uſus. *Morriſonus.*

Daucus, Wild Carrot. Semina in cereviſia vel Vino infuſa, ſive decocta eximie proſunt. *Raius.*

Glandes, Acorns. Pulvis glandium ſiccat. ex Vino exhibitus præſens eſt remedium. *Stockerus. Weickardus.*

Halicacabi baccæ, Winter-cherries. Cardinalis quidam, qui per quatriduum iſchuriam paſſus eſt, nullis aliis proficientibus medicinis, per potum Vini ſequentis liberatus eſt.

℞ Fructus Halicacabi N$_o$. v. vi. vii vel plures, contundantur cum hauſtu Vini albi, qui coletur & exhibeatur. *Arnoldus Villanov.*

Hedera, Ivy. ℞ Heder. arboreæ vel muralis pulv. ʒi. ℈ij. vel ʒſſ. detur ex Vino albo, & urinas ſtatim movebit. *Stockerus.*

Hypericon, St. John's wort. ℞ Summitatum Hyperici m. ſſ. coquantur parum in Vino, quod colatum propinetur. *Ibidem.*

Limonium, Limon. ℞ Succi hujus ℥ iij, vel iiij. deluantur aq. f vel vehiculo idoneo, & exhibeantur. *Amatus Luſitanus.* Vel,

℞ Succi Limon. ℥ ij. ſp. tereb. ʒ ij. Vini alb. ℥ 4. m. f. hauſt. valde proficuus *Formius in obſ. com. Riverius.*

Malva, Mallows. Decoctum malvæ egregium eſt Remedium, &c.

Conſerv. florum quaſi ſpecificum expertum co
datur ab *Amato Luſitano, & Hoechſtetero.*

Parietaria. Pellitory of the Wall. ℞ Lapide
tum, aſperge cum aceto, & ſuperimpone fol. pa
q. ſ. ubi caleſcit applicetur pectini. *Stockerus.*

Folia cum axungiâ, butyro inſulſo, oleo (ſed p
ol. ſcorpionum) frixa, mire conducunt, admovea
ſuprâ. *Jacob. Sylvius.* Vel,

Succus Parietariæ depuratus ad ℥ iij. exhibitu
efficax. *Sennertus.* Vel,

℞ Fol. parietariæ q v. coq. ad mollitiem &
ſcorpionum vel ejus defectu pinguedin. anſerin. q.
taplaſma nobile, pro pectine. *Helidæus.* Vel,

℞ Fol. parietariæ m. ij. Chærophylli m iſſ. coq.
pra & cum butyri recent. ℥ ij. ol. ſcorpion. ℥ iſſ.
plaſm. calide applicandum. *Simon Pauli & Fore*

Petroſelinum, Parſley. ℞ Succi hujus ℥ i.
hauſtu Vini albi. *Stockerus.*

Polygonatum, Solomon's Seal. ℞ Pulv. ra
gilli Solomonis ʒ i. ſumatur ex Vino albo. *Ibid*

Polygonum, Knot-graſs. Decoctum radicun
nodii laudatur à *Varignana.*

Rapæ, Turneps. Decoctum raparum ſingul
ſpecifice commendatur (ſi ad libitum bibatur) à
chovero & Amato Luſitano.

Tilia, The Lime-tree. ℞ Foliorum, q. v.
Vino alb vel Rhenano, f. ex Arte cataplaſma, cali
ni applicandum. *Stockerus.* Vel,

Si decocto forti (ut ſupra facto) & ſpongiâ c
veatur pecten nobile eſt Remedium. *Hollerius*

Eryſſimum, Hedge-Muſtard. ℞ Sem. Eryſſimi pulv. ʒi. dentur in Vino albo. *Ibidem.*

Parietaria, Pellitory of the Wall. Succus vel ſyrupus hujus multum valet. *Ibidem.*

Raphanus, Radiſh. Radix Vino infuſa, vel ſuccus exbitus, urinam blande movent. *Ibidem.*

L.

LAC AUGENTIA.

ANethum, Dill. Decoctum anethi valde eſt proficuum. *Morriſonus.*

Aniſum, Aniſe. Semin. aniſi quocunq; modo uſurata, multum laudantur ab *Eodem.*

Fœniculum, Fennel. Folia in aq. hordei decocta, lac utricibus augent. *Tragus.*

Polygala, Milk-wort. Hujus plantæ uſus, lac in mulieribus copioſum efficit, ex multiplici experimento Calceolarii. *Morriſonus.*

Sambucus, Elder. ℞ Florum ſambuci m.j. lactis recentis ℔iij coq. ad ℔ijſſ. colaturam bibat nutrix ad libitum. *Etmullerus.*

——MINUENTIA.

Alſine, Chickweed. ℞ Hujus q. ſ. contunde & imponatur fol. braſſicæ capitat. calideq; mammis admoveantur & crebrius repetantur. *Etmullerus.*

Cicuta, Hemlock. *Mentha*, Mint. ℞ Horum ana ʒv. contundantur & calide mammis applicentur. *Ibidem.*

Plantago, Plantan. Succus mammillis illitus quaſi mirum & expertum ſecretum commendatur à *Timoth. Boſtin. Raius.*

LATERUM DOLORES.

CArduus Benedictus. ℞ Fol. mſſ. contunde cum Vino alb. & bibatur colatura. Expertum.

LEPRA, *vide* IMPETIGO.

LETHARGUS.

SAtureia, Savory. Herba contuſ. & in aceto infuſ. & capiti admota præſens eſt Remedium. *Altomari.*

Sinapi, Muſtard: Semina cum aceto contuſ. & cox-endicibus applicat. ſomnum fugant. *Trallianus.*

LIENIS OBSTRUCTIO.

ABſynthium, Wormwood. ℞ Fol. ſiccatorum m. i. infunde frigide in aq. f. ℔iſſ. per 8. horas, capiat Æger ℥ ij. vel iij. mane, à prandio, & veſperi (poſt cœnam ſi cœnis addictus ſit) donec convaluerit. *Bowles.*

Chamædrys, Germander. Fol cum Vino contuſa & colatura epota valde proſunt. *Benedictus.*

Ebulum, Dwarf-Elder. Decoctum radicum in aq. f. ad ʒ. mirifice curat. ter in die epotum. *Varignana.*

Filix, Fern. Decoctum hujus efficax eſt. *Foreſtus.*

Fraxinus, Aſh-tree. ℞ Corticis interioris q. v. infunde & coq. in Vini albi q. ſ. cap. hauſtum jejunus quolibet mane per ſeptimanam. Expertum.

Lamium, Archangel. Folia quocunq; modo uſurpata, multum proſunt. *Solenander.*

Lupulus, Hops. Turiones verno tempore collect. coct. & aſparagorum more commeſt. contra lienis obſtructiones laudantur à Cl. *Raio.*

Orobanche, Broom-rape. Herba condita vel ſyrupus ex ejus decocto compoſitus, ad obſtructiones ſplenicas uſus eſt eximii. *Ibidem.*

Tamariſcus, Tamariſc. Succus hujus in Vino ſumptus, magno cum ſucceſſu uſurpatus eſt à *Benedicto.*

SCHIRRUS.

ABſynthium Romanum, Roman Wormwood. Fiat decoctum in aq. fabrorum cujus depurati capiat patiens hauſtum mane jejunus, & poſt cibum. *Baricellus.*

Lupulus, Hops. Lupuli in Vino cocti, & in ſacculo calide parti applicat. morbum ſolvunt. *Stockerus.*

ibucus, Elder. Hujus folia in oleo vel Vino cocta præſtant. *Ibidem.*

opendrium, Spleenwort. Hujus folia in Vino co-c ut ſupra applicata, multum valent; bibat etiam mane quotidie, jejunus hauſtum infuſionis florum o factæ. *Ibidem.*

——T U M O R.

lidonium, Celandine. Succus expreſſus in Vino aut ſià exhibitus, nobile habetur Remedium. *Dorin-*

axinus, Aſh-tree. Cortex commendatur à *D. Raio.* ı à *D. Bowles.*

ypodium, Polypody. ℞ Radicum pulv. q. v. exhi-r ℥i. quotidie, præſtantiſſimum eſt Remedium, rtim ſi addantur cremor tartari & caſſia lignea. *es.*

lopendrium, Spleenwort. Hujus decoctum cum brorum præparatum, expertum eſt ſi ter in die pro-ur. *Dioſcorides.*

LIENTERIA.

MOrus, Mulberry. ℞ Fructus immatur. ſiccat. & pulverizat. q. ſ. in potu exhibitus mire valet. *nari.*

ux Moſchata, Nutmeg. Aſſetur ſuper tegulam ca-ı vitellum ovi unius, huic inſpergatur pulv. nucis h. unius minoris commedantur, & habebis Remedi-expertum à *Foreſto.*

bſynthium, Wormwood. Vinum abſynthites chaly-um maxime confert, ſi frequenter utatur. *Etmul-r.*

habarbarum, Rhubarb. Puerum 3 Annorum cura-r methodo ſequenti.

℞ Rhab. pulv. ℈i. detur in Vino ante cœnam. *Heli-r.*

L I N-

LINGUÆ ARIDITAS.

Cydonium malum, A Quince. ℞ Mucil num cydoniorum q. ſ. qua illinatur lin in die, & per tempus ibi relinquatur. *Etmul*

Sedum majus, Houſleek. Succus lingua ibiq; detentus ſine deglutitione, multum ad ar linguæ fiſſuras valet. *Ibidem.*

——INFLAMMATIO.

Prunella, Self-heal. Decoctum prunellæ prunellæ acuatum ſpecifice commendatur garg mâ uſurpatum. *Etmullerus.*

——PARALYSIS.

Salvia, Sage. Succus ſalviæ uſus eſt ex frequenter lingua confricetur. *Riverius.*

——TUMOR.

Lactuca, Lettuce. Succus lactucæ in ore re pe expertus eſt à *Rhodio.*

LIVORES.

Chærophyllum, Chervil, or Sweet Cicely. Fol & tepidè locis applicata ſugillationes tollunt. *Morriſonus.*

Gnaphalium, Cud-weed. Folia contuſa & proſunt. *Raius.*

Tapſus Barbatus, Mullein. Illinatur pars fol. contuſa cataplaſmatis formâ calide applice pertum.

LOCHIORUM FLUXUS NI

Filipendula, Dropwort. Pulv. Radicis ad bitus, uſus eſt eximii *Raius.*

——SUPPRESSIO.

Aurantia, Oranges. *Chamæmelum*, C

℞ Corticum aurant. ſicc. ℥i. florum Cham fundantur & coq. lente in cereviſiæ ℔ij. ad turæ tepide cap. ægra hauſtum ter in die. *Et*

Calamintha, Calamint. Decoctum Herb

:r in die ſumptum, vel extus fotûs forma uſurpa-
uſus eſt egregii *Ibidem.*

[M]atricaria, Featherfew. Decoctum hujus cum mo-
:o Chamæmel. vel Arthemiſiæ factum, expertum
ſi hauriatur tepide. *Hoffmannus.*

[M]ercurialis, Mercury. ℞ Herbæ contuſæ q. ſ. in-
ıtur ſyndone raro, ut fiat peſſus. Nobile eſt uteri-
. *Etmullerus.*

quens ab eodem magnopere commendatur. ℞
rhæ pulv. ℥ ſſ. Croci ʒ ſſ. cum ſucco mercurialis &
ↄ melle f. peſſus.

LUES VENEREA.

[S]aponaria, Soapwort. Decoctum hujus per aliquod
tempus ſumptum, multum commendat *Septalius.*
.ti etiam *D. Bowles* ſi addantur beken. alb. & Scoro-
a. *Raius.*

LUMBRICI.

[A]brotonum, Southernwood. Pulvis ſeminum, vel
Herbæ ſiccatæ pueris exhibitus, multum valet.
[Sch]roderus, *Etmullerus.*

[B]ryonia Alba, White Bryony, or Wild-vine. Syrupus
Radicis ſucco (per reſidentiam depurato) præparatus,
necandos & expellendos vermes mire eſt proficuus.
[Bar]tholinus.

[C]orallinæ, Sea-Coralline, Craſſiuſcule tritæ pulvis,
[V]ino, Lacte vel caſſia exhibitus omnes intraneorum
nes necat; pueris ad ʒ ſſ. adultioribus ad ʒ i. exhibea-
Raius. Laudatur etiam à *Sennerto.*

[C]oriandrum, Coriander. Sem. Vino macerata, & co-
ıra mane epota multum conferunt. *Morriſonus.*

[F]ilix Fœmina, Common Fern. ℞ Rad. pulveriżat.
. detur in vehiculo idoneo *Raius.* Vel,
Aq. ex planta deſtillata eadem præſtat. Vel,
℞ Pulv. Herbæ ſiccat. q. v. infantibus detur ʒ ſſ.
oribus ʒ i. adultis ʒ iij. in hauſt. aq. galeg. vel alio
ıiculo. *Sennertus*,

Galega, Goats Rue. Succus ad ℥ ſſ. epotus, optimum eſt Remedium. *Morriſonus ex Bayro.*

Gramen Caninum, Dogs-graſs. Farina Radicum verno tempore collect. & ſiccatarum commendatur à *D. Bowles.* Vel,

Decoctum radicum multum laudatur à *Bartoleto.*

Gramen Commune, Common Graſs. Aq. ex gramine hoc contuſo deſtillata, experimentum eſt *Steckeri.*

Hypericum, St. John's-wort. Pulvis ſummitatum in brodio exhibit. vel cataplaſma ex iiſdem applicatum vermes necant & extrudunt. *Quercetanus.*

Portulaca, Purſlain. Pulv. ſeminum vel aq. ex tota planta deſtillata mire proſunt. *Baricellus.*

Tanacetum, Tanſy. Conſerva ſive ſyrupus ex Herba præparatus, & mane per aliquot dies jejuno exhibitus præſtantiſſimum eſt Remedium. *D. Bowles.* Vel,

Pulv. ſeminum à ℈i. ad ʒi. quocunq. modo uſurpatus, multum valet; uti etiam aq. ex planta deſtillata. *Etmullerus.*

Zedoaria, Zedoary. ℞ Pulveris Radicis à ℈i. ad ʒi. detur in hauſtu Vini mane, vel imminente paroxyſmo. *Stockerus.*

Optimum vero Remedium & magno jam in uſu eſt Æthiops mineralis ſine igne; in libello de morbis acutis infantum à Cl. Dom. Doct. Harris, hoc modo deſcriptum.

℞ Hydrargyri opt. part. 4. florum Sulphuris part. 3. agitentur in mortario vitreo donec omnes globuli merc uriales penitus evaneſcant, & maſſa redigatur in pulverem fuſcum tenuiſſimum qui paululum aſſervatus, nigreſcit. Doſis pro Ætatis ratione præſcribenda, etiamſi qualicunq; quantitate vel quotieſcunq; ſit exhibita ſalivationem nunquam provocat.

M.

MAMMARUM ABSCESSUS.

:, Beans. *Mentha*, Mint. ℞ Farinæ fabarum rt. ij. Menthæ criſpæ pulv. p. j. excipiantur cum ·ecentis q. ſ. ad unguent. conficiend. eoq; tepide ıtur. *Stockerus.*

——CANCER.

a, Apples. In promptu ſit aqua ex pomis putri- llata; lintea in hac aqua imbuta, & quadruplicata, ıane & ſero applicata, ægras hiſce ulceribus miſere s potenter relevabunt. *Smucbius*, *Etmullerus.*

'*um Lethale*, Deadly Night-ſhade. Hujus folia s cancroſis impoſita, earum duritiem emolliunt, ɔres cancroſos diſcutiunt, & ſanant.

tum nunquam proditum niſi à *D. Percivallo bby Med. D. Raius*

ıum, Night-ſhade. Hæc planta experta eſt in :urando, tam occulto, ſeu nondum ulcerato, quam ıto; quem tamen non quidem perfecte & abſolute d palliative tantum; unde Herba ipſa cataplaſmatis ıpplicata, vel ſuccus ejus, vel unguent. ex Herba tum multum conferunt. *Etmullerus.*

——DOLORES.

', Beans. Unguentum in abſceſs memoratum, mammarum ſtatim ſedat. *Stockerus.*

inus, The Aſh-tree. Hujus folia decocta, & , & calide admota omnes dolores compeſcunt.

——DURITIES.

ophyllum, Chervill. Folia contuſa, & cataplaſ- ma calide admota duritiem ſolvunt. *Raius.*

um Lethale, Dearly Night-ſhade. Folia (ut in uſurpata duritiem emolliunt. *Raius.*

——INFLAMMATIO.

Plantago, Plantain. Succus tepefactus & illitus curat. *Stockerus.*

Sambucus, Elder. ℞ Fol. ſambuci q. v. calefiant in patellâ, & ubi ſudare incipiant imponantur. *Ibidem.*

——LAXITAS.

Alchimilla, Ladies Mantle. ℞ Fol. contuſorum, q. ſ. f. in aq f. decoctum forte.

Lintea hoc decocto madefacta & mammis ſuperimpoſita laxas, duras ſolidaſq; reddit. *Rajus. Etmullerus.*

Cichoreum, Succory. Succus Cichorei tepide illitus eadem præſtat. Expertum.

Cicuta, Hemlock. ℞ Foliorum tenerrimorum q. v. contunde & tepide applicentur mammis, repetendo ſemel in die. *Boyl.*

——TUMORES.

Fraxinus, The Ash tree. Hujus folia (ut in doloribus Mammarum) uſurpata, tumores mirifice diſcutiunt. *Ætius.*

Rapa, Turnep ℞ Radicum ad mollitiem coct q. ſ. & cum momento axungiæ porcinæ f. cataplaſma, bis in die calide applicandum. *Boyl.*

MANIA.

ANagallis flore Purpureo*, Pimpernel. Præmiſsâ unâ vel ſecundâ vomitione,

℞ Decocti foliorum & flor. hujus q ſ. capiat ℥ 4. ter in die, ſpecificum eſt & commendatum ab *Etmullero, Hartmanno, Williſio, Sennerto, & Quercetano.*

Bryonia Alba, Wild Vine, or Briony. ℞ Pulveris Radicis ſiccat. ʒ i. Lactis vaccini ℥ 5. vel 6. m. capiat mane cum regimine. Vel,

℞ Radicis ejuſdem recentis ℥ ſſ. vel ʒ 6. infunde per noctem in Vini alb. ℥ 4. colaturæ adde ſyrupi violarum ℥ i. m. f. potio. *Sydenham.*

Buxus, Box. *Lavendula*, Lavender. ℞ Foliorum No 9. incidantur in particulas minimas, & (præmiſſis præmittendis) exhibeantur ex aq vel decocto Lavendulæ.

ulæ, & bis vel ter repetatur, ut eliciatur ſudor. *Sen-us. Hoffmannus.*

ypericon, St. John's wort. Tinctura florum ut in m. auguſtan. deſcript. vel alio modo paratum prodeſt. *Gremb. Needham*. Vel,

ap. æger ℥4. decocti ſummitatum ter in die. *iſius.*

MANUUM DEBILITAS.

Oſmarinus, Roſemary. ℞ Summitatum hujus q. ſ. contund & inde formetur pila magnitudinis au-i minoris, quæ invicem teneatur in manibus, quo-die, donec incaleſcat, ſæpeq; repetatur donec con-rit. *Boyl.*

——— RIMÆ.

inacetum, Tanſy. Succus manibus illitus, earum s ſanat. *Raius.*

——— TREMOR.

rthemiſia, Mugwort. Foveantur manus, mane & decocto Arthemiſiæ.

ypericon, St. John's wort. Flores quocunq; mo-ſurpati plurimum valent, præſertim ſi ex iis ſequens batur Tinctura.

Fl. Hyperici ſiccat. & pulv. q. v S.V. vel S. Aq. R. ſtent in loco tepido (ut extrahatur Tinctura) in vaſe clauſo per octiduum, bis terve in die vas agitando. uræ claræ adde ſacchari albiſſimi q ſ. ad gratiam. Doſis n Sp. V. paretur ab ℥ ſſ. ad ℥ iſſ vel ℥ ij. in ſenibus; ſi cum Sp. Aq. R. à ʒ ij. ad ʒ vi. Exhibeatur mane in ulo idoneo. *Deckerus, Zwelfer.*

MELANCHOLIA.

Linopodium majus, Great wild Baſil. Fiat deco-ctum Herbæ in Vino, colaturæ exhibeatur cya-mane, à meridie & veſperi. Specificum eſt. *Hoff-mus.*

pericon, St. John's wort. Tinctura florum ut more Manuum deſcripta) experta eſt ſæpe a

N 3 D

D. *Needham.* Uti etiam in mania à *Grembs.*

IN MEMORIÆ IMBECILIT*A*

Pharm. Aug

MENSIUM FLUXUS NIM

ALchimilla, *Ladies Mantle.* Decoctum H Vino & epotum multum valet. *Schroderu. mannus.*

Anagallis Flore Phœniceo, Pimpernel. ℞ H cent. m j appendatur ſcrobiculo cordis. Vel,

℞ Ejuſdem m.ij. teneantur in manibus donec cat; omnem ſanguinis fluxum compeſcet. *Smu curat. mag. magn.*

Biſtorta, Biſtort, or Snake-weed. Radices q modo uſurpat. magni ſunt uſus, præcipue ſi earu cum conſ. roſarum miſceatur. *Raius.*

Burſa Paſtoris, Shepherds Purſe. Decoctu vel ſuccus ejuſdem propinat. eximii ſunt uſus. V

℞ Herbæ recent. q. ſ. contund. & cataplaſma pubis regioni applicetur. *Etmullerus.*

Caſtaneæ, Cheſs-nuts. ℞ Corticis interioris (quæ corticem fructumq; diſcernit) ſiccat. & p & pulv. ramentorum eboris ana ʒ ij. m. f. pulv. bus doſibus in Vino auſtero propinandus. *Raius*

Ebulus, Dwarf-Elder. Radix hujus rubicur cortex ejus) verno tempore colligatur, & probe ſ

℞ Radicis ita ſiccatæ & pulv. ʒ ſſ. vel ℈ ij. Vino auſtero A dmirandæ eſt efficaciæ. *Hoffm*

Lamium Rubrum, Red Archangel. Decoctu ſpecifice celebratur, vel flores in formâ Thee uſurpa

Millefolium, Parrow. Infuſio hujus in aq. f ter in die exhibita; viz. mane, 4 pomeridianâ, & iturae, maxime laudatur ab *Hoffmanno.*

Nymphæa, Water-Lilies. Rad ſeu ſemina in pro coct a, & po a e s curaverunt quæ de omni au ſperaſunt *Raius.*

For the Memory.

Three Cubebs taken in ye morning fasting corroborate ye memory wonderfully. Etmullerus.

Tea boiled in Wine corroborates ye memory & judgment. Etmullerus.

Use after dinner Spirit of hartshorn.

Let Oyle of Myrrh per deliquium be Applyed to ye Temples [nape of ye necke viz: ye] hinder part of the head. Etmullerus.

mpinella Sanguiſorba, Burnet. Non datur præſen- ℓemedium, quam decoctum hujus Herbæ in aq. f. ino factum, & ter in die epotum. *Morriſonus.*

antago, Plantain. Succus hujus tum interne ſum- vel in vaginam uterinam injectus, uſus eſt egregii. *ſtus. Etmullerus.* Vel,

rticæ, Nettles. ℞ Fol. plantaginis & urticarum q. ſ. contund. & exprimatur ſuccus, cujus capiat learia 4. vel 5. ſæpiuſcule vel ad libitum. *Sydenham.*

ſcus Quercinus, Miſleto of the Oak. Hic pulveri- ſ, & ad ʒi. in ovo ſorbili exhibitus, ſi non primâ certe ſecundâ vel tertiâ nimium uteri fluxum com- t. *Etmullerus.*

rticæ, Nettles. ℞ Succi urticarum ℥ 5. vel ℥ 6. beatur & repetatur ſexta quaq; horâ : Interea. : Farinæ triticeæ q. ſ. ſubigatur cum ſucco urticæ, & taplaſma parti Hypogaſtricæ applicandum. Hac me- o egenam ſemi-mortuam fœliciter curavit *D. Si- Jacoz. in obſ. Riverio communicat.* Vel,

ℓ Fol. urticæ contuſorum & in ſartagine calefacto- q ſ. & pubi cataplaſm. forma applicentur. *Et- erus.*

——S U P P R E S S I O:

ngallis Aquatica, Brook-lime. Succus hujus, vel pus ex ſucco fact. uſus eſt egregii. *Raius.*

quilegia, Columbine. Semina ſive in pulvere, ſive nulſione, aut aliquo alio modo uſurpata, multum it. *Tragus.*

orrago, Borrage. ℞ Conſer. Borrag. ʒi. nucis chat. gr. vi. exhibeantur in Vino albo mane jejunanti. *ullerus.*

alamintha, Calamint. Decoctum intus ſumptum, xterne fotus forma pubis regioni admotum, certum ℓemedium. *Schroderus. Etmullerus.*

a'endula, Marygold. Conſerva florum ad ʒij. per tos dies aſſumpta laudatur à *Riverio.* Vel,

yrupus ex floribus præparatus, vel ſuccus, vel deco- n Herbæ eaſdem habent virtutes. *Etmullerus.*

Centaurium,

Centaurium, Centory. Decoctum cum Vino, vel aq. factum magni eſt uſus. *Stockerus.*

Chamædrys, Germander. Decoctum Herbæ in Vino, mire prodeſt. *Stockerus.*

Chamæmelum, Chamomil. ℞ Foliorum (vel potius florum ſiccat.) m.i. coq. in aq. font. q. ſ. ad ℔i. leni ebullitione.

Colaturæ capiat ℥ iij. tepide ter in die & nobile habebis Remedium, præcipue ſi uterus doloribus afficiatur.

℞ Foliorum Chamæmeli m.ij. vel iij. coq. ad mollitiem contundantur, & fiat cataplaſma calide regioni pubis applicandum. *Etmyllerus.*

Cyanus major, Great Blue Bottles. ℞ Florum cœruleorum, & ex his fiat infuſio ſive decoctum in Vino vel aq. f. colaturæ capiat hauſtum tepide mane & 4. pomeridianâ. *Ibidem.*

Elleborus niger, Black Hellebore. ℞ Ellebori nigri groſſe pulv. ℈i. excipiatur nodulo ſerico, & f. peſſus, ſubinde renovand. ſed non diu retinend. ne partem exulceret. *Deckerus.*

Leviſticum, Lovage. Folia comeſta optime valent, nam mulieris cujuſdam perterritæ menſes ſuppreſſi, revocabantur eſu fol. hujus plantæ, eoſq; potuit hoc remedio quandocunq; movere. *Gabelchoverus.*

Majorana, Sweet Marjoram. *Matricaria*, Feaverfew. *Mercurialis*, Mercury. ℞ Foliorum harum à ſtipitibus liberatorum ana q. ſ. contundantur & ſerico vel ſyndoni raro incluſor. f. peſſus mire efficax. *Stockerus.*

Marrhubium, Horehound. ℞ Summitatum hujus ſiccatar. mss. Vini albi ℔ss. inſundantur per noctem frigide, mane propinetur jejunæ, & repetatur per tres vices. Elegans eſt Remedium & laudatum ab *Hoffmanno.*

Matricaria, Feaverfew. ℞ Foliorum q. ſ. contundantur & indentur linteo pro peſſario calide immittend. *Schroderus*

Mercurialis, Mercury Hæc planta per ſe contuſa, & (ut ſupra) peſſus formâ uſurpata, celebratur ab *Etmullero.*

Paſtinacæ, Parſneps. ℞ Sem. hujus q. ſ. coq. in Vi-
), & exhibeatur mane colatura, mire provocat menſes.
tockerus.

Pulegium, Penny-royal. Infuſio ſive decoct. crebrius
ſurpatur, vel imponatur Herba recens calceis ægrotæ &
nbulet; mira præſtat. *Gabelchoverus.*

MICTUS CRUENTUS.

AGrimonia, Agrimony. Decoctum hujus in aq. vel Vino, egregium eſt ſpecificum. *Etmullerus.*

Burſa Paſtoris, Shepherds Purſe. Herba minutim
ciſa, vel contuſa in Vino vel aq. cocta, eximii eſt uſus.
tmullerus.

Smuchius in curat. mag. magnet. affirmat, quod her-
tantum in manu detenta ſanguinem undequaq; manan-
m ſiſtet.

Calamintha, Calamint. Decoctum calaminthæ, mi-
um cruentum certo curat. *Etmullerus.*

Chamæpytis, Ground-pine. Decoctum hujus eaſdem
æbet virtutes, teſte *Poterio.*

Conſolida major, Great Comfry. ℞ Florum conſoli-
e major. q. ſ. coq. in Vino, & detur colaturæ hauſtus
s in die. Nobile eſt Remedium. *Raius.*

Equiſetum, Horſe-tail. Hujus decoctum multum
ıdatur à *Riverio.*

Millefolium, Yarrow. Decoctum intus ſumptum,
agni eſt uſus, nam egregie conſolidat. *Etmullerus.*
Infuſio Millefolii in aq. calid. fact. & ter in die exhibi-
, optimum eſt Remedium. *Hoffmannus.*

Plantago, Plantain. Succus ad ℥ 4. mane & ſero ex-
bitus, ſpecificum eſt. *Riverius. Etmullerus.* Vel,
Syrupus ex ſucco cum ſaccharo præparatus quaſi ſpe-
ficum expertum eximium laudatur, ab *Hoechſtetero.*

Polygonum, Knot-graſs. Decoctum ex Herba contu-
multum valet. *Riverius.*

Portulaca, Purſlain. Quocunq; modo uſurpata ſive
decocto, ſucco, vel ſyrupo, maxime commendatur à
iverio & Etmullero.

Rubus,

Rubus, The Bramble, or Black-berry Buſh. Decoctum cymarum mane & ſero epotum mire prodeſt. *Riverius.*

Urtica Rubra, Red ſtinging Nettles. Succus hujus depuratus multum valet, præſertim ſi cum ſequenti ſyrupo miſceatur ſucci ſcilicet ℥ 4. ad ℥ i. ſyrupi.

℞ Syrup. è ſucco plantag. mororum, Rubi idæi, ana ℥ 4. Syr. corrallorum ℥ 5. cydoniorum, rob de ribibus ana ℥ vi. m. ad uſum. *Theod. de Mayern.*

Obſervationes duas ſequentes inſerere æquum duxi.

Hiſtoria mictus Sanguinis à Renum imbecilitate. Vidi quendam (inquit celeberrimus Autor) annorum circiter 40 qui à retentrici renum imbecillitate, & tum vaſorum, tum parenchymatis laxitate, tantum] cruoris fundebat, cum urina, ut corpus macilentum, exſangue & pene tabidum ægerrime traheret, pulſum habens velocem, languidum,& febrilem; eo uſq; res devenerat, refrigerata urinâ, incoctus ſanguis in ea concreſceret albicans & gelatinæ potius quam ſanguini affinis, vano labore aſſumptis & adhibitis omnibus remediis, tandem intra tres quatuorve dies convaluit hauſto quotidie mane, lacte vaccin. recent. mulcto ſupra ramum Menthæ rubræ, eoq; calente ex animali dulcorato ſatis bonâ quantitate ſyrupi, gelatinæ vel ſapæ cydoniorum & ſyrup. Cinnamomi, vixit ad annos 12. perfecte curatus, nomine *Chambers.*

Altera mictus Sanguin. a calculo. Quidam in paroxyſmis nephriticis, & etiam extra proxyſmos, urinas ſanguinolentas fundere ſæpius ſolitus, à muliere quadam (poſt plura à pluribus medicis fruſtra tentata). intra decem dies perfecte curatus eſt ſequenti methodo.

℞ Bonam quantitat. Herbar. virid plantag. centinod. burſæ paſtoris, hyperici, concilis affundatur in veſica cuprea, vel ſtanneâ, magna quantitas lact. vacc. recenter mulct. f. deſtillatio, & reſervetur aq. ad uſum.

℞ Hujus aq. ℥ 5 vel 6. ſyrup. Althææ vel ſymphyti ℥ i. m. cap. ter in die, viz. mane, horâ quinta pomerid. & horâ ſomni, per 10. 12. vel 15 dies. N. B. in organis

comm.

ı. deſtillari poteſt,& Herbæ ſiccatæ in viridium loco
:ui poſſint, ſi vere vel æſtate præcedente colligantur
ıbe ſiccentur. *Mayern.*

MORBILLI.

Quilegia, **Columbine.** ℞ Pulv. ſeminum à ʒſſ.
ad ʒi. exhibeatur in Hydromel. aq. fumar. vel
:ardui Benedict. multum commendatur à *Simon.*
).
leatur ſub Icteri titulo tinctura elegans ex floribus
egiæ præparata & in morbillis valde efficax.

MORBI CUTANEI.

Apathum Acutum. **Sharp-pointed, or Common Dock.** Decoctum forte radicis, in lotionis vel fo-
ationis forma uſurpatum mirifice prodeſt. *Etmul-*

MORBUS REGIUS; *vide* Strumæ.

MORSUS CANIS RABIDI.

Lyſſum Dioſcorid. **Madwort, or Moonwort of Dioſcorides.** Quocunq; modo uſurpat. commendatur
Iydrophobiam à *Sennerto.*
rduus Mariæ, **Ladies Thiſtle.** ℞ Seminum pul-
. ʒij. dentur ex Vino & promoveatur ſudor. *Lin-
's.*
epa, **An Onion.** *Ruta*, **Rue.** Cæpa cum Ruta,
& melle, contuſa, multum prodeſt. *Morriſonus.*
ntaurium minus, **Centory.** Summitates & flores
e ſiccat. & pulv. vel decoctum eorundem ſpecifice
nt. *Raius.*
ynorrhodon, **Dog-roſe.** Radix hujus uſurpata, cer-
eſt Remedium. *Baricellus.*
impinella, **Burnet.** Herba quocunq; modo per dies
ıot exhibita mane, curat. *Maroldus.*
ilvia, **Sage.** Virum quendam ſexagenarium,
a cane rabid. in Manus parte ſuperior morſus erat, ſe-
ti methodo curavi. ℞

℞ Fol. ſalviæ rubræ m i. contundantur cum pauco ſale & aceto ad cataplaſmatis formam quod parti affectæ applicandum.

Bis repetendo convaluit ſine ullo alio Remedio.

——SERPENTUM.

Allium, Garlick. Intus ſumptum, vel extus contuſum, & parti applicatum, expertum eſt Remedium ad viperarum morſus.

Fœniculum, Fennel. Decoctum ſeminum bibitum curat. *Morriſonus.*

Galega, Goats-rue. Succus epotus, & Herba contuſa & applicata, certum eſt Remedium. *Morriſonus.*

Marrhubium, Hore-hound. Extus applicetur Herba contuſ. intus ſumat cochl. i. vel ij Syrupi. *Boyl.*

N.

NAUSEA.

R*Ubus Idæus*, Raſberry. Qui cibos in ventriculo continere nequeant, & frequentibus vomitionibus infeſtantur. His Fructus rubi Idæi devorat, & folia recentia tuſa, & ſtomacho impoſita, mire proſunt. *Tragus.*

NERVORUM AFFECTUS IN GENERE.

B*Etonia*, Betony. *Chamæpytis*, Ground-pine. *Scorodonia*, Wood-ſage. Pſeudo-thea ex harum foliis confecta, ſaccharo edulcorata, & calide pota, mire prodeſt. *D. Bowles.*

Salvia, Sage. Pſeudo-thea etiam ex hâc plantâ præparatâ, non ſolum in hoc, ſed in aliis morbis multis laudibus commendatur à *D. Richardo Carr in Epiſt. medicin. pag.* 32.

——CONTRACTIO ET DURITIES.

Roſmarinus, Roſemary. ℞ Hujus m. vi coq. in lixivii fort. q. ſ. ad medias, colaturâ calidâ foveatur pars affecta. *Stockerus.*

Mal-

Malva, Mallows. Byrſeum quendam magnâ bra- contractione laborantem, curavi cum decocto forti væ quo mane & ſero fotûs forma utebatur.

—EXTENSIO Anglice Dict.
A Strain or Sprain.

Abſynthium, Wormwood. ℞ Comarum à ſtipiti- liberatar. q. v. contund. & cum aq. albuminum rum (longâ agitatione factâ) formetur cataplaſma ti dolenti calide applicandum. *Boyl.* Vel,
℞ Comarum recentium q. ſ. coq. in cereviſia fort. ad aplaſmatis conſiſtentiam, contundatur cum ſpir. Vini blear. uno vel altero, & calide parti admoveatur. *dem.*
Furfur, Bran. ℞ Furfuris triticei q ſ. coq. in aceto pultis formam & calide parti applicetur. *Ibidem.*
Roſæ Rubræ, Red Roſes. ℞ Roſarum rubrarum ex- gulat. & ſiccatarum m. i. coq in Vini rubri ℔i parum. jus colaturâ imbuantur panni lanei vel lintei & calide uore expreſſo) parti applicentur. *Ibidem.*

O.

OBESITAS.

O*Eniculum*, Fennel. Herba tota juſculis & ſorbitio- nibus incocta, ad corpus obeſum extenuandum utilis perhibetur. *Raius.*
Fraxinus, The Aſh tree. Sem. hujus (linguæ avium t.) pulverizat. & ſæpe ex Vino Rhenano exhibita, lau- tur à *Ferdinando.*

OCULORUM ÆGYLOPS.

Ruta, Rue. Folia à ſtipitibus liberata, contun- dantur & cataplaſmatis formâ applicentur. *A- and. Trallianus.*
Sorbi, Servises. Contuſi & pultis formâ applicati, gne faciunt Remedium. *Arnold. Weickard.*

—— ALBUGO.

Horminum, Clary. Semen unum hujus oculo impo-

natur, hora ſomni, eumq; à ſordibus purgabit & abſterget. *Riverius.*

Fœniculum, **Fennel**. Inſtilletur in oculum quicquid de ſucco hujus, & valde erit proficuum.

Plura vide ſub Titulo Maculæ. Adde ſi placet guttulam Balſami Peruviani. *Ibidem.*

—— CALIGO.

Betonica, **Betony**. Fiat hujus decoctum, eoq; tepido foveatur oculus mane & ſero. Expertum.

Enula Campana, **Elicampane**. Radix inciſa & in Vino infuſa, & colatura clara epota mane jejuno ſtomacho, viſum mirabiliter acuit. *Stockerus. Raius.*

Euphraſia, **Eye-bright**. Quoquo modo ſumpta, multum conducit. *Raius.*

Ruta, **Rue**. ℞ Succi Rutæ depurati p. ij. mellis deſpumati p. i. m & inſtilletur guttula una vel altera in oculum, mane & ſero. Expertum.

Sequens medicina in Pharmacop. Bateana multum laudatur, in caligine & ad viſum acuendum & pulvis cibarius dicitur.

Euphraſia, **Eye-bright**. ℞ Summitatum hujus ℥ ii ſem. fœniculi, Cinnamoni, Macis a. ʒ i. m. f. pulvis, cui adde ſalis menſalis albiſſimi ℥ viij. ſumatur cum omni cibo. *Phar. Bateana.*

—— CATARACTÆ.

Euphraſia, **Eye-bright**. ℞ Summitatum ſiccat. ℥ Macis ℥ ſſ. m. f. pulv. mane ad ʒ ij. exhibendus, præmiſſis præmittendis. Multum valet & pulvis elidæi vocatur, à *Fuchſio, & Maroldo.*

—— EPIPHORA.

Cydonius, **The Quince-tree**. ℞ Foliorum Cydoniæ vere collect. integrorum, illæſorum, & ab omni corruptione præſervatorum m.i. coq. in aq. puriſſimæ q. ſ. in collatura humectentur & irrorentur oculi. *Etmullerus.*

—— FISTULA.

Betonica, **Betony**. Folia probe ſiccata & pulv. & ad ʒ i. quolibet mane in vehiculo idoneo exhibita, cum fructu ſæpe uſurpantur.

——IMBECILITAS.

Euphraſia, Ey-bright. Herba ſiccata pulverizetur cibis inſpergatur. Coquatur etiam in juſculis, & ſacus Herbæ conciſæ infund. in cereviſia menſali pro po- ordinario. *Stockerus.*

Hic etiam valet pulv. cibarius vel pulvis in cataract me- oratus. Vel,

℞ Euphraſiæ, m.i. & in vaſi idoneo impoſitæ affunde; f. ebullientis ℔ij. & poſt unam vel alteram ebullition infunde per horæ quadrant. liquor clarus Thee; odo ſumatur. *Boyl.*

Enula campana, Elecampane. Vinum cum hac paran, ut ſupra ſcriptum uſus eſt eximii. *Raius.*

Horminum, Clary. ℞ Aquæ Hormini optime de- llat. q ſ. cap. cochlear. 2. vel 3. quolibet mane & ſero; t per ſe vel ſaccharo edulcorat. & eodem tempore fo- ntur oculi eadem aq tepida ſine edulcorat. *Boyl.*

——LIPPITUDO.

Poma Sylveſtria, Crabs. Succus pomorum ſylveſtri- a inſtillatus ſpecifice ſanat. *Raius.*

——MACULÆ.

Chamamelum, [illegible] *Cicuta*; [illegible] *Ru* Rue. ℞ Foliorum harum, a. m.i. ſalis marin. cochl. fermenti panis q. ſ. & f. epicarpia ad ſiccitatem ge- nda. *Boyl.*

Chelidonium majus, Great Celandine. ℞ Succi hu- & mellis deſpum. ana part. æq & inſtilletur gutta una altera mane & veſperi in partem affectam. *Ibidem.*

Ruta, Rue. Mulier quædam infimæ ſortis maculam bebat in oculo, cui conſilium dedi ut bis in die ſucci itæ guttam unicam, in oculum inſtillaret quod cum is diu continuaſſet macula protinus abſumpta eſt. *Forus in obſerv. Riverio communicat.*

——NEBULÆ.

Betonica, Betony. ℞ Fol. ſiccat. & pulv. ʒi exhi- itur ex hauſtu aq. ſimpl. ejuſd. vel ex aq. Euphragiæ,

quolibet mane, vel Pſeudo-Thee ex floribus Betonicæ in aq. f. facta nobiliſſimi eſt uſus. Expert.

Juniperus, Juniper. ℞ Granorum Juniperi tempore debito coll. q. v. infundantur in aceto hor. iiij. vel v. deinde exſiccentur, & poſtea mane de eis maſticetur, & ſic maſticando dimittatur fumus ad oculos, tenendo manum ante faciem, ita quod vapor & odor oculos intret. *Stockerus.*

OPHTHALMIA.

Abſynthium, Wormwood. ℞ Summitatum hujus q. ſ. contund & miſceantur cum ovi albumine ad pultis conſiſtentiam, & tepide applicetur. Expertum. Vel,

℞ Summitatum tenerrim. Abſynthii minutim inciſarum q. ſ. iiſq; impleatur pomum i. acido dulc. per med. diſſect. & excavatum; ligatura uniantur partes diſſectæ,& aſſetur pomum ad mollitiem, contund. ſimul ut f. pultis oculo applicand. *Boyl.*

Cyanus, Blew-bottles. Aq. ex floribus deſtillata multum commendatur *Raius.*

Erica, Heath. Tum ſuccus, tum aq. fl. deſtillata, oculorum ruborem tollit. *Ibidem.*

Holoſteum, Stitchwort. Folia contuſa, vel ſuccus, vel aq. deſtillata multum proſunt. *Ibidem.*

Poma Dulcia, Sweet Apples. Aſſata & cataplaſmatis formâ tepide oculis applicata, magni ſunt uſus. *Ettmullerus. Timæus.* Vel,

℞ Poma dulc. nº. iij. coq. in. aq. f. (vel potius in aq. Euphraſ. & Fœniculi ana) ad mollitiem, trajiciantur per ſetaceum, pulpæ trajectæ adde album. ovi unius, ſacchari albiſſimi ʒ ij. caphuræ gr. xij. croci gr. v. m. f. cataplaſma hora ſomni applicandum. *Scultetus.*

Poma vocat. Pear-mains, or Pippins. *Roſmarinus*, Roſemary. ℞ Pulpæ horum putridorum (ſi vero putrida non in promptu ſint accipiatur pulpa ſolidorum) ℥ ij ſummitatum Roriſmarini ʒ i. m. & contundantur ad cataplaſmatis formam & tepide applicetur. *Boyl.*

Ruta, Rue. *Salvia*, Sage, ℞ Fol. horum ana m i. farinæ triticeæ cochl. j. Album. ovi unius (agitatione crebra

in aquam redacti) & incorporentur & extendantur r alutam tenuem, vel ſericum nigrum ad ſolidi mag- linem & temporibus admoveantur. *Ibidem.*

dum majus, Houſleek, or Sempervive. ℞ Sedi re- q. ſ. contundatur & extendatur ad ſemi-coronæ itiem, ſuper linteum rarum & oculo affecto allige- repetatur ſi opus fuerit. *Ibidem.*

—— SUFFUSIO.

nagallis Aquatica, Brook-lime. Succus hujus in o- m inſtillatus, multum valet. *Riverius.*

nagallis mas, Male-Pimpernel. Succus cum melle us & in oculum etiam inſtillatus valde efficax is.

uphraſia, Eye-bright. Quocumq; modo uſurpata, lucit. Vide præparation. ejus ante memoratas. *Raius.*

oſmarinus, Roſemary. ℞ Fl. q. ſ. impleatur am- i vitrea, quæ probe obturata, & ſoli merid. expoſita ſum præbebit humorem, quo oculi penna illinantur. *rius.*

—— SUGILLATIO.

yſſopus, Hyſſop. ℞ Summitatum Hyſſopi tritarum inſeratur ij ſacculis linteis, qui in aq. vel Vini mo- to cocti, viciſſim calide oculis ſugillatis admovend. , & quaſi viſibiliter ſanguinem congrumatum reſol- . *Sennertus. Riolanus.*

OPII NIMIA ASSUMPTIO.

Artemiſia, Mugwort. Succus vel decoctum Arte- miſiæ, præſtantiſſima ſunt Remedia iis qui nimiam doſin ſumpſerunt. *Raius.*

ORIS FOETOR.

Berberis, Berberry-buſh. ℞ Corticis hujus q. v. coq; inVino vel aq. coq; lavetur os ad ulcera oris etiam tum valet. *Stockerus.*

—— SCORBUTUS.

Cochlearia, Scurvy-graſs, *Salvia*, Sage. ℞ Succo- ana &c m. iiſq; utatur æger. Vel,

Infuſio vel decoctum plantarum eadem præſtat. *Lindanus*.

Sedum minimum acre, Wall-Pepper, or Stone-crop. Multum laudatur. *Raius ex Ephem. Germ.*

——— U L C E R A.

Plantago, Plantain. Fiat decoctum ex foliis eoq; colluatur os ſæpe in die & ulcera ſanabuntur. *Rulandus*.

O R T H O P N OE A.

BEllis major, Great Daiſy, or Ox-eye. Herba integra (viz caules, fol. & flor. in Zythogalo cocta, & pota) inſigne habetur Remedium; ſyrupus ex iiſdem confectus ad eandem valet. *Raius*.

Calamintha, Calamint. Decoctum hujus cum Hydromellite fact valde proficuum eſt. *Etmullerus*.

Raphanus, Radiſh. ℞ Radicum Raphani in taleolas ſectarum q. v. f. cum ſaccharo puriſſimo S. S. S. inter duas patinas, ut liqueſcat ſaccharum; poſtea exprimatur ſuccus, & potentiſſimum habebis Remedium. *Etmullerus*. Vel,

℞ Rad. ut ante præparat. f. cum ſaccharo S. S. S. in vaſe argenteo, ſive vitreo, vel vitreato, bene obturetur vas & ſtet tam diu in leni MB. donec molleſcant radices, & liquatur ſaccharum, ubi refrixerint exprimatur ſuccus qui per reſidentiam depuratus ſervetur uſui. Expertum.

Urtica, Nettles. Rad. Urticæ magn. in Vino & melle coct. inſigne eſt Remedium. *Raius*.

Xyris, Stinking Gladwin. Pulvis Radicum hujus utiliſſimus eſt. *Bowles*.

P.

P A R A L Y S I S.

ABies, Fir-tree. ℞ Summitatum q. ſ. & ſacculo incluſæ ſuſpendantur in cereviſiâ pro potu ordinario. Vel,

Ex turionibus in aq. calida infuſis f. Pſeudo-Thea, & tur horis medicinalib. Hæc in Paralyſi ſcorbutica lici cum ſucceſſu bis expertus ſum. Vel,

China, China-roots. ℞ Turionum abiet. ℥ iſſ. Rad. inæ inciſ. ℥ i. inciſa & contuſa coq. in cereviſia, & ad mediet. conſumptionem. Decoctum coletur & atur bis quotidie, expectando præſertim mane blanm ſudorem *Drawiz. de Scorbuto.*

Betonica, Betony. *Juniperus*, Juniper. Decoctum tonicæ cum baccis Juniperi, eodemq; modo potum ultum laudatur. *Ibidem.*

Lavendula, Lavender. ℞ Florum & foliorum Landulæ m.ij. coq. in aq. f. ℔ij. ad ℔iſſ. capiat æger ʒſſ. mane & ſero per ſeptimanam & curabitur.

Roſmarinus, Roſemary. Decoctum hujus magni eſt us, præſertim ſi paralyticus ſudaverit ſingulis vel alternis ebus, uti vices ferant. *Etmullerus.*

Roſmarinus in pilas formatus uti in manuum debilitate ſcribitur, hic etiam valet.

PARAPLEGIA.

S *Aſſafras.* Decoctum ſive Pſeudo-Thea ex Radice præparatum, magni eſt uſus. Vel,

Helenium, Elecampane. *Roſmarinus*, Roſemary. ecocto addantur. Helenii Rad. uti etiam fol. & fl. roriſarini, quæ huic morbo multum conducunt. *Etmullerus.*

PARONYCHIA.

L *Amium Flore Albo*, White Archangel. Herba in Vino coct. contuſa, & parti applicata, rumpit & nat. *Stockerus.*

Sedum minus, Prick-Madam, or Stone-crop. ℞ Hus q. ſ. contunde, & tepide parti dolenti admoveatur. *bidem.*

Telephium, Orpine. Herba ſub cinerib. toſta, & cum lipe ſuilla miſta, & impoſita, paronychias egregie ſaat. *Raius.*

Cataplaſma

Cataplaſma ſequens quia facile parabile, & multum laudatum inſerere haud erit ingratum.

℞ Vitell. ovi unius, eoq; miſce, reſinæ com. tenuiſſime pulv. q. ſ. ut fiat cataplaſm. cui tandem adde Balſam. Peru gutt. vi vel viij. & parti dolenti applicetur. *Pharmac. Bat.*

PARTUS DIFFICILIS.

ANethum, Dill. Decoctum Anethi potum, partum adjuvat. *Morriſonus.*

Aquilegia, Columbine. Semina Aquilegiæ tenuiſſime pulver. & ex Vino ſumpta maxime commendatur. *Hoffman.*

Artemiſia, Mugwort. Quocunq; modo uſurpetur, uſus eſt eximii. *Hoffman. Raius.*

Betonica, Betony. ℞ Foliorum Betonicæ à ſtipitibus liberat. & optime ſiccatorum ʒ i. pulverizentur tenuiſſime & exhibeatur ex hauſtu Vini albi. Magno cum ſucceſſu ſæpius expertum.

Cardiaca, Motherwort. Pulvis, vel decoctum Herbæ difficulter parturientibus exhibita, partum facilitat. *Raius.*

Milium Solis, Gromwell. ℞ Seminum Milii ſolis in pulv. ſubtiliſſim. redact. ʒ i. lactis recentis q. ſ. pro hauſtu, detur ægrotæ; eſt experimentum certiſſimum, commendatum à *Freitagio.*

Verbena, Vervain. Herba recens contuſa, cum Vino vel Aqua, & exhibita patienti tepidiuſcule, mirum in modum partum facilitat. Expertum.

A PARTU DOLORES; *vide* Dolor poſt Partum.

PAVORES INFANTUM.

ANiſum, Aniſe. Semina aliquo modo exhibita, vel oleum eorum Chymic. egregium eſt Remedium. *Etmullerus.*

BIBLIOTHECA · BODLEIANA

PEDICULI ET LENDES.

nnabis, Hemp. ℞ Sem. Cannabis q. ſ. comburantur, & ex cineribus fiat lixivium, quo mane & luatur Caput. *Stockerus.*

noglosſum, Hounds-tongue. Radix in taleolas ſecta, a collum ſuſpenſa, & tertia quâvis ſeptimana reno- ediculos fugat. *Raius.*

nymus, Spindle-tree. ℞ Baccarum hujus q. ſ. pulverizentur, & capiti pediculoſo inſpergantur, los interimit. *Ibidem.*

urus, Bay-tree. ℞ Baccarum Lauri q. ſ. pulveri-r ſubtiliſſime, & cum oleo & aceto f. litus, ad pedi- interimend. valde efficax. *Stockerus.*

oſcyamus Luteus, Yellow Henbane ſown in our Gar- and call'd by us Engliſh Tabaco. Decoctum fol. yami Lutei, infantum pediculos tute necat, ſi eo r Caput. *Jungken.*

otiana, Indian Tabaco, the beſt from Virginia. ctum foliorum hujus etiam in adultioribus magni s. *Ibidem.*

lium, Flea-bane. Fiat etiam decoctum ex hac , eoq; lavetur Caput. *Stockerus.*

ca, Lavender. Hujus decoctum lixiviale, ſi eo la- r partes tam capitis quam genitalium & axillarum, los tute & certe curabit. *Etmullerus.*

PEDUM CLAVI.

Edera, Ivy. Aſcindantur clavi lunâ decreſcente, pedibus aliquandiu primum in aqua calida lotis; e admoveantur fol. Hederæ contuſa, & ſingulis die- eretur Remedium mane & ſero intra quindecem dies s extrahitur. *Formius in obſervation. Riverio com- cat.*

phanus, Radiſh. Lotis pedibus & raſis clavis lunâ ſcente, ℞ Pulpæ Radicis Raphani momentum, ea inſtilletur gutta 1. vel altera, & clavi evaneſcent. *nanuus.*

Sedum

Sedum majus, Houſleek. Si folia ſedi (detractâ cortice interiori) clavis pedum apponantur, eos ita mollit, ut facile poſſint ſenſim ſenſimq; exſcindi. *Etmullerus.*

—— TUMORES.

Geranium Robertianum, Herb-Robert. Herba contuſa, & cataplaſm. formâ applicat. ad pedum tumores à lympha ibi advectâ (ſive craſſa, ſive ſeroſa ſit uti in œdematoſis & hydropicis) Certum eſt Remedium. *Etmullerus.*

PERIPNEUMONIA.

SCabioſa, Scabious. Syrupus Scabioſ. jejuno ſtomacho mane ſumptus, hunc morbum curat. *Stockerus.*

PERNIONES.

RApum, Turnep. Decoctum ex horum Radicibus egregium eſt ſi eo foveatur pars affecta. *Etmullerus.* Vel,

℞ Rapum excavatum, impleatur ol. Roſarum, aſſetur ſub cineribus & exprimatur liquor, quo inungantur perniones. *Sennertus. Schmitzius. Etmullerus.* Et,

Rapa frigore congelata aliis præferuntur. *Wiſeman.*

Rapa, Turneps. ℞ Corticum ſeu ſegmentorum craſſiorum raporum q. ſ. torrefiant ad ignem donec criſpa ſint, & calide applicentur partibus affectis, & renoventur bis térve in die. *Boyl.*

Raphanus, Radiſh. Ol. Roſ. in hujus Radice excavatâ coctum, & ut ſupra uſurpatum, laudatur à *Schmitzio & Sennerto.*

PESTIS.

ABſynthium, Wormwood. Folia minutim conciſa cum aceto opt. miſceantur, & ſerventur uſui.

℞ Hujus miſtur. cochlear. i. vel ij. injiciatur ſuper laterem ignitum, ut excipiatur vapor.

In præſervatione à peſte multum commendatur. *Willis in Tractatulo de peſte à J. Hemming Linguâ vernaculâ Edito.*

Ana-

Anagallis mas, Male-Pimpernel. ℞ Foliorum cum r. (ſi haberi poſſit) m. i. coq; in Vino. Accipiat ger hauſtum mediocrem, & in lecto ſe componat protectus, ut ſudor eliciatur. *Raius*.

Arum, Wake-Robin. Radix pulv. & à ℈ij. vel ʒi. Vino exhibit. Remedium eſt præſtantiſſimum & mine fallax. *Raius ex Trago*.

Calendula, Marygold. ℞ Florum hujus q. v. aceti ›rrimi q. ſ. f. repetitis inſuſionibus Tinctura elegans, doc acetum colorem croceum acquiſiverit.

Tinctura hæc filtrata & ſingulis auroris cochleatim exbita multos à peſte liberavit. *Bartholinus*. Vel,

℞ Succi Calendulæ ℥iij. detur ægroto ſtragulis bene cto. Remedium expertum *Champegio*.

Carlina, Carline-Thistle. ℞ Radicis ſiccat. & pulv. i. detur in hauſtu Vini albi tepefact. cum cochlear. i. eti peſtilential. mox præſcribend. *Hemming. ex Williſ*.

Cepa, Onions. *Lilia*, Lilies. In carbunculo peſtintial. multum valet ſequens cataplaſma.

℞ Ceparum & Radicum Liliorum alb. coctorum, vel b cineribus aſſator. ana q. ſ. contundantur cum momen› theriac. andrōm & ol. Liliorum f. cataplaſma.

Adde ſi placet ficus vel fol. ſcabioſæ aut acetoſæ lotæ. *›idem*.

Hedera, Ivy. Pulvis baccarum plenam maturitatem leptarum larga doſi exhibitus contra peſtem Arcanum t *Boyl*. Vel,

℞ Pulv. baccarum ʒi. exhibeatur ut pulv. Rad. carnæ. *Hemming. ut ſupra*.

Millefolium, Yarrow. Planta hæc quocunq; modo ſurpata, mirabilem habet effectum ad fugandam peſtem. *›eodatus*.

Petaſitis, Butter-bur. ℞ Rad. hujus pulv. ʒi. detur t Rad. carlinæ. *Hemming. &c*.

Ruta, Rue. Ruta (ut Abſynthium) in aceto infuſ. ‹ uſurpat. ad præſervandum uſus eſt eximii. Vel,

Ubi peſtis invaſerit coquatur Ruta in Vino albo, cujus ecocti cap. æger hauſtum, pauco aceto addito. *Ibidem*.

Scabioſa,

Scabioſa, Scabious. *Succiſa*, Devils-bit. ℞ Harum ana m iij. vel iij. contund. cum vitell. ovorum no. 2. addatur ſalis parum, & fiat cataplaſma ad carbunculos peſtilentiales commendatum. *Diemerbroek*.

Acetum peſtilential. ſupra memoratum, & contra peſtem valde efficax & laudatum, hoc modo conficitur.

℞ Rad. Angelicæ, enulæ campan. Petaſitidis, Tormentillæ ana ℥ ſſ. contrayervæ, ſerpent. virgin. zedoariæ opt. a. ʒ iij. fol. Galegæ, Scordii, Rutæ a. m. j. florum Calendulæ, Gariophyll. a. mſſ. ſem. Cardui, Citri a. ʒ ij. incidantur & contundantur, & deniq; digerantur in Aceti opt. ℔ iij per decem dies vel diutius; expreſſus tandem liquor filtretur, & in vaſe probe obturato ſervetur uſui.

Capiat æger cochlear, i. vel ij. per ſe, aut in aq. cardui, aut in aq. jugland. ſimpl. vel cum lacte, & cochl. ij. vel iij. hujus aceti f. *Poſſet*, cujus cap. hauſtum mane jejunus, & ſæpe etiam in die naribus admoveatur phiala hoc aceto impleta.

PHRENITIS.

A*Cetoſa*, Sorrel. ℞ Fol. vel Radicum vel ſeminum hujus fol. ſcilicet m iiij. Radicum ℥ 4. ſeminum ℥ iſſ. contundantur & coquantur in aq. f. q. ſ. ad ℔ ij. colaturæ adde ſucci cornorum vel ribium q. ſ. ad gratiam, & cum ſacchari parum f. julap. de quo bibat ad libitum. *Etmullerus*.

Sedum majus. Houſleek. Sedum majus contuſum, & cum lacte muliebri miſtum & ſincipiti admotum, mire ſedat Phrenitidem, & ſomnum conciliat, ſed ſtatim ac dormire ceperit æger, detrahendum ne in coma præcipitetur. *Riverius*.

PLEURITIS.

B*Ardana*, Burdock. ℞ Pulv. Radicum ʒ i. exhibeatur mane ex aq. tepidâ, & moveantur ſudores. ſtatim dolores ſedat & ægrum ſanat. *Alexand. Benedict.*

rduus Mariæ, Ladies Thiſtle. ℞ Seminum hu-
ılv. ʒi. detur die ſecundo. Remedium eſt præſtan-
ıum. *Fr. Joel.*

paver Erraticus, Corn-Poppey. Aqua ſimplex
ıbus diſtillata, ſed præcipue pulvis florum ſiccato-
qui ſpecifice prodeſt. *Raius.*

paver Erraticus, Corn-Poppy. ℞ Florum hujus
tium p. iij. aq. fl. ejuſdem q. ſ. adde ſp. vitriol. vel
lph. per camp. q. ſ. ad gratiam, ſtent. ſimul loco
ɔ per horas aliquot, deinde fiat colatura, cui adde
ari q. placet, vel potius ſyrupi ejuſdem q. ſ.

ıi aq. & Syrup. Papav. in promptu non ſint aq.
fervefacta ſuper-affundatur flor. prædict. ſpirit. vel
oratis; ſtent ut ſupra, coletur tinct. & ſaccharo edul-
ur. Cap. Æger hauſtum harum tinct. ad libitum. *Et-
rus.*

ıdem modo fieri poſſint Tinct. elegantes ex flor.
eg. belliſdis, calcitrippæ & cyanos ſecundum affectûs
tatem. *Ibid.*

abioſa, Scabious. Syrupus ex ſucco præparatus, &
e jejuno exhibitus, pleuritidem curat. *Stockerus.*

ſcus Quercin. M. Miltoe of the Oak. Pulv. viſci
rcini in aq cardui vel papav. Rhæad. exhibit. ter qua-
; Arcanum mirum eſt. *Bowl.*

POLYPUS.

Rum, Wake-Robin. Turunda ſucco Radic. imbu-
ta & in narem immiſſa, multum valet; ſi vero ſuccus
ınis acris, diluatur decocto vel aq. Plantag. *Rive-*

aſturtium Aquaticum, Water-creſſes. Succus hu-
llitus, multum confert & quaſi ſecretum commenda-
ı *Schrodero & Etmullero.*

PRÆPUTII TUMOR,
Cum depravata Penis erectione.

Ambucus, Elder. ℞ Florum ſambuci m ij. Lactis
vaccini ℔iſſ. coq. ad ℔i. coletur & f. fotus ter qua-
e in die applicand. *Etmullerus.*

PRURITUS.

A*Llium*, Garlick. Allium optime tritum & cum axung. porcinâ in unguenti formam redact. omnem ſcabiem curat tribus inunctionibus. *Stockerus.*

Alnus, The Alder-tree. Cortex cum aceto tritus, & parti affect. illitus, intra paucos dies ſanat, eſtque experimentum ſingulare. *Raius.* Vel,

℞ Cortic. interior. hujus m.iii. butyr. rec. ℔i. Vini alb. ℔ſſ. coq. ad Vini conſumpt. f. fortis expreſſio, quæ uſui ſervetur; poſt purgationes uſus eſt eximii. *Sennertus.*

Alſine, Chick-weed. Lavetur pars decocto Herbæ vel plantâ ipſâ fricetur poſt purgationes. *Etmullerus.*

Enula campana, Elecampane. ℞ Radicum hujus recent. ℥5. axungiæ porcin. ℔ſſ. contund. & coq. & f. ex arte unguent. quod mirabiles habet effectus. *Amat. Luſitanus.* Vel,

Lapath. Acutum. ℞ Rad. enulæ & Lapathi Acuti ana m.i. incidantur & coq. in aq f. ℔iij. in vaſe clauſo ad ℔i. colaturâ clarâ laventur partes affectæ ſemel vel bis in die. *Boyl.*

Fagus, Beech. ℞ Aq. (quæ in cavis Fagorum truncis quandoq; reperitur) q. ſ. eaq; tepida laventur partes affectæ; ſingulare eſt Remedium. *Raius.*

Fumaria, Fumitory. *Lapathum Acutum*, Sharp-pointed Dock. ℞ Succi utriuſq; ana q v. aceti acerrimi parum, mellis optimi q. ſ. ut f. linimentum quo illinantur partes affectæ, omnis generis ſcabiem curat. *Raius.*

Lapathum Acutum. Fiat ex Radicibus Lapathi recentib. decoct. forte, eoq; tepide laventur partes, omnem ſcabiem ſiccat & detergit. *Schroderus.*

Sambucus, Elder. ℞ Cortic. Radicum Sambuci m.i. ſalis parum, lactis caprill. ℔i. coq. & cum expreſſione torti coletur, & colatura laventur partes affectæ. *Stockeru.*

Scrophularia, Figwort. Maio menſe ex tota plantæ primatur ſuccus (qui in vaſe vitreo probe obturato per num conſervetur) cumq; unguentum parare volueris.
Succi prædicti, ceræ & olei ana, & ſuper Ignem co. temperentur, donec f. Unguentum efficax. *Raius Morriſon. ex Trago.*

IN PRURITU FERINO.

VEnæ ſection.& Cathart præmiſſis, ℞ Ther. Androm. ʒſſ. cl de ovo ℈i. rad. ſerpent. virg. gr. 15 Bez. ent. gr. v. cum q ſ. ſyr. è condit citri, f. Bolus horâ ini ſumend. per dies xxi. ſuperbibend. cochl. vi. julapi uent,
℞ Aq Card. Ben. ℥vi. epidem. theriacal. ſtill. a. ℥ij. ip. cariop h. ℥i. m. f. julap.
ing. matutin. cap. liquor. poſſet ℔ſs. calide & ſudet æ unius ſpatium.
i his non cedant puſtulæ, tum ℞ Unguent. ex oxyla- ℥ij pomati ℥i. fl. Sulphuris ʒiij. ol. Rhodii ℈ſſ. Liniment. quo inungantur partes affectæ. *Sydenham.*

PHTHISIS.

Anagallis mas, Male-Pimpernel. ℞ Aquæ Anagallidis bene diſtillat. & lactis vaccini ana ℔ſſ. ſacch. roſa- (vel ejus defectu albiſſimi) q ſ. ad gratam edulcora- em; capiat Æger ſingulis diebus mane & veſperi cochl. decem hujus miſturæ, quæ ad Phthiſin & ſputum dum. & purulentum expertiſſ. eſt Remedium. *us,*
ellis major, Great wild Daiſie, or Ox-eye. Succus ota planta expreſſus & in Syrupum confectus, vel a integra in Zythogalo decocta, & pota, inſignia ſunt edia. *Ibidem.*
etula, Birch-tree. Ex ſucco (uti in Calculi titulo paratur) partim mero, partim melle cocto, Phthiſin uticam ſæpe curavit. *D. Needham. Raius.*
ugula, Bugle. Decoctum in juſculo vervecis; mire leſt. *Riverius.*
onſolida major, Great Comfry. Ex pulpâ Rad. &

ſacch. alb. ana f. mixa, cujus cap. q. nucis caſtan. bis in die. Vel,

Radix in juſculo coct. uſus eſt eximii, uti etiam ſyrupus optime valet. *Riverius.*

Hedera Terreſtris, Ground-Ivy. Decoctum Hederæ hujus optimum eſt Remedium, præſertim ſi coquatur in Vino rubro, & addatur ol. ſulphuris per campan. q ſ. ad gratiam, cap. hauſtum ter quaterve in die. *Etmullerus.* Vel,

℞ Succi Hederæ terreſt ℔iiſſ digeratur B. M. ut purificetur, huic ſucco perfecte depurato adde ſacchari Roſarum ℔i. penidiati ℥ iiij. f. leni ebullitione ſyrupus, quo utatur æger ſæpe ex cochlear. *Quercetanus.*

Hypericum, St. John's-wort. Syrupus ex floribus per infuſ. in B. M. præparatus, in hoc morbo uſus eſt egregii. *Riverius.*

Pimpinella, Burnet. Pulvis Herbæ ſiccat. ad ʒi ex juſculo ſingulis diebus exhibit. maximæ creditur efficaciæ. *Riverius.* Vel,

Pulvis ejuſdem aut per ſe exceptus vel ſaccharo roſaceo miſtus commendat *D Boyl.*

Parietaria, Pellitory of the Wall. Pulvis Herbæ ex ſiccatæ, vel melle exceptus, vel in cereviſiâ aut zythogalo potus, experientiâ veterum teſtimonio ſuffragante mirifice conducit. *Raius.*

Rapum, A Turnip. ℞ Raporum opt. in taleolas inciſorum & ſacchari albiſſimi a. ℔ſſ. ponantur S. S. S. in olla vitriata qua probe obturatâ indetur clibano, cum panibus coquendis; quando eximitur exprimatur liquor, qui uſui reſervetur, doſis cochleare i. mane & veſperi. *Williſius.* Vel,

℞ Rapor. excortic. q v. coq. parum in Aq. font. abjiciatur aq. illa, & recens affundatur; in qua coq. ad teneritudinem, tandem exprim. ſuccus, cui adde ſacchar. cant. & butyri recent. parum. *Crato conſ.* 21 *apud Scholtzium.*

Tuſſilago, Colts-foot. Fol. curioſe ſiccat. & minutim inciſa & cum flor. Sulph. & pulv. ſuccin. miſta & Nicotianæ forma ex tubulo fumus hauſtus, multum proſunt. *Boyl.* Vel,

De-

Decoctum, flor. Tuſſilagin. cum ſaccharo edulcorat. egregie prodeſt, capiat Æger ℔ß. quolibet die per ſex hebdomadas. *Burnetus*. Vel,

℞ Fol. Tuſſilag. recent. m. viij. hyſſopi m. ij. inciſa includantur olla bene obturata & indentur clibano circa medium coctionis panis qui cum extrahitur dematur olla, & perforato foramini imponatur infundibulus atq; ita per os attrahatur fumus in pulmones per nares rejiciendus mirabiliter movet expuitionem. *Riverius*.

PUERORUM PAVORES NOCTURNI.

ANiſum, Aniſe. Semina Aniſi quocunq; modo exhibit. ad hunc morbum egregie conferunt, ut etiam ad incubum, uti antea ſub eo titulo innuimus. *Etmullerus*.

PULMONUM EROSIO.

COnſolida, Comfrey. In pulmonum eroſione quocunq; modo uſurpata plurimum valet. *Raius*.

Miva ex Radicibus & ſacchar. præpar. procul dubio hic locum habet.

ULCERA.

Bugula, Bugle. Hujus decoctum in juſculo vervecinæ prodeſt. *Riverius*.

VULNERA.

Prunella, Selfheal. Decoctum Prunellæ ſive per ſe vel edulcoratum ſpecificum eſt. *Etmullerus*.

R.

RACHITIS.

A. *Splenium*, Spleenwort, or Milt-waſte. Conſerva fol. tenerrimorum rachitidem curat. *D. Boyles*.

Aſparagus, Aſparagus, or Sparage. Hujus turiones verno tempore collect. & cum ſacch. in conſerv. confect. multum proſunt. *Ibidem*.

Filix Florida, Oſmund-Royal. Hujus Rad. Remedium eſt præſtantiſſimum & quaſi proprium aut ſpecificum cenſetur. *Raius.*

℞ Rad. hujus pulver. ℥ iiij. ſacch. albiſſim. ℥ ij. m. inſperge hujus pulv. aliquantum pulti, cibiſq; omnibus liquidis, ut ad minimum ʒ ij. vel iij. in die abſumantur. *Pharm. Batean.*

Ex hujus turionibus primo erumpentibus ſi fiat conſerv. uſus erit eximii. *Bowles.*

Filix mas, Male-Fern. Ex germinibus cum ſaccharo conſervat. nobile fit Remedium. Expertum.

Et Radices hujus Filicis floridæ loco ſubſtitui poſſint.

Ruta Muraria, Wall-Rue. *Trichomanes*, Black Maiden-hair. *Gramen Caninum*, Couch-graſs. Ex his ſiccatis & in pulverem redactis, & cum 4ta parte Farinæ, Radicum. Graminis, Canini miſtis cum. ſyr. aliquo aperient. f. Electuarium valde efficax. *Bowles.*

RAUCEDO.

Allium, Garlick. Fiat in cereviſia decoctum forte ℥. Allii, & hujus mane & ſero ſumatur hauſtus. Vel,

℞ Allii & Axungiæ porcinæ ana, contund. & miſce in mortario calido, ut f. Linimentum, cum quo lectum iturus inunge quam optime pedum plantas ad ignem probe, infricando tum linteis calidis pedes involve, & lectum pete, & mane ceſſabit raucedo. *Jungken.*

Braſſica, Coleworts. ℞ Succi Braſſicæ non capitatæ (viz. Coleworts) partes ij. ſacchari penidiat. vel ſacchar. ſolius vel mellis partem unam, de quo ſæpe lambat æger. Vel,

℞ Succi braſſicæ depur. ℥ ij. ſacchar. penidiat. ℥ i. cum oxymel. q. ſ. f. linctus. *Codronchius de vitiis vocis.*

Eryſimum Hedge-Muſtard. Herba cum toto quocunq; modo uſurpatur, ſive in decocto, ſucco, ſyrupo, vel

ilvere; inſigne eſt Remedium, & plurimis laudibus atum à *Lobelio.*

cyrrbiza, Liquoꝛice. ℞ Glycyrrh. raſæ q. v. deptime in aq. hord. ut fiat decoctum forte; prelonatur, & ſaccharo canto edulcoretur, poſtea in vaſe in MB. ad maſſam pilularem inſpiſſetur, addendo em amyli pulv. parum, fiant exinde pilulæ com: ſub linguales, quibus ſæpius utatur. *Stockerus.*

lenium, Elicampane. Radix per tres dies in Vino oſo infuſa in vaſe probe obturato, raucedinem tolejus hauſtus mediocris jejuno ſtomacho ſumatur. *erus.*

pa, Turnips. ℞ Decoct. Raporum, q. v. quo calide utatur Æger. Vel,

Raporum inciſorum q. placet, indentur S. S. S. cum iro albo ollæ vitriatæ bene clauſæ & in MB. coq. ad ag. ubi refrixerint exprim. liquor qui egregium eſt edium. *Etmullerus.*

iapi, Muſtard-ſeed. Semina pulv. cum melle deſpu, miſceantur & f. lohoch. quo ſæpe utatur æger. *erus.*

RENUM ULCERA.

Grimonia, Egrimony. Decoct. Agrimon. ter in die vel ſæpius tepide uſurpatum, ſpecifice commendab *Etmullero.*

alamintha, Calamint. Herba in aq. f. vel Vino albo henano decoct. intuſq; ſumpta, mirum in modum at. *Etmullerus.*

agraria, Strawberry-Plant. Decoct. Herbæ toum aq. font. fact. egregie confert, ſi pro potu ordiſumatur; edulcoretur ſi placet. *Stockerus. Timæus.*

ypericon, St. John's woꝛt. Decoctum ſummitatum s eodem modo præparatum eadem præſtat, præferſi æger ſolummodo capiat ℥ viii. ter in die. *Timæus.*

lantago, Plantain. Fiat decoct. fol. in aq. font. cujus

cujus capiat ægrotus ℔ß. mane jejunus & nocte lectum iturus, per 4 vel 5 dies.

S.

SANGUIS GRUMOSUS.

B*Ellis*, Daiſie. Hujus decoctum tepide uſurpatum mire prodeſt, vel tinctur. flor. cum phlegmate vitrioli extract. aut per ſe aut in aliis potationibus immiſta egregium eſt Remedium. *D. Michael.*

Cerefolium, Chervil. Hujus decoctum cum Vino vel aq. font. præparatum, ad ſanguinem grumoſum ſive coagulatum reſolvendum, uſus eſt eximii. *Raius. Morriſonus.*

Geranium Columbinum, Doves-foot, Crains-bill. Si ex hujus tota planta in Vino generoſo vel aq. font. decoct. f. & horis medicinalibus calide exhibeatur ſanguinem coagulatum reſolvit.

Geranium Robertianum. Herb-Robert. Geranium Robertianum eaſdem præbet virtutes ſi eodem modo uſurpetur. *Raius. Dale.*

Hypericon, St. John's-wort. Decoctum Herbæ intus aſſumptum nulli cedit remedio. *Etmullerus.*

Prunella, Self-heal. Hujus decoct. ſanguinem congrumatum diſſolvit, ſi intus ſumatur, & ſpecifice laudatur ab *Etmullero.*

Sophia Chyrurgorum, Flix-weed. Sanguinem concretum ſub cutaneis partibus ſuffuſum, hæc planta reſolvit & foras ad ſuperficiem reducit. *Ibidem.*

SANGUINIS FLUXUS; *vide* Hæmorrhagiam.

SANGUINIS SPUTUM; *vide* Hæmophthyſis.

SANGUINIS VOMITUS; *vide* Vomitus Sangu.

SCORBUTUS.

mas, The Common Fir-tree. Hujus ramuli ſeu
mitates ſacculo incluſa, & in cereviſia poſt fer-
onem ſuſpenſa, potum diæteticum præbent quo
tibus Scorbuticis bono cum ſucceſſu ſæpenume-
ſt *Needham*.

s, Fir. ℞ Conos Abietis No 4. incide unam-
; in part. 4. adde fol. tritici vireſcent. ℥ ij coq. in
cum Vino alb. fact. ℔iij. ad ℔ij colatur. frigidæ
cochleariæ ℥ ſſ. ſyrup. de Auran. & de pom.
℥ iſſ. m. Doſis ℥ iiij. bis vel ter in die. *Phar.*

oſa, Sorrel. *Fumaria*, Fumitory. *Naſturt. A-
m*, Water-creſſes. ℞ Succor. horum ana ℥ iiij.
mul in vaſe probe clauſo poſt reſidentiam cap.
℥ vi. liquoris clari mane jejunus, vel ℞ Succi Fu-
Naſtur. aq. ana ℥ ij. m. f. hauſtus eodem modo
lus. *Riverius*.

allis Aquatica, Brook-lime, ℞ Succi hujus &
. aq. a. ℥ i. fumar. ℥ j. ſacchar. alb. ʒ ij. m. f.
ane ſumenda. *Riverius*.

legia, Columbine. Radix per ſe in Vino infuſ.
tis becabung. cochl. & naſturt. egregium com-
tiſcorbuticum, quo curatus fuit miles uti affirmat
erus.

learia Marina, Sea Scurvy-graſs. ℞ Fol.
. marin. ſelectiſ. ℥ iij. ſacchari Albiſ. ℥ vi. ſalis
. ℥ i. contuſis opt. adde ſuc. aurant. ℥ vi. m.
intingatur omnis cibus ſcorbuticorum. *Pharm.*

learia Hortenſis, Garden Scurvy-graſs. Hujus
ive infuſio in Vino vel Cereviſia, vel ejus tinctura
icis proſunt, præſertim iis qui in locis ſalſis mari-
egunt, & piſcibus ſale conditis plurimum victi-
Raius.

ol. cochleariæ inciſorum m. i. cereviſ. fortior. ℔ij.
ntur frigide per noctem in ampullâ probe clauſâ,

Sa

tempore ſex lagenæ pro uſu, & poſt aliquot dies ſ
antequam priores exhauriantur, & ſic deinceps ut ſ
gum tempus uſurpetur pro potu ordinario. Vel,

℞ Fol. Cochl. Hortenſ. m. ij. ſemin. ejuſdem
raphan. ruſtican. a. ℥ ſſ. pulpam unius aurantii, (
dantur ſimul in mort. marmor. ſenſim affundend
albi ſelibram; coletur cum levi expreſſione, & re
pro uſu. Doſis Cochlearia 3. vel 4. in ſingulis ſ
potus communis. *Sydenham.* Vel,

℞ Succi Cochl. Hortenſ. q. ſ. eaq impleatur v
tinens tres vel quatuor congios. Adde fermenti cere
tis ℔ſſ ad celerem fermentationem, deinde probe
retur vas & ſtet in cella frigida per 6. menſes; ha
poſtea in lagenas ſubere bene clauſas, & ſervet
Doſis ab ℥ ij. ad ℥ iiij. bis in die. *Williſius.*

Fumaria, Fumitory. Herba verno tempore
lactis infuſa, vel cocta & per aliquod tempus c
ſcorbuticis apprime convenit. *Raius.*

Lapathum Acutum, Sharp pointed Dock. R
ciſa & diligenter ſiccata ad ſcorbutum inſigne eſt
dium, ſi in ſacculo ſuſpendatur in cereviſiæ q. ſ. ut
impregnetur & quaſi ſpecificum nobile laudatur à
Lis.

proper Antiscorbutics [illegible]

uſus ut hibernis menſibus ſcorbuto laborantibus illius h. 1. vel alterum propinemus. Eodem modo ex gal. aquat. chelid. cochleariâ & trifolio paludoſo ſpiri- elegantes extrahi poſſent. *Morriſon. ex Sim. Paul.*

Rubus Vulgaris, Black-berries. Hujus baccæ eſæ alio quocunque modo uſurpatæ, ad ſcorbutum pro- it. *Raius.*

Ruta Muraria, Wall-rue, or White Maiden-hair. ec planta ſive in pulvere ſive aliquo alio modo ſit exhi- a in ſcorbuto experimentum eſt nobile. *D. Michael.*

Sedum minimum Acre. Wall-pepper, or ſmall biting one-crop. Stupendas ejus vires cum incredibili ſucceſ- in ſcorbuto caſtrenſi interne in decocto expertus eſt *Below*. *Raius ex Ephem. German.*

SCORBUTI DOLORES.

Ecabunga, Brook-lime. Infuſio Becabungæ in ſeri lactis caprilli fact. & colatura per menſem integrum nibit. inſigne eſt Remedium, laudatum ab *Hoffmanno.*

Chamæmelum, Chamomile. *Naſturt. Aquat.* Water- eſs. *Juniperus*. ℞ Flor. Chamæm. fol. Naſturt. quat. bac. Juniperi a. p. æ. coquantur in q. ſ. floris lactis fiat ex arte cataplaſma parti dolenti mane & ſero cali- applicand. *Balth. Brunnerus.*

Hyoſcyamus, Hen-bane. ℞ Fol. hujus teneriorum . ij. vel. iij coquantur in lacte ad mollitiem, contun- ntur & per ſetaceum trajiciantur, & deinde cum eodem cte coquantur rurſus in cataplaſmat. formam, quod parti fectæ mane & ſero admoveatur & dolores mirifice de- ulcet. Vel,

℞ Olei ex ſeminibus ſiccis contuſis & per prelum ex- eſſis q. v. eoq; tepido inungatur pars. Inſigne eſt Anody- m. *Hoffmannus.*

Ruta Muraria, Wall-Rue. Herba quocunq; modo ſurpatur optimum eſt Remedium. *Ibidem.*

Sambucus, Elder. ℞ Flor. Sambuci m. ii. coquan- r in Vino & cum ſaponis Venetæ ℥ ij. f. lixivium in quo

calido

calido lintea ſint imbuta & partibus affectis applicentur. *Brunnerus.*

Trifolium Paludoſum, Water-Trefoil. Pſeudothee ſive infuſio hujus Herbæ probe ſiccatæ, cum Aq. font. fact. & ſingulis Auroris exhibita, magnum eſt ſpecificum. *Simon Pauli.*

——— MACULÆ.

Becabunga, Brook-lime. Herba recens contuſa, vel decocta ſive in fomenti ſive in cataplaſmatis forma applicata, maculas ſcorbuticas in cute hærentes aufert, uti etiam ſcorbuticos pedum Tumores. Vel,

℞ Succi becabungæ recenter expreſſi & per reſidentiam depurati q. v. capiat ægrotus ℥ i. quolibet mane in ſero lactis caprilli per aliquot ſeptimanas, & egregium præbet Remedium. *Etmul'erus.*

Rapum, A Turnip. Radices extrinſecus optimo cum ſucceſſu ſæpe adhibuit *D. Needham.*

SERPIGO.

F*Umaria*, Fumitory. Infuſio vel decoctum fumariæ in lactis ſero vel ſyrupus ex ſucco confectus magnopere laudantur. *Raius.*

Imperatoria, Maſterwort. ℞ Radicum recentium & axungiæ ſuillæ a. p. æ. contundantur ſimul & inſolentur, deinde poſt levem ebullitionem colentur, ut fiat Unguentum quo illinatur pars affecta. *Etmullerus.*

Lapathum Acutum, Sharp-pointed Dock. ℞ Succi Lapathi acuti aceti fortis a. ſalis communis parum m. iiſq; fricetur locus. Vel,

℞ Succi Lapathi acuti ℥ ß. ſalis tantum, mellis cochlear. 3. aceti optimi ℔i. f. mixtura: ut ſupra uſurpanda. *Stockerus.* Vel,

℞ Radicis prædictæ ſiccatæ & optime pulverizatæ q. v. aceti optimi, q. ſ. ad Linimentum conficiendum, quo illinatur pars affecta. Egregium eſt medicamentum. *Hoffmannus.*

SECUNDINAM MOVENT

Alamentha, Calamint. Hujus decoctum ſive intus ſumptum, ſive externe pubis regioni fomenti adhibitum, uſus eſt eximii. *Etmullerus*.

lendula, Marigold. Syrupus ex ſucco flor. cum uro confectus, vel ſuccus per ſe, vel infuſio, ſive decum, vel conſerva, maxime & experte laudantur à equo in obſ. *Riverio com.*

edera terreſt. Ground Ivy. Ex hujus decoct. ℔i. thridatii ℥i. f. enema & optimum habebis Reme-. *D. Michael.*

viſticum, Lovage. ℞ Fol. viridium q v. contunur cum Vini Rhenani q. ſ. exprimatur ſuccus, & extur hauſtus mediocris, tempore vero Hyberno.

Seminum hujus parum, contunde & coq. in Vino otius cereviſia & exhibe. *Foreſtus*.

ſtinaca, Parſnip. ℞ Seminum paſtinacæ ſiccat. lv. ʒi. exhibe in vehiculo idoneo, magnum eſt ſpem. *Quercetanus*.

aſſium, Hore-hound. Succus Praſſii in Vino geneaſſumptus inſigne eſt Remed. *Stockerus*.

SINGULTUS.

Nethum, Dill. Decoctum Anethi ad ℥4. ter in quadrante exhibitum, mire ſingultum ſiſtit. *Ander Benedictus*. Vel,

Sem. Anethi ʒij. vel ʒiij. coq leviter in Vini ge-. ℥8. de quibus i. cap. æger mane & ſero. Vel, em ſemen contuſ. & nodulo linteo raro incluſum, ius frequenter objiciatur. *Riverius*.

lentha, Mint. Stomachica nobilis eſt hæc planta uocunq; modo uſurpata ad ſingultum eſt ſpecifie. *ullerus*.

runus Damaſcena, Our Engliſh Damſins. ℞ Haın ſyrupo conditar. No. 2. vel 3. & dentur ægro

SITIM SEDANT

A*Cetoſa*, Sorrel. Succus hujus juſculis & ſo tionibus immiſſus, vel folia in iiſdem incoct febribus ſimpl. ſitim potenter reſtring. *Raius.*

Berberis, The Barberry. Succus Berberum in f bus biliosis, ardentibus, & malignis, ſitim non ſolum ſtinguit, & exhalationes ad caput prohibet, verum e & ſiccat, putrediniq; reſiſtit, & ſimul, viſcera ab inf liberat. *Caſpar. Hoffmannus de Medicam. Officin*

Dens Leonis, Dandelion, or Piſs-a-bed. ℞ 1 cum mundat. & inciſ. ℥ i. coq. in liquor. Poſſet ℔ modias. Colaturæ cap. æger hauſtum largum, viz. ℔ plus ſi ferre queat. *Boyl.* Vel,

Fiat decoctum Herbæ totius in aq. fontan. Colatur tur æger pro potu ordinario. Sitim febrilem miral compeſcit. Sæpius expertum.

Fraga, Strawberries. ℞ Fruct. Fragorum ma rum ℔ iſſ. aq. f. ℔ i. Vini albi ℔ ſſ. ſacchari alb. 8 Limonum ana ℥ iſſ. macerentur ſimul frigide per 3. deinde fiat colat. ad libitum ſumenda. *Pha Bateana.*

Viola, The Violet-flower. Flores in fervore feb compeſcendo, doloreſq; capitis inde nato, uſus ſunt e præſertim eorum tinctura vel ſyrupus. *Raius.* V

℞ Syrup. Violarum ℥ iij. Sp. Vitriol. gutt. 30. aq. vel fort. ℔ ij. m. cap. ad libitum.

SOMNUM CONCILIANT

H*Yoſcyamus*, Henbane. *Papaver*, Poppy. ℞ minum Hyoſcyami & papaveris ana q. ſ. co dantur & miſceantur ad formam cataplaſm. quod applicatum ſomnum inducet. Expertum.

SPASMUS.

E*Nula Campana*, Elecampane. Radices recente ſiccat. in aq. font. coct. & fomenti form. uſu ad ſpaſmum multum commendatur à *Parkinſono*

Mechoa

Mechoacana, White Jalap. Impleatur ſacculus ex ſerico (Sarſnet) (vel alio raro confectus, quadratus, & tres pollices latus) pulvere Mechoac. filoq; appendatur collo ut ventriculi ſcrobem attingat; amuletum eſt communicatum & laudatum à *D. Boyl.*

Poma Sylveſt. Crabs. ℞ Succi Pomorum Sylveſt. (anglice Verjuice) q. v. eoq; calido illinatur ſpina & loca ſpaſtica. *Stockerus.*

Roſmarinus, Roſemary. ℞ Summitatum & fol. hujus minutim inciſor. q. ſ. ſerico vel linteo raro includantur & fiat periſcelis cruri nudo applicand. *Boyl.*

STERILITATEM CURANT

Roſmarinus, Roſemary. Decoct. ſummitatum ſeu potius flor. parum ſiccat. & Theæ modo uſurpati mane & ſero experte commendantur à *Lindano.*

Veronica, Speedwell. Hæc Planta in quavis forma exhibita, nobilis eſt uſus. *Simon Paul.*

——MOVET

Filix mas, Male-Fern. Radix intus uſurpata, conceptionem impedit, & ſterilitatem cauſat. *Raius.*

STRANGURIA; *vide* Iſchuria.

STRUMÆ.

Aparine, Gooſe-graſs, or Clivers. Herba cum axungia trita & ſtrumis impoſita eas diſcutit. Vel,

Aqua è planta tota deſtillata ad morbum commendatur. *Raius.*

Apium, Smallage. Radix hujus ſæpe uſurpata Regium morbum ſolvit. *Ibidem.*

Chelidonium minus, Pilewort. Hujus radices (quæ Tritici granis ſunt ſimiles) ſi uſurpentur, magno cum ſucceſſu tumores ſolvunt & attrahunt. *Crollius.* Vel,

℞ Radicum mundatarum & contuſarum, & axungiæ porcinæ a. q. v. terantur ſimul & coquantur ad radicum ſiccitatem, bis repetatur hoc opus, ut radicibus bene impregnetur axungia, quo peracto nobile habebis Un-

Tinctura e floribus extracta calculi præt
Raius. Etmullerus.

Cynogloſſa, Hounds-tongue. Radicem tum
cocto, tum extra in cataplaſmatis forma adh
mo cum ſucceſſu uſurpavit *D. Hulſe.*

Digitalis, Fox-glove. Folia trita & ſtrum
ejuſve ſuccus in unguento multum conducere
compertum eſt. *Raius.* Vel,

℞ Butyri majalis ℔iij. flor. digitalis rec
quot immiſceri poſſint, inſolentur dies trigi
coque donec flores ſint criſpi & fiat fortis expr

Pro locis ſtrumoſis inungendis nil æquale.
cop. Batean.

Euphragia, Eye-bright. Euphragia Vino
ſæpe propinata utiliſſimum eſt Remedium

Geniſta, Broom. ℞ Aq. florum Geniſta
chari albi q ſ m. capiat mane jejunus per aliqu
Vel,

℞ Florum Geniſtæ probe ſiccatorum q v.
farum q. ſ. ut fiat Electuarium quo conti
æger. Remedium eſt expertum à *Sebaſt. C*
D Hulſe uti affirmat D. Raius.

Geranium Robertianum, Herb Robert.

cerevisiæ, poſt ſeptimanam vel plures dies hauriatur in-
us pro potu ordinario. *Boyl.*

mium Album, White Archangel. ℞ Herbæ re-
m. i. calefiat inter 2. lateres calidos & tumori appli-
Eum noctis unius ſpatium plurimum apperit;
o adhibe mixturam ſequentem:
Omphacii cochl. vi. butyri majal. inſtar juglandis;
& impone lani nigri, oleo è pedibus bubulis made-
nterim propinetur aq. flor. Geniſtæ mane & hora
pomeridiana ſingulis diebus, & certo curabitur.
Hulſe.

arrhubium Album, White Horſ-hound. ℞ Succi
℥ ij. vel iij. propinetur mane jejuno. *Dioſcorides.*

Succi Marrhubii recenter expreſſi q. v. & cum ſac-
formetur ſyrupus quo per longum tempus utatur
us. Hujus uſu (cum multa alia fruſtra tentata eſſent)
illos præſanatos fuiſſe affirmat *Foreſtus.*

ngia Cynoſbati. ℞ Excreſcentiam piloſam huic
entem cujus in pulverem redactæ capiat æger ʒ ſſ.
ſaccharo miſtam luna decreſcente. *Cheſneau ex.*

onychia folio Rutaceo, Rue-leaved Whitlow graſs.
in cereviſia infuſa vel cocta & pro potu ordinario
ita ſine ullâ evacuatione ſenſibili ſcrophulis medetur.

ua Sylveſtri Crabs. ℞ Succi pomorum ſylveſt.
q. s. calefact. diligenter detergantur ulcera ſtrumoſa:
hac operatione lana nigra oleo è pedibus Bovinis
umectata tepide imponatur, quæ per aliquod tem-
ntinuatur; ſtrumas ſanant. *D. Hulſe.*

a, Turneps. Radices decoctæ vel ſub cineribus
& pulticuli formâ ulceribus applicatæ valde pro-
D. Needham.

marinus, Roſemary. Herba modo Theæ vel ali-
a forma ſæpius uſurpata in ſtrumis curandis arca-
abetur. *Etmullerus.*

Ruſcus, Knee-holly, or Butchers-broom. ℞ Radic. ſubtiliſſime pulv. ℨ i. detur per ſe ſing auroris in Vino generoſo; addi poſſit ſi placet rad. ſcrophulariæ vel filipend. æquale pondus & eadem doſi exhibendus. *Etmullerus.*

Scrophularia, Fig-wort. Radix quocunq; modo aſſumpta certum eſt Remedium *Raius.* Vel,

Radices recent. per decem auroras jejune comeſtæ morbum Regium curant. *Arnoldus Villanovan.* Vel,

℞ Rad. vern. tempor. & accreſcente luna effoſſarum & ſiccatarum & pulverizat ℨ ß vel ℨ i. exhibeantur ter in die ex decocto earundem. Celeberrimum eſt Remedium multumq; laudatum ab *Etmullero.* Vel,

℞ Harum radicum recenter effoſſarum numerum imparem, quæ filo trajectæ appendantur collis juniorum & tenellorum hoc morbo affect. & exhibeantur quotidie pulvis & decoctum ut ſupra, in ſtrumis colli multum valent. Vel,

℞ Radicum recent. bene mundatarum ℔ iß. contundantur cum butyri recentis q. ſ. deinde in vaſe clauſo locatæ digerantur in ſimo equino vel in MB. per 14 dies, poſtea ſuper ignem lentum liqueſcant, cum levi ebullitione, deinde fiat colatura, & habebis unguentum in ſcrophulis & ſtrumis valde proficuum. *Etmullerus.*

Succiſa, Divils-bit. Hujus decoctum forte per longum tempus uſurpatum probatum eſt. *Boyl.*

Verbena, Vervain. Hujus radices in taleolas ſectæ & filo perforatæ, ſi ægri collo appendantur morbum ſolvunt. *Barricellus.*

Vinca Pervinca, Periwinckle. Fol. recentia ſuper chartam bibulam (impoſito ſuperius lino pexo) interbalitata & thuris nidore ſuffita conſilio mulierculæ ſtrumis adhibita, brevi tempore diſcuſſere tumorem qui per totius anni ſpatium aliis medicamentis à medico docto præſcript. contumax obſtiterat. *D. Hulſe.*

SUBDITAS; *vide* Aurium Affectus.

T.

TENESMUS.

'ercus, The Oak. ℞ Fol. Quercus viridium q. ſ. iiſq; minutim inciſis impleantur ſacculi duo, aq fabrorum coquantur, & ſucceſſive (expreſſo ecocto) ano calide applicentur. *Etmullerus.*
ia, Savin. Ex hac plantâ contuſâ, fiat deco-orte, ſuper cujus calentis vaporem, ſæpe ſedeat . *Stockerus.*
, The Tile-tree. Decoctum fol. hujus in fo-ormâ calide applicatum, dejiciendi cupidinem, mque conamen reſtringit & cohibet. *Etmul-*

icum, Wheat. ℞ Furfuris Triticei q. ſ. coq; im-r ſacculi duo, bulliant in aceto & modo (expreſſo decocto) ſedeat ſuper unum, modo ſuper alium quantum pati poteſt, & dolorem ſtatim tollit. ium eſt expertum à *Stockero.*
aſcum, Mullein. Hujus decoctum ſabinæ mo-patum eaſdem præbet virtutes. *Stockerus.* Vel, 'ol. Verbaſci q. ſ. coq. in lacte vaccino recent. ut octum forte. Fiat colatura, qua ſpongia vel lintea ta imbuta, fomenti inſtar applicentur.
edium eſt ſpecificum præſertim in teneſmo dyſen-ui curatu eſt difficilior. *Etmullerus ex L. Am-a in tractat. de dyſent.*

TESTIUM DOLORES.

ietaria, Pellitory of the Wall. Herba recens con-ſa & tepide parti affectæ applicata mane & ſero eſt Remedium.

——— INFLAMMATIO.

'um, Dwarf-Elder. *Ruta*, Rue. ℞ Fol. Ebuli e ana partes æquales, contundantur ſimul in mor-

tario

tario & cataplaſmatis forma parti applicentur. *Grulingius*.

Fabæ, Beans. ℞ Farinæ Fabarum q. ſ. coq: in oxycrato ad cataplaſmatis conſiſtentiam: ſ. oxycratum è quarta parte aceti & tribus aquæ partibus; cataplaſma ſic paratum mane & ſero admovendum eſt, ſi vero cutis ab aceto fuerit excoriata coquatur acetum cum lithargyro.

Hoc cataplaſma in hoc affectu me nunquam fefellit, inquit *Riverius in obſervat*.

Melilotus, Melilot. Hujus decoctum nobilis eſt fomentatio, præſertim ſi addatur Agrimoniæ & Chamæmeli ana pars dimidiata. *Etmullerus*.

TIBIARUM INFLAMMATIO.

SAmbucus, Elder. ℞ Fol. Sambuci q. v. calefiant in patella quouſq; ſudare incipiant & tunc ſuperimponantur. *Stockerus*.

Avenæ, Oats. Hæc in Vino forti decoctæ & parti dolenti applicatæ Inflammationem tollunt. *Ibidem*.

Plantago, Plantain. Succus tepefact. & illitus multum prodeſt. *Ibidem*.

——ULCERA.

Raphanus Sylv. Horſe-Radiſh. Pulv. hujus Radicis uſtæ ulcera humida mundificat & ſiccat: *Ibidem*.

TONSILLARUM INFLAMMATIO.

PRunella, Self-heal. Hujus decoctum cum ſale Prunellæ acuatum, ſpecifice commendatur ab *Etmullero*.

——ULCERA.

Verbena, Vervain. Decoctum Verbenæ gargariſmi formâ uſurpatum, tonſillarum ulcera faciliime curat. *Grulingius*.

TORPHI.

BRyonia Alba, White Bryony. *Sinapi*, Muſtard. *Symphytum*, Comfrey. ℞ Radicum Bryoniæ alb. ſeminum Sinap. Rad. Symphyti ana ℥ ij, contund. ſimul & cum

[illegible]

cum urina propriâ f. cataplaſma, ſæpius tepide imponendum ad tophos in lue venerea non admodum induratos: commendatur hoc cataplaſma quaſi Remedium præſtantiſſimum à *D. Jungken.*

TUMORES CALIDI.

ASperula, Woodruff. Ruſtici hujus foliis tuſis, & impoſitis, ad tumores calidos bono cum ſucceſſu utuntur. *Raius.*

Fagus, The Beech-tree. ℞ Fol. recentium q. v. contundantur & in cataplaſmatis formâ applicentur. Calidos Tumores diſcutiunt. *Raius.*

——DURI.

Alnus Alba, White Alder. Folia viridia impoſita tumores diſcutiunt, & Inflammationes reſtringunt. *Ibidem.*

Althæa, Marſh-mallows. Ex hujus foliis & radicib. conficiatur cataplaſma, ad Tumores duros emolliendos & maturand. efficax. *Ibidem*

—OEDEMATOSI.

Chelidonium majus, Celandine. Herba contuſa & inſtar cataplaſmatis applicata, hos Tumores abſumit. Si vero fortius vis habere adde ſtercoris columb. vel caprini parum. *Etmullerus.*

Lupuli, Hops. Lupuli in cereviſ. cocti & parti in epithemat. vel cataplaſmat. formâ admoti hos tumores tollunt. *S. Pauli.*

TUMORES PRÆPUTII.

SAmbucus, Elder. ℞ Flor Sambuci m. ij. lactis vaccini recent. ℔ iſſ coq. ab ℔ i Ex colatur. fiat fotus, ter quaterve in die uſurpandus *Etmullerus.*

——PUDENDORUM.

Becabunga, Brook-lime. *Chamæmelum*, Chamomil. ℞ Fol Becabung. part. ij. flor. Chamæm. recent. part. i. contundantur ſimul, & fiat cataplaſma calide tumoribus applicandum poſt uſum fotus ſequent.

Cha-

Chamæmelum. Sambucus. ℞ Flor. utriuſq; a. mij. coq. in aq. ſeu potius Vini ℔ij. ad ℔iſſ. fiat fotus calide uſurpand. N B. ſi in cataplaſmate conficiendo Chamæmeli flores fuerint ſiccati pulverizari oportent & cum Becabung. contund. *Etmullerus.*

—SCHIRROSI.

Orobanche ſeu Rapa Geniſtæ, Broom-rape. Unguentum ex fol & floribus cum butyro majali vel axungia confectum optime valet ad uſus prædictos. *Raius.*

TUSSIS.

Capilli Veneris, Maiden-hair. ℞ Fol. hujus m. vi ex his fiat in aq. pluv. decoctum forte ad tertiæ partis conſumptionem. Colaturæ fortiter expreſſæ adde ſacchari & mellis deſpumati a. q. ſ ut fiat Electuarium. Cap. quantit. nuc. majoris & diu teneat in ore ac leniter deglut.

Ruta, Rue. Decoctum fol. recentium eodem modo in Electuarii formam redactum, etiam commendatur à *Stockero.*

Caſtanea, Cheſs-nuts. ℞ Farinæ Caſtanearum q. v. mellis deſpumati q. ſ. fiat Electuarium horis medicinalibus uſurpandum. *Raius.*

Cynogloſſa, Hounds-tongue. ℞ Fol. hujus m iiij. Hyſſopi, capillor. Vener. Tuſſilaginis, ana m. j. ſeminum aniſi, radicis Glycyrrhizæ a. ʒ vi. coque in aq. hordei ℔vi. ad iiij. Colatur. adde ſacchari q. ſ. Doſis ℥ iiij. ter quaterve in die. *Pharmacop. Bateana.*

Hadera Terreſtris, Ground Ivy. ℞ Summitat. Hæderæ Terreſt. Rubeſcentium in Aprili coelo ſereno collectarum q. v. contuſæ formentur in placentam; quæ ſole fervido cito exſiccata, in pulver. ſubtil. redigatur, & in vitro probe obturato uſui ſervetur.

Hæc planta virtutem cum odore & colore optime ac diutiſſ. ſupra omnes conſervas aut Syrupos retinet, & in tuſſi gravi & pertinaci, ſummopere prodeſt. Doſis à ʒ ſſ. ad ʒ i. in aq. deſtillata decocto pectorali vel aliquo alio vehiculo idoneo. *Willis. Pharm. Rat. P. 2.*

Juniperus.

erus, Juniper. ℞ Baccar. Juniperi contuſarum
eviſiæ ℔iij. coq. ad tertiæ partis conſumptio-
laturæ cap. hauſtum mane & ſero. *Stockerus.*
Turneps. ℞ Decocti fortioris Raparum cum
albiſſimo in ſyrupum redacti q. v. detur cochlea-
ius in die ſenſim deglutiendo. *Boyl.*
Turneps. ℞ Rapar. excorticatar. & in lami-
es inciſar. ℔iij. ſacchari opt. pulveriz. ℔i. fiat
n vaſe fictili; ſtent in frigido ſimul cum pon-
er-impoſito per 12 horas, deinde fiat colatura
eſſionem. *Pharmac. Batean.* Vel,
par. ut ſupra præpar. & in vaſe fictili S. S. S. lo-
q. v. Probe obturetur vas & ſtet in MB. donec
neræ evadant; ubi refrixerint exprimatur ſuccus.
præparationum cap. æger cochlearia ij. vel pluria
ſero Vel,
aparum excorticatar. & in laminas inciſar. ſacchari
partes æquales, fiat S S.S. in olla vitriata, quæ
vel potius paſta co-operta ponatur in clibano inter
quend. exempta, ubi refrixerit exprimatur liquor
ervandus. Doſis cochlear. i. mane & veſpere.
Vel,
equente modo conficiunt ſyrupum.
Rapar. excort. &c. coq. in clibano ut ſupra; ex-
ubi ſint frigidi exprimatur ſuccus, cujus ſingulis
orum albuminibus depuratis addatur ſacchari al-
℔i. liqueſcant in MB. ut fiat ſyrupus tenuioris
ntiæ. Doſ. ut ſupra coch. 1. &c.
—CONVULSIV. PUERORR.
us Pixidatus, Cup-Moſs. ℞ Muſci hujus pul-
ʒi. ſacchari canti ℈i. mſ. dividantur in 3. vel 4.
is, quarum capiat unam mane & veſpere ex vehi-
oneo. Vel,
Muſci pulveriz. ʒij. lactis ſulphuris ℈ij. ſem. aniſi
ʒi. dividantur in ſex partes ut ſupra exhibendas.

Muſci prædict. ʒi. coque in lactis recent. q. ſ. pro
una

una doſi exhibeatur hauſtus eodem modo præparatus, mane & ſero. Vel,

Quibus lac ingratum fuerit exhibeatur hujus decoctum in aq. font. Hyſſopi vel aliqua alia aqua pectorali præparatum ad ℥ ij. vel iij. bis in die, addendo ſi placet ſacchari vel ſyrupi alicujus appropriati q. ſ. Vel,

℞ Muſci prædict. ℥ i. coquatur in aq. alicujus pectoralis ℔ ij. ad ℔ i. colaturæ claræ adde ſacchari canti ℔ i. & in MB. evaporentur ad ſyrupi conſiſtentiam. Hæc ex *Williſio*.

Pulegium, Peny-Royal. Hujus ſuccus expreſſus ad coch. unius menſuram cum tantillo ſacchari canti exhibitus, tuſſim puerorum convulſivam curare ſolet. *Boyl.*

Petroſelinum, Parſley. ℞ Succi hujus recenter expreſſi ℥ ſſ lactis muliebris ℥ i. pulv. Glycyrrhizæ ℈ i. m. capiat cochleatim. *Foreſtus.*

——— INVETERATA.

Marrhubium, Hore-hound. Decoct. hujus in aq. vel Vino; immo folia quocunq; modo uſurpata proſunt. *Freitagius. Foreſtus.*

Tuſſilago, Colts-foot. Syrupus ex ſucco vel ex infuſione florum vel decoct. folior. ſpecifice curant. *Etmullerus.*

——— A LYMPHÆ ACRIMONIA.

Althea, Marſh-mallows. ℞ Pulp radicum Altheæ per ſetaceum trajectæ ℥ i ſacchari perlati, Gummi Arabicæ, Tragacanthæ, Amyli; in aq Papav. Rhæados ſolut. a. ʒ ij. ſacchari penidiati in aq Roſarum ſoluti q. ſ. m. fiant tabellæ ponderis ʒ i. quarum capiat ad libitum & ſenſim ad tuſſim demulcendam diglutiantur. *Morton*

Rapæ, Turnips. Harum decoctum ſpecificum eſt Remedium & ſæpe expertum à *Cratone*.

V.

VENENA SUMPT.

ALlium, Garlick. Allium crudum vel conditum comedatur, & bibat æger Vinum generoſum. Vel,

Calamintha, Calamint. Hæc Herba quocunq; modo ſumpta Venenis omnibus obſtat. *Ætius*.

Galega, Goats-Rue. Succus hujus recent. expreſſus, & epotus,ad venena ſumpta mire eſt efficax. *Morriſonus*.

Juglandes, Wall-nuts. *Ruta*, Rue. ℞ Juglandium ℔ ij. fol. Rutæ N° 20. ſalis gr. i. contundantur ſimul & exhibeantur jejuno & tutus erit. Nobile enim eſt præſervativum.

—— AQ. FORTIS POTATIO.

Cydonia, Quinces. Fiat mucilago ex horum ſeminibus contuſis & in aq. font. parum coctis, & propinetur ægroto. Puerum qui aq. fort. potaverat hac medicinâ curavit *Forreſtus*.

——— CANTHARIDES.

Linum, Flax. Decoctum ſeminum Lini epotum cantharidum eroſiones in ventriculo abſumit. *Platerus*.

Pulegium, Peny-Royal. Planta hæc quocunq; modo uſurpata commendatur à *Sennerto*.

—— CICUTA.

Præmiſſo vomitorio, vel etiam purgante aut Clyſtere, ſequentia alexipharmaca ſtatim ſunt exhibenda: videlicet,

Abſynthium, *Daucus*. *Gentiana*. *Urtica*. ℞ Fol. Abſynthii q. ſ. vel. ℞ Seminum Dauci q ſ. vel, ℞ Radicis Gentianæ q. ſ. vel, ℞ Seminum Urticæ q. ſ. Hæc per ſe in pulverem redacta ex Vino generoſo hauriantur aut decoctum cujuſvis in aq font. ſeu potius Vino factum propinetur. *Sennertus*.

—— ELLEBORUS.

Imprimis propinetur ſequens vomitorium.

℞ Florum geniſtæ, ſambuci a. pug. ij corticis ebuli ℥ ij ſeminum anethi, attriplicis, ana ℥ i. coq. in q. ſ. Hy-

dromelitis; ad ℥ vi. Colatur. adde fol. Rutæ ℥ i.m. fiat emeticum. Si Clyſtere opus fuerit paretur is è decocto radicum Altheæ, folior. centauri min. plantaginis & rutæ cum additione olei Anethin. & vitellis ovorum; deinde exhibeantur.

Nymphea, Water-lily. *Paſtinaca*, Parſnep. Pulv. Flor. vel Radic. Nymph. albæ ex Vino, vel pulv. ſem. hujus ad ʒ ij. *Ætius. Sennertus.*

—— EUPHORBIUM.

Euphorbio aſſumpto, ad ejus Tormina & Eroſiones, cum vomitorio & clyſtere incipiendum. His finitis

Citria Mala, Citrons. *Helenium*, Elicampane. ℞ Sem. Citrii pulveriz. ʒ i. vel ʒ ij. exhibeantur ex Vino in quo Helenii Radices cocti fuerunt. *Sennertus.*

—— FUNGI.

Detur vomitorium in Ellebore deſcriptum poſt cujus finatim operationem,

Vitis, The Vine. ℞ Cinerum ſarmentorum Vitium cribratorum ʒ ij vel ʒ iij. & addito pauxillo nitri exhibeantur ex aq. mulſæ q. ſ. Vel,

℞ Lixivii ex cineribus prædictis parati q. ſ. ægrotos mirabiliter juvat. *Ætius.*

Horum malignitati maxime reſiſtunt Allium, Abſynthium, Ariſtolochia, Calamintha Montana, Hyſſopus, Naſturtium, Origanum, Ruta, ex ſingulis quorum præparationes valde proficuæ fieri poſſint. *Sennertus.*

—— HYDRARGYRUM.

Poſt argenti vivi crudi aſſumptionem fiat valida corporis commotio, ut ejus particulæ per inteſtina & alvum effluere queant; deinde Clyſter. aut purgans medicina inſtituatur. Tunc

Coſtus. Pulv. hujus Radicis in Vino ſumatur. *Guainerius.* Vel,

Pimpinella, Burnet. Succus Pimpinel. propinetur quo poſt multa fruſtra tentata ægrotum curavit *Schenckius.* Vel,

Ruta, Rue. ℞ Fol. Rutæ pulv. ℈ ij. detur in Vino. *Guainerius.*

[illegible]

• RANUNCULI *ſive* RANARUM FOETUS.

Juglans, The Wall-nut Tree. ℞ Corticis exterioris ... cis Juglandis m. i. coq. in Vini & aq. ana ℥ xij. ad ... cujus capiat ægrotus hauſtum unum vel alterum & ... alcula educet. *Gabelchoverus.* Vel,

Bryonia alba, White Bryony. Hujus radix ſiccata, ... lveriz. & ex Vino exhibita, eadem præſtat. *Ibidem.*

——— VITRUM.

Milium, Millet. Si vitrum aut aſciculæ vel ſimilia ... itiantur, inſigne Remedium eſt pulmentum cum ... factum & copioſe comeſtum & nil potûs deſuper ... datur; cujus rei egregiam habent hiſtoriam *Kockerus in obſ. Syſtem. Phyſ.* & *Sennertus in Prax.*

——— VIRIDE ÆS.

... quis Æruginem aſſumpſerit emeticum ex aq. tepid. ... oleo olivar. aut butyro exhibeatur, & alvus enemate ... decocto malvæ altheæ, ſeminum Fœnugræci, Pſyllii, ... addito melle & oleo communi vel Roſarum) eluatur, ... præmiſſis.

Acorus. ℞ Succi Rad: Acori ʒij. vel ʒiij. dentur in ... Vel,

Apium, Smallage. ℞ Succi fol. Apii ʒij. ſumatur ... no Vel,

Mentha, Mint. Succi fol. Menthæ ℥ ſſ. ſumatur in ... u potus. Vel,

Zedoaria, Zedoary. ℞ Pulv Rad Zedoariæ ʒi. cum ... n hauſtu Vini generoſi. Hæc *Sennertus.*

VENEREM STIMULANT

Bardana, Burdock. Caules deraſo cortice antequam ... lappæ gignantur, ad teneritudinem cocti, jucundam ... ent eſcam, Veneremq; excitant; crudi etiam eſi ea ... præſtant. *Laurembergius.*

Hippocaſtanum, Horſh-nuts, or Pig-nuts. Radices ... e, ſed præcipue in juſculo coctæ, & cum butyro & ... poſt excorticationem eſtæ, cibum præbent ſuaviſſi-... , valde nutrientem, & Venerem ſtimulantem. *Raius* ... *allianos.*

Eruca, Rocket. ℞ Seminum Erucæ pulveriz. q. v cujus ʒſſ. vel ℈ij. aſſumpta, Venerem ſtimulant & ta dos excitant maritos. *Etmullerus.*

Polygonum, Knot-graſs. Hujus ſuccus exhibitus mu tum coire facit. *Stockerus.*

Urtica, Common Nettle. ℞ Seminum Urticæ q. pulv. & cum Vino optimo calido ſumantur à ʒſſ. ad ʒ

VENTRICULI ABSCESSUS.

SCabioſa, Scabious. Syrupus ex ſucco jejuno ſtom cho potatus ventriculi Apoſtemata curat. *Stockeri*

ANOREXIA.

Beta, Beets. Plantulæ recens cum radicibus levi bullitæ & ex aceto poſtea devoratæ cibi appetentiam ferunt. *Raius.*

Abſynthium Romanum, Roman Wormwood. *De Leonis*, Dandelion. ℞ Summitat. Abſynth Rom m.ſſ. radic. taraxici ſive Dentis Leonis ℥ iſ. incidantur infundantur, in Vini Rhenani optimi ℔ſſ. per nocte Mane ſequenti colatura exhibeatur ægro, & appetitu ciet & Vermes necabit. *Pet. Foreſtus.*

Ammi, Biſhops-weed. ℞ Semin. pulv. ʒſſ. detur Vino per quatuor auroras jejuno, valde ſunt profic *Horat. Augenius.*

Gentiana, Gentian. ℞ Rad. pulv. à gr. 12 ad ſi opus fuerit bis terve in die, & quantum fieri poterit juno ſtomacho *Boyl.*

Poma, Apples. Syrupus ex ſucco pomorum aci rum præparatus, ad appetitum reſtaurandum appri conducit. *Horat. Augenius.*

Vitis, The Vine. Succus è pampinis, ſeu foliis V expreſſus, & per ſe aut in Syrupum confectus aut c miva cydoniorum miſtus, & exhibitus ſpecifice co mendatur ad appetitum depravatum prægnantium.

Aq. ex iiſdem deſtillata eaſdem habet laudes. *Etmullerus.*

——CALOR.

ẏrrhiza, Licorice. ℞ Glycyrrhizæ recentis raſæ fundatur & in aq. f. coquatur pro potu ordinario, ;uli calorem ſive inflammationem compeſcit. *Ru-*

tulaca, Purſlain. Hujus ſuccus vel ſyrup. ex eo tus, ſed præcipue planta recens comeſta maxime t. *Etmullerus*.

nellus Sylveſtris, The Sloe-tree. Summitates im ipſo anno creſcentes maſticatæ & devoratæ m conducunt, præſertim itinerantibus tempo- ivo: fol. tenera eaſdem præbent virtutes. *Fran- Joel.*

—— DOLOR.

ıntbium Vulgare. Wormwood. *Agrimonia*. *Cen- min*. ℞ Summitatum harum plantarum inciſ. coq. in aq. font. q. ſ. ad ℥v. in colatura diſ- acchari albi ℥i. cap. mane per biduum. *Rive-*

ium, Caraway. ℞ Pulv. ſemin. ℈i. vel ʒſſ. is defectu ol. ſtillatitii (ſi haberi poſſit) guttas 7. exhibeantur in juſculo calido, & ſudent. *Et- us.*

mæmelum, Chamomil. ℞ Decoctum florum emeli ℥ iiij. dentur mane jejuno vel urgente proxiſ- Vel,

Aq. flor. Chamæmeli ℥ iij. capiat calide ut ſupra. *us.*

nellus Sylveſtris, The Sloe tree. Fiat infuſio flo- ujus in Vino optimo per noctem, die ſequente tur in MB. aqua ad ventriculi tormina experta.

——FRIGIDITAS.

ınthium Romanum, Roman Wormwood. Sum- s Abſynthii Romani in Vino coctæ & epotæ va. de- ·oficuæ. *Weikardus*.

duus Benedictus. Syrupus ex hujus ſucco, cum o præparatus præſens eſt Remedium. *Ibidem*.

—— IMBECILITAS.

Abſynthium, Wormwood. ℞ Abſynthii ſicci m. i. infunde per octo horas in aquæ font. q. ſ. frigide; cap. æger ℥ ij vel iij. mane & veſperi, præſertim à prandio & cœna. *D. Bowles*. Vel,

Rad Abſynth. ſtomachicis præſtantiſſimis antenumerat *D. Greuius*. Vel,

Artemiſia, Mugwort. *Mentha*, Mint. ℞ Summitatum Abſynth. Artemiſiæ. & Menthæ ana q. ſ. contundantur ſimul ad cataplaſmatis conſiſtentiam quod tepide ventriculo applicandum. *Boyl*. Vel,

℞ Menthæ criſpæ pulv. & cribratæ q. v. de quo ſumat ægrotus quotidie; poſt cibum adde ſi placet ſacchari parum. *Stockerus*.

Nux Moſchata, Nutmeg. Nucis Moſchati parum in Vino Hiſpanico infuſum & jejuno exhibitum, ventriculum roborat. *Stockerus*.

—— FLATUS.

Ebulus, Dwarf-Elder. Hæc Herba quocunq; modo uſurpata, flatus diſcutit; radix vero præferenda. *Gabelchov*.

Nux Moſchata, Nutmeg. Raſa & in Vino infuſa, & tepide exhibita omnes flatus diſcutit. *Stockerus*.

Urtica, Nettles. ℞ Seminum Urticæ in pulv. ſubtil. redact. ʒ iſſ. ſumantur ex hauſtu Vini tepefact. opt. eſt Remedium.

VENTRIS FLATUS.

IMperatoria, Maſter-wort. Hujus radix inciſa & Vino Hiſpanico infuſa vel aliquo alio modo uſurpata, ventris flatus diſcutit, & maxime valet ad ejus *Morriſon*.

—— TORMINA.

Chærefolium, Chervil. Hujus folia leviter contuſa & butyro frixa, & abdomini calide ſuper-impoſita, certum eſt Remedium. *Morriſon*.

Chamæmelum, Chamomil. *Verbaſcum*, Mullein. ℞ Flor. Cham. & Verbaſc. a. q. ſ. ſacculis includantur, vel fotus forma applicentur. Expertum eſt Remedium. *Etmullerus*.

VER-

[illegible]

[illegible]

[illegible]

VERRUCÆ.

Grimonia, Agrimony. ℞ Agrimoniæ recentis q ſ. contunde cum aceto in cataplaſmatis formam eoq; fricentur verrucæ, deinde applicetur magma. Exam.

lendula, Marigold. Fricentur Verrucæ hujus ſucei ejus foliis leviter tritis, eaſq; abſument.

lendula, Marigold. ℞ Flor. hujus q. ſ. quibus fricentur Verrucæ, poſtea Urina equinâ (maſculi maſculo & fœminæ pro fœmina) ablue & per ſe exſi. ſinas, ter quaterve repetatur hoc opus, & verruextirpabit. *Hoffman*.

prifolium, Wood-bind. Folia viridia contuſa & ucis applicata quinquies vel ſexties renovando certò nt. Expertum.

icus, The Fig-tree. Quidam qui patiebatur Vermultas in digitis manuum, curatus fuit illitu lactis fiei quater aut quinquies adhibit. *Riverius ex obſercommunicat. à D. Sim. Jacoz*. Vel,

ricentur Verrucæ foliis ficus, quæ poſtea ſepeliantur, ranebunt Verrucæ. Expertum.

Mercurialis, Mercury. Hujus ſuccus illitus omniris Verrucas abſumit. *Raius*.

ortulaca, Purſlain. Intra ſeptem vel octo diesntur Portulaca contuſa, ſi ea confricentur, & deinder cataplaſmatis admovetur, iterando bis in die. *For-r.*

ambucus, Elder. Succus baccarum ſæpe illitus ucas abſumit. Expertum.

dum majus, Houſleek. Hujus folia (detracta cortiteriori) verrucis appoſita & ſæpius renovata ita effit, ut ſenſim inviſibiliter diſpareant. *Ettmullerus*.

VE.

VESICÆ DOLOR.

Parietaria, Pellitory of the wall. Herba co
& cataplaſmatis forma teſticulis & infra Umbil
quater vel quinquies tepide applicata ad dolores v
certum eſt Remedium.

INFLAMMATIO.

Chamæpytis. Ground-Pine. Herba in lacte r
cocta & ter in die exhibita uſus eſt eximii, uti eti
veſicæ.

ULCERA.

Fabæ, Beans. ℞ Farinæ Fabarum ℥ij. fl. Ro
rub. balauſt. nucum cupreſs. pulveriz. a. ʒij.
pulv. ℈ſs. m. f. decoctum in aq. Roſarum & plan
a. q. ſ. & pauxillo aceti, addendo ſub finem vi
ovi, & parum aq. Roſarum f. cataplaſma, refriger
Anodynum. *Fabric. Hildanus.*

Fragaria, Strawberry-Plant. ℞ Hujus
cum rad. ℔iij. incide vel contunde & coq. in aq
menſura una, coquantur autem in vaſe omnino obſ
præterquam foramen minutim in co-opertorio re
tur, per quod materia tranſpirat; completur hoc dec
communiter in una hora cum lento igne & ſedabit
rem, præſertim ab ulceribus veſicæ cauſatum. *Sto*
Vel,

Fiat decoctum plantæ totius quo utatur a
ter in die & violentiſſimos ulcerum dolores ſedabit
crellius.

Glycyrrhiza, Liquorice. Hujus radix ſive in
ſive in decocto vel aliquo alio modo uſurpetur
præbet virtutes. *Solenander.*

Plantago, Plantain. Ex hujus fol. mundatis
ſis fiat in aq. fontana decoctum forte cujus capia
℥vi. vel plures mane & veſperi per menſem vel
In veſicæ ulceribus Remedium eſt Expertum.

VESICATORII DOLOR.

mbucus, Elder. ℞ Corticis ſecundi & viridis,rami ambuci cultello deraſi m. i. coquatur in oleo dulci pauca aqua ad aquæ conſumptionem, colaturæ ceræ parum, f. Unguentum, quo dolores omnes à torio excitatos demulcebat *D. Pachequus in obſ. . com.*

VESPÆ ICTUS.

Aculeus in vulnere fuit relictus, applicetur emplarum ex cinere, oleo & fermento, vel hiſce nihil protibus,fortiter fugatur. Extracto aculeo,aut ſi nullus t imponantur ſequentia.

cus, The Fig-tree. Lac hujus parti dolenti il- multum valet. *Sennertus.* Vel,

ns Paluſtris, Duck-meat. ℞ Hujus q ſ. con- cum pauco aceto & parti admoveatur. *Ibidem.*

ſturt. Aquat. Water-creſſes. Hæc Herba trita & ſita non modo dolorem ſedat, verum etiam tumo- liſcutit. *Ibidem.* Vel,

ita, Rue. Contuſa & applicata multum prodeſt. *m.*

riandrum, Coriander. Si aliqua in toto corpo- tiatur mutatio tum exhibeantur hujus ſemina cum aro. *Ibidem.* Ex Ardoyno & Chriſtoph. Dichone- d apum ictus hæc etiam valet.

VIPERÆ MORSUS.

rimis exhibeatur Alexipharmacum ſequens.

Abſynthium, Wormwood. *Coſtus.* ℞ Radicis i ſubtiliſſi. pulv. a ℥ ß ad ℥ i. Vini Abſynth tes vel cti ejuſdem q. ſ. pro hauſtu, optime valet, quia Co- veneni viperarum Bezoar. eſſe ſcribunt *Ardoynus* *ioſcorides.*

uic etiam proſunt & commendantur radices

Aſpho-

ulla adduci e æquum duxi.

℞ Rad. Ariſtoloch. rotund. caſſiæ ligneæ lauri, piperis ana ℥ij. caſtorei ℥i. fol. Rut ℥iſſ. ſem. aniſi ℥ſſ. pulverizentur omnia & le deſpumato redigantur in formam Elect ſis à ℥i. ad ℥ij. cum hauſtu Vini externe appli Stercus capræ cum aceto, pice, cerâ & ſulphu Vel,

Scillæ, Squills or Sea-Onions. Harum aceto coctæ & contuſæ in cataplaſmatis form tur. Vel,

℞ Radices Ariſtolochiæ, Peucedan. fol. Ce ana pondus æq. pulverizentur & cum Galbar forti f. Emplaſtrum. Vel,

Emplaſt. ex allio, ficubus & theriaca utiliſſ

VIRGÆ EXCORIATIO

PLantago. ℞ Hujus folium largum, lav frigida & inter glandem & præputium in renovetur ſi primum non perfecerit curam. pertum.

—ULCUSCULA.

Redaguar ſeu Fungus qui naſcitur in

VISCERA ROBORANT

ALlium, Garlick. Aglydia hujus ab uno ad 2. vel 3. jejuno ſtomacho aſſumpta multum proſunt. *oyl.*

Caryophyllata, Avens. Radix inciſa & in cereviſia infuſa, & pota, ſummum tenet. *Hulſe.*

VOMITUS.

MEntha, Mint. ℞ Menthæ Criſpæ q. v. infundatur in aceto ut ea bene impregnetur, deinde co-tur hoc acetum, ſive intus aſſumptum vel extus applica-um valde eſt proficuum. Vel,

℞ Ferment. acerrimi ℥ iij. Menthæ pulv. ℥ i. Maſtic. Caryophyl Cinnam. pulv. a ʒ i. nuc. m. N°. 2. cum aceto Menth. f. cataplaſma ventriculo tepide applicand. Catholi-um habetur. *Etmullerus.*

——SANGUINIS.

Burſa Paſtoris, Shepherds-Purse. Si hæc planta teneatur in manibus in paroxyſmo & extra paroxyſmum ponatur ſub plantis pedum, ad hunc morbum inſigne eſt remedium. *Simon Paul.*

Conſolida, Comfrey. *Plantago*, Plantain. ℞ Radicum conſolid. recent. ℥ vi. ſol. Plantaginis m. xij. contundantur bene in mort. marmoreo & exprimatur ſuccus forti expreſſione & cum ſacchari q. ſ. f. ſyrupus ſine clarificatione. Doſis cochl. i vel ij. ſæpius in die. *Digbius.* Vel,

Ex iiſdem plantis & ſacchar. conficiatur Electuarium valde proficuum. *Raius ex Boyl.*

Secale, Rye. ℞ Panis ſecalini m. iij. ſalis communis m. i. aceti fort. q. ſ. m. f. emplaſtrum thoraci & ſtomacho applicandum. *Martin. Rulandus.*

Urtica. ℞ Aq. Urticæ maj. q. v. aciduletur cum ſpiritu vitrioli & exhibeatur, commendatur ab Etmullero & multis laudibus celebratur à Rulando qui eum inſtar miraculi ſanguinem effluentem ſiſtere affirmat.

Decoctum Urticæ ad ſanguinem in ventriculo concretum & ſtagnantem optime valet, immo ſpecifice prodeſt ſi ejus hauſtum biberit ægrotus bis terve in die. *Jungken.*

ULCERA INTERNA.

BUgula, Bugle. Decoctum Bugulæ in juſculo vervecis ulceribus internis mire prodeſt. *Riverius.*

Hypericum, St. John's-wort. Syrup. ex flor. hujus per infuſionem in MB. præpar. ulceribus omnibus internis conſolidandis convenientiſſimus eſt. *Riverius.*

Symphitum, Comfrey. Hujus radix in juſculo decocta vel ſyrupus ex Symphito præpar. optime valent. Nam detergunt, conſolidant, & aſtringendo roborant. *Riverius.*

——MALIGNA.

Anagallis, Pimpernel. Succus Anagallidis (flore Phœniceo) cum Herba coctus, & applicat. perfectè ſanat. *Poterius.*

Dracuntium, Dragons. Hujus radix ad Ulcera maligna, & cacoethica multum valet. *Euſt. Rudius.*

Mentha, Mint. *Ruta*, Rue. Laventur & foveantur ulcera decocto Menthæ mane & veſpere, hocq; peracto inſpergantur pulvere ſubtiliſſ. Rutæ. *Rolandus.*

Perſicaria, A. ſmart. ℞ Fol. hujus viridium q. v. macerentur in aq. font. & applicentur ulceribus donec incaleſcant, & ſiccentur, tum ſepeliantur hæc folia in fimo, & uti hæc putreſcunt, illa ſanabuntur; repetenda autem ſunt folia recentia per aliquot tempus. *Paracelſus. Helmont. Hoffman. Etmulleius.*

——PHAGEDÆNICA.

Elatine, Female Fluellin. Succus Herbæ expreſſus, ejuſve aqua deſtillata, tum intus aſſumpta tum exterius applicata,

[illegible]

[illegible]

[illegible]

ɔplicata, ulcera ſerpentia & cancroſa cohibent & perfecte nant. *Raius ex Lobelio*

Poma, Apples. Deſtilletur aq. ex pomis putridis ɔntuſ. hac lintea quadruplicata imbuta & tepide admota anant. *Schmuchius*. *Etmullerus*.

——— PUTRIDA.

Alliaria, Sauce-alone, or Jack-by-the-hedge. Ego eris tempore (in fine ſcil. Aprilis vel incunte maio) Alariam colligere ſoleo, & poſtquam per diem unum in umbra (xſiccata fuerit, minutim incido, in mortario conundo, & in prelo ſuccum exprimo, quem in vitreis amullis (ſuper-infuſo parum olei) annum integrum, imno ad tres uſq. annos reſervo.

In ulceribus putridis, & ſordidis, uti etiam in gangrænis, præſtantiſſimum eſt Remedium. Hæc ſunt verba :lariſſimi *Fabricii Hildani*.

—— VENEREA.

Perſicaria, Arſeſmart. *Saponaria*, Soapwort. ℞ Succi Perſicariæ vel ſaponariæ q. v. mellis anglican. optimi q. ſ. ut fiat mel quod ad Ulcera venerea & alia etiam maxime conducit. *D. Bowles*.

—— VETERA.

Anagallis, Pimpernel. Hujus decoctum intus ſumptum, & extus adhibitum, dolores ſedat & Ulcera vetera ſanat. *Poterius*.

Blitum Mercury. Succus ad Ulcera vetera & ſordida purganda & glutinanda, mirifice confert. *Raius*.

Berberis, The Barberry-tree. ℞ Pulv. corticum Berberum ſubtiliſſ. pulv. q. v. eoq; inſpergantur Ulcera; exſiccat & conſolidat. *Stockerus*.

Carduus Benedictus. Laventur imprimis Ulcera Vino albo, vel ſucco pomor. ſylveſt. (Anglice Verjuice) ut mundentur, deinde applicetur Unguent. ſequens bis in die.

℞ Fol. Cardui m. iij. vel iiij. largos, contund. in mortario cum ſævi ovini depurati ℔i. his adde Vini albi ℔ſſ. coquantur ad Vini conſumptionem, & Herbæ ſiccitatem fiat colat. cui adde olei opt. ℥ iſ. terebinth.

Venet. ℥i. m. ut fiat Unguentum uſui reſervandum.

Rubus Vulgaris. The Blackberry-Buſh. ℞ Decoct. fol. in Vin. fact. q ſ. eoq; calide mane & ſero foveantur Ulcera quæ etſi profunda ſint & curatu difficilia, ſanabit. *Gabelchoverus.*

URINÆ ARDOR; *vide* Dyſuria.

URINAM MOVENTIA; *vide* Diuretica.

URINÆ SUPPRESSIO; *vide* Iſchuria.

UTERI DOLOR.

Nymphæa, Water-Lily. Radix Nymphææ in oleo Roſarum cocta, uſus eſt egregii. *Varignana.*

Urtica, Nettles. ℞ Semin. Urticæ pulv. ʒiſſ. exhibe ex Vino. Remedium eſt Expertum.

——FLATUS.

Calamintha, Calamint. Hujus decoctum in paroxyſmo aſſumptum, uteri flatus mire diſcutit. *Etmullerus.*

Centaureum, Centory. Hujus ſummitates in Vino Hiſpanico infuſæ, vel coctæ, ita ut iis bene imprægnetur Vinum, & ſi calide propinetur colatura, maxime valet. *Stockerus.*

Geranium Robertianum, Herb-Robert. ℞ Plantæ probe ſiccat. & pulv. ʒi. detur in Vino generoſo multum prodeſt. *Caſp. Hoffman. ex Trago.*

Imperatoria, Maſter-wort. Hujus radix in Vino infuſa vel cocta flatus mirifice diſcutit. *Morriſonus.*

Nux Moſchata, Nutmeg. Mulieribus ſe aeri poſt partum nimis mature exponentibus uteri flatus ſæpe contingunt: in tali caſu ℞ Nuc. moſch. i. maj. partem quadrant. injiciatur ſuper carbones lentas ut fumus per infundib. recipiatur in vulvam. *Etmullerus.*

——HÆMORRHAGIA.

Quercus, The Oak. Decoct. fol. intus aſſumptum Hæmorrhagias Uterinas ſiſtit. *Etmullerus.*

BIBLIOTHECA · BODLEIANA

——— INFLAMMATIO.

lilotus, Melilot. Hujus decoctum in tali caſu eſt fomentatio ſi illi addantur Agrimoniæ, & ɔmæli ana pars dimidiata. *Etmullerus.*

———PROCIDENTIA.

rcus, The Oak. ℞ Cort. Quercus ℥ij. coq. font. ℔iiij. ad ℔ij. ſub finem addendo cortic. or. contuſ. roſ rub. florum granator. a. m.ij. dein 'ini rubri ℔ſſ. colatura ſit pro fotu qui cum pannis ɔarti affectæ admoveatur mane horis duabus ante è lecto aſſurgat, & nocte poſt decubitum donec oma penitus evanuerit. *Sydenham.*

———SUFFOCATIO.

tricaria, Feverfew. Hujus decoctum in aceto fa & naribus applicatum valde eſt proficuum. *Schro-*

VULNERA IN GENERE.

Frimonia, Agrimony. Herba recens contuſa & cataplaſmatis formâ tepide applicata optimi eſt u- *Etmullerus.*

igallis, Pimpernel. Hujus decoctum in vulneri- :entibus multum prodeſt. *Poterius.*

erula, Wood-roof. Hujus fol. tuſa & impoſita a recentia ſanant. *Raius.*

'ula, Bugle. Vulneraria eſt tam extrinſecus intrinſecus adhibita & cum ſanicula & ſcabioſa ita valde prodeſt, viz.

Fol. Bugulæ, ſaniculæ & ſcabioſæ à. q. v. con- & coq. in axungiæ porc. q ſ. fiat colatura & ha- inguent. ad vulnera, ulcera & omnis generis contu- efficaciſſ. *Raius.*

lidonium majus, Great Celandine. ℞. Hujus q. ſ. qui balſami loco, vulneribus tepide applican- . *Boyl.*

lidonium minus, Pilewort. Hujus etiam ſuccus nera quævis levia inſtillatus ſanat. *Morriſon. ex*

... feliciter curavi; hæmorrhagia enim ita
& per aliquot dies repetita, ſine ullâ aliâ a
vulnus agglutinavit, & cicatrizavit.

Geranium Robertianum, Herb-Robert. H
jus q v. ſubigatur cum pauxillo terebinth. Ve
ſami formam, quod applicatum cito, tuto &
rabit, *Etmullerus*.

Hypericon, St. John's wort. *Verbaſcum*
℞ Florum Hyperici primo irrumpenti
flor. Verbaſci part. ſemiſ. ſp Vini rectific
vel q. ſ. infundantur lento igne donec tinc
extrahatur; cui expreſſæ adde terebinth. Vene
ſionis momordicæ a. q ſ. f. Balſam. *Etm*

Hypericon, St. John's wort. ℞ Myrr
& ſanguinis Draconis optime pulverizat. a.
℥ 5. vel ℥ 6. digerantur in matracio per d
horas (ut Gummi ſolvantur) in lento calore
inde adde flor. ſiccat. Hyperici quantum cu
quatuor digitis comprehendere poſſis, infund
per noctem & die ſequente f. colatura du
peſcat, per expreſſionem; huic adde terebinth
quæ leni calore ſoluta, efficiat Balſamum
ruberrimum ad vulnera & contuſiones præſt

ad omnia fere vulnera ſananda eximie proſunt. *Bald.*

Ophioglosſum, Adders-tongue. ℞ Fol. recent. q. v. contund. cum oleo olivar. optim. q ſ. coq. ad ſucci conſumptionem & donec folia criſpa fuerint; fiat colatura & habebis oleum eleganter viride & ad vulnera quæcunq; efficaciſſimum. *Gerardus.*

Addi poterit cum fructu terebint. Venet. parum.

Perſicaria, Arſmart. Fol. (ut in ulceribus memorantur) vulneribus applicata illa perfecte ſanabunt. *Ettmullerus. Paracelſus, &c.*

Sideritis, Clowns All-heal. Hujus fol. recentia cum axungiâ porcinâ contusâ & vulneribus impoſita, illa perfecte ſanant, & Unguent. ſequens ad omnis generis vulnera tam interna quam externa mirabilis eſt efficaciæ.

℞ Fol. recentium m. iiij. contundantur cum axungiæ porcinæ ℥ iiij. quibus adde ol. olivarum optimi ℔ ſſ. coq. ſimul ad ſucci conſumptionem (quod fit ubi nullæ exſurgant bullulæ) & deinde fiat colatura in qua ſuper lentum ignem iterum diſſolve tereb. Venet. opt. ℥ ij. m. f. Unguentum in vaſe probe obturato uſui reſervandum. Hoc Unguentum miris laudibus commendat variiſq. exemplis illuſtrat *Gerardus.*

N. B. Hæc planta à prædicto Gerardo ſub titulo panacis Coloni appellatur; à Domino Raio verò aliiſq; recentioribus Botanicis Sederitis Anglica ſtrumoſa Radice.

Symphitum, Comfrey. ℞ Rad. ſymphiti bene mundatar. q v. contundantur ad pultis conſiſtentiam quæ tepide partibus applicata vulnera conſolidat & ſanat. *Ettmullerus.*

Vinca Pervinca, Periwinkle. *Cardiaca*, Motherwort. ℞ Vincæ Pervincæ & foliorum Cardiacæ a. m. i. coq. in cereviſiæ verteris ℔ ij. ad medias; colaturæ capiat æger hauſtulum vel cochl. 3. mane, hora quarta promeridiana, & lectum iturus; exhibeatur tepide & lavetur aliquoties vulnus eodem decocto. *Ranzonius.*

—INTERNA.

Millifolium, Yarrow. Fiat infuſio millefolii in aq. calida, quæ ter in die per aliquot tempus exhibita, præſtantiſſimum eſt Remedium. *Fred. Hoffman.*

Pimpinella Sanguiſorba, Burnet. Hujus folia decocta vel contuſa, & applicata, non modo ſanguinem cohibent verum etiam Vulnera conſolidant.

—PUTRIDA.

Agrimonia, Agrimony. Fiat decoctum Agrimoniæ in Vino rubro, eoq; tepido laventur, & mundentur vulnera putrida, vel ſordida, mane & ſero. Si vulnus aliquod nimis cito ſanetur, & quicquid puris vel humoris corroſivi in eo fuerit incluſa; tum,

℞ Fol. Agrimoniæ recent. q. ſ. contundantur & vulneri imponantur donec ſanatum ſit.

Cyanus, Blew-bottle. ℞ Florum Cyani q. v. contund. & exprimatur ſuccus, qui inſtillatus, ad ulcera & vulnera putrida multum valet. *Raius.*

——TENDINUM.

Symphitum, Comfrey. Ex hujus radicibus cum aq. font. extrahatur mucilago, quæ tepide cataplaſmatis formâ toti parti affectæ applicetur, ſic enim ſtatim tumor evaneſcit & dolor ſedatur.

VULVAM ADSTRINGUNT.

Alchimilla, Ladies Mantle. Fiat decoctum forte Alchimillæ in aq font. & ita locetur patiens ut vapor calidus per infundibul. aſcendat. *Etmullerus.* Vel,

Symphitum, Comfrey. Si non in promptu ſit Alchimilla Symphiti ſuccus vel ſyrupus vel decoctum intus aſſumptum vel decoct. externe in balnei modo uſurpatum pro deliciis noviter nuptorum & fallendo ſponſo ſubſtitui poteſt. *Etmullerus.*

UVULÆ INFLAMMATIO.

Cannabis, Hemp. ℞ Semin. Cannabis contuſ. q. v. coquantur parum in poſcâ: colatura exhibeatur pro Gargariſmo. *Etmullerus.*

[illegible]

Taraxicum, Dandelion. ℞ Decoctum folior. vel radicum vel plantæ totius, in aquæ font. factum q ſ. quo utatur ægrotus pro gargariſmo. *Etmullerus.*

Tormentilla, Tormentil. ℞ Radicum Tormentil. leviter contuſarum q. ſ. coquantur in cereviſia ſecundaria, ut fiat decoct. forte, eoq; ſæpe gargarizetur pars affecta. *Ibidem.*

Uvularia, Throat-wort, or Canterbury-bells. ℞ Fol. Uvulariæ q. v. coquantur ut ſupra fiat decoctum eodem modo uſurpandum. *Etmullerus.*

Ulmus, The Elm-tree. ℞ Corticis interioris Ulmi recentis ℥ iiij coq. in aqua font. ℔ iij. ad dimidias colaturæ rubicundæ (Vini rubelli inſtar) adde, ſyrupi de rub. ideo & moris a. ℥ iſſ. m. fiat gargariſmus elegantiſſimus. *Pharmacop. Batean.*

——— PROCIDENTIA.

Argentina, Silver-weed, or Wild Tanſy. ℞ Fol. Argentinæ q. v. coquantur in aceto forti, fiat colatura, eaq; ſæpe colluatur pars affecta. *Morriſonus.*

Cannabis, Hemp. ℞ Semin. cannabis contuſ. ℥ ſſ. coquantur in poſcæ q. ſ. ad ℔ i. vel in aq. & aceti ana, fiat colatura quo ſæpius utatur ægrotus, pro gargariſmo raro fallente. *Etmullerus ex Sachſio.*

Caulis, Colewort. ℞ Hujus folium largum leviter contuſum, quod vertici raſo tepide imponatur.

Chamæciſtus, Dwarf-Ciſtus, or Little Sun-flower. Decoctum Herbæ gargariſmi formâ uſurpatum, multum valet, vel Herba aliqua aliâ formâ exhibita. *Raius.*

Crocus, Saffron. ℞ Croci optimi ℈ ſſ. urinæ propriæ ℥ iiij. infundantur per aliquot horas, deinde fiat colatura quâ ſæpe gargarizetur pars affecta. *Kunrad.*

Juglans, Wall-nut. ℞ Nuclearum Juglandium q. v. contundantur bene cum ſp. Vini ut fiat cataplaſma futuræ coronali applicandum. *Crato.*

Juniperus, Juniper-buſh. ℞ Granor. Juniperi q. v. contundantur cum ſale & coquantur in Vino rubro, ut fiat decoctum forte, quod teneatur in ore ſine gargarizando. *Stockerus.*

tum, uſus eſt eximii. *Schmitzius.*

Vinca Pervinca, Periwinkle. Herba (
in aq. f. cocta, & gargariſmi inſtar uſurp
eſt Remedium, immo quamvis præſentiſſi
ſuffocatio. *Agricola.*

Uvularia, Throat-wort. Hujus decoc
garizetur os & ſpecifice curat uvulæ
Etmullerus.

—— ULCERATIO.

Veronica, Speedwell. ℞ Veronicæ m
font. q. ſ. colaturæ adde mellis parum,
gargarizetur os: *Etmullerus.*

A Catalogue of Phyſick-Books, Printed for, and Sold by Sam. Smith *and* Benj. Walford.

THE Anatomy of Humane Bodies, with Figures drawn after the Life, by ſome of the beſt Maſters of *Europe*; and curiouſly Engraven in 114 Copper Plates, illuſtrated with large Explications, containing many new Diſcoveries and Chirurgical Obſervations: To which is added an Introduction explaining the Animal Oeconomy, with a copious Index. By *William Cowper*. *Oxford*; Printed at the *Theatre* on large Imperial Paper, in Fol. 1698.

Jo Raii Hiſtoria Plantarum Generalis: Aceeſſerunt Lexicon Botanicum & Nomenclator Botanicus, 2. vol. folio.

—— Synopſis Methodica Stirpium Britannicarum tum Indigenis, tum in agris cultis, locis ſuis diſpoſitis, additis Generum Characteriſticis, ſpecierum Deſcriptionibus, & Virium Epitome, Edit. 2. cum reſponſ. ad D. Rivinum & D. Tournefort, in 8°.

—— Stirpium Europæarum extra Britannias naſcentium Sylloge.

—— Synopſis Methodica Animalium, Quadrupedum & Serpentini Generis, &c. in 8°.

Praxeos Mayernianæ in Morbis Internis præcipue Gravioribus & Chronicis Syntagma. — Ejuſd. Syntagma Alterum, 1. De Febribus. 2. De Morbis Externis. 3. De Arthridite. 4. De Lue Venerea, in 2 Vol in 8°.

D. R. Morton de Morbis Univerſalibus Acutis, vol. 1.

—— Id. de febribus inflammatoriis & de Variolis, &c. vol. 2. in 8°

D. Guil. Cole Nova Hypotheſis ad Explicanda Febrium intermittentium ſymptomata, in 8°.

Pharma-

Pharmacopœia Bateana cum Arcanis Goddardianis, &c. Editio tertia cum Appendice ex Autographo eximii Authoris nunc primum deſumpta a Tho. Fuller. M.D. 1700.

Pharmacopœiæ Colleg. Reg. Londini Remedia Omnia ſuccinctè deſcripta: Edit. 3. Aucta, 1699. per J. Shipton, in 12°

S. Dale Pharmacologia ſeu Manuductio ad Materiam dicam, in 12°

D. Sydenhami Proceſſus Integri in morbis fere omnibus curandis. nec non de phthiſi Tractatulo, 12°.

M. Liſter Exercitatio Anatomica, de Cochleis, de Buccinis Fluviatilibus & Marinis, 2 vol. 8°. cum figuris Æneis.

—— Id. Exercitat. octo Medicinales. 1. De Hydrope 2 De Diabete. 3 De Hydrophobia. 4. De Lue Venerea. 5. De Scorbuto. 6. De Arthritide. 7. De Calculo Humano 8. De Variolis, in 12°.

Philoſophical Tranſactions, giving ſome Account of the preſent Undertakings, Studies, and Labours of the Ingenious in many conſiderable Parts of the World, continued to this Year 1701. and publiſhed Monthly by Dr. *Hans Sloan* Secretary to the Royal Society, in 4°.

Dr. *Bate's* Diſpenſatory, tranſlated into Engliſh, by *D Salmon*; the 2d Edit. with Emendations, and large Additions in 8°. 1700.

Dr. *Morton's* Treatiſe of Conſumptions, wherein the Difference, Nature, Cauſes, Signs and Cure, of all ſorts of Conſumptions, are explained, in 8o.

Cowper's Myotomia Reformata; Or, A New Admiſtration of all the Muſcles of Humane Bodies, with a Graphical Deſcription of the Bones, and other Anatomical Obſervations, illuſtrated with Figures after the Life. In 8o. 1694.

The Anatomy of the Brain, containing its Mechaniſm and Phyſiology: Together with ſome new Diſcoveries and Corrections of Ancient and Modern Authors upon that ſubject. To which is annexed a particular Account of

of Animal Functions and Muſcular Motion, with Sculptures. By Dr. *H. Ridley*, 8°. 1695.

Oſteologia nova: Or, ſome new Obſervations of the Bones, and the Parts belonging to them; with the manner of Accretion and Nutrition, communicated to the *Royal Society.* To which is added a Diſcourſe of the Cartilages. By Dr. *Havers*, 8° 1691.

Mr. *Boyle*'s Medicinal Experiments: Or, a collection of choice and ſafe Remedies, in 12o. 1696. 3d Edition, in 3 Parts.

Boyle's Hydroſtaticks, applied to the *Materia Medica*, with the way of eſtimating Ores. 8°.

—— *Boyle*'s Hiſtory of Mineral Waters. 8°.

—— Of the Reconcileableneſs of Specifick Medicines to the Corpuſcular Philoſophy; with a Diſcourſe about the Advantages of the Uſe of Simple Medicines. 8°.

—— Experiments of the Porouſneſs of Animal and Solid Bodies. 8°.

A Catalogue of the Philoſophical Books and Tracts written by the Honourable *Robert Boyle*, Eſq;

Dr. *Sydenham*'s Practice of Phyſick; The Signs, Symptoms, Cauſes, and Cures of Diſeaſes. Tranſlated into Engliſh by Dr. *Salmon*, with large Annotations and practical Obſervations, in 12°.

The Natural Hiſtory of Chalybeat and Purging Waters of *England*, with their particular Eſſays and Uſes. By *B. Allen*, M. B. in 8°. 1679.

Jo. Michaelis (Etmulleri Præceptor) opera medica & chyrurgica. 4o.

Riverii opera omnia Med. fol. 1679.

Boneti Anatomia practica, 2 vol. fol.

—— Medicina Septentrionalis, 2 vol. fol.

—— Index Medico-practicus, fol.

—— Polyalethes, ſive Theſaurus Medico-practicus, 3 vol. fol.

Mich. Etmulleri opera omnia, 3 vol. fol.

Fabric. ab Aquapendente opera Anatom. fol.

Fabr. Hildani opera med. Chyrugica, fol.

A Catalogue of Phyſick-Books.

Malpighii opera omnia. Cum Figuris.
Piſo de Re Naturali & Medica Indiæ utriuſq;
Willughbei Ornithologia, cum Iconibus, &c.
Wiſeman's Chyrurgical Obſervations, fol.
Vander Linden de Scriptis Medicis, 8o.
Willis opera omnia per Blaſium Amſt. 1682.
De la Boe Sylvii opera omnia Edit. Ult. 4°.
Langii opera Med.
Craanen praxis Med. & de Homine, 2 Vol. 4o.
Vallade de Morbis & Paſſionibus hominis. 4°.
Caſtelli Lexicon Med. à J. Brunone, 4°.
Burnet Theſaurus Med. practicæ, 4°.
Salmons Iatrica ſive praxis medendi.
Dolæi Encyclopedia Medica & Chyrurg. 2 vol.
Bohnii Circulus Anatomicus Phyſiolog. 4°.
Waltheri Sylva Medica, 4o.
Miſcellanea Curioſa Academiæ German. 22. Vol.
Bellinus de Urinis, Pulſibus, &c. 4°.
Bartholini Acta Medica Haffnienſia, 5 Vol.
Deckeri Exercitationes Medicæ cum fig. 4o.
Blancardi opera Medica, 4°.
Poterii opera Medica, 4°.
Muſitani Chyrurgia, 4°.

Libri 8o.

Etmulleri opera omnia in compend. redacta.
Abercromby de Lue Venerea, &c.
Bett. de Ortu & Natura ſanguinis, 8°.
Riverius Reformatus.
Juncken Lexicon Chymicum.
——— Fundamenta Medicinæ, &c.
Zypæi fundamenta Medicinæ.
Walſchmidii fundamenta & praxis Med.
Blancardi Anatomia reformata.
——— Novum Lexicon Medicum.
Hartmanni praxis Chymiatrica.
Donker de febribus petechialibus.
Gibſon's Anatomy of Humane Bodies.
Willis's Works epitomized.

